

Global sentiments surrounding the COVID-19 pandemic on Twitter

May Oo Lwin, Jiahui Lu, Anita Sheldenkar, Peter Johannes Schulz, Wonsun Shin,
Raj Gupta, Yinping Yang

Submitted to: JMIR Public Health and Surveillance
on: April 17, 2020

Disclaimer: © The authors. All rights reserved. This is a privileged document currently under peer-review/community review. Authors have provided JMIR Publications with an exclusive license to publish this preprint on its website for review purposes only. While the final peer-reviewed paper may be licensed under a CC BY license on publication, at this stage authors and publisher expressly prohibit redistribution of this draft paper other than for review purposes.

Table of Contents

Original Manuscript..... 4
Supplementary Files..... 11
 Figures 12
 Multimedia Appendixes 13
 Other materials for editor/reviewers onlies..... 15



Global sentiments surrounding the COVID-19 pandemic on Twitter

May Oo LwinPhD, ; Jiahui LuPhD, ; Anita SheldenkarMSc, ; Peter Johannes SchulzPhD, ; Wonsun ShinPhD, ; Raj GuptaPhD, ; Yinping YangPhD,

Corresponding Author:

Anita SheldenkarMSc,

Phone: +6569083444

Email: anitas@ntu.edu.sg

Abstract

Background: With the World Health Organization's (WHO) pandemic declaration and government-initiated actions against the disease, COVID-19 sentiments evolved rapidly.

Objective: This study examined worldwide trends of four emotions (i.e., fear, anger, sadness, and joy) and the narratives underlying those emotions during the COVID-19 pandemic.

Methods: Over 20 million social media twitter posts made during the early phases of the COVID-19 outbreak from 28 January to 9 April 2020 were collected using "wuhan", "corona", "nCov", and "covid" as search keywords.

Results: Public emotions shifted strongly from fear to anger over the course of the pandemic, while sadness and joy also surfaced. Findings from word clouds suggest that fears around shortages of COVID-19 tests and medical supplies became increasingly widespread discussion points. Anger shifted from xenophobia at the beginning of the pandemic to discourse around the stay-at-home notices. Sadness was highlighted by the topics of losing friends and family members while topics relating to joy included words of gratitude and good health.

Conclusions: Overall, global COVID-19 sentiments have shown rapid evolutions just within the span of a few weeks. Findings suggest that emotion-driven collective issues are developing, that are entered around shared public distress experiences of the COVID-19 pandemic which include large scale social isolation and the loss of human lives. The steady rise of societal concerns indicated by negative emotions need to be monitored and controlled by complementing regular crisis communication with strategic public health communication that aims to balance public psychological wellbeing.

(JMIR Preprints 17/04/2020:19447)

DOI: <https://doi.org/10.2196/preprints.19447>

Preprint Settings

1) Would you like to publish your submitted manuscript as preprint?

✓ **Please make my preprint PDF available to anyone at any time (recommended).**

Please make my preprint PDF available only to logged-in users; I understand that my title and abstract will remain visible to all users.

Only make the preprint title and abstract visible.

No, I do not wish to publish my submitted manuscript as a preprint.

2) If accepted for publication in a JMIR journal, would you like the PDF to be visible to the public?

✓ **Yes, please make my accepted manuscript PDF available to anyone at any time (Recommended).**

Yes, but please make my accepted manuscript PDF available only to logged-in users; I understand that the title and abstract will remain visible.

Yes, but only make the title and abstract visible (see Important note, above). I understand that if I later pay to participate in <http://www.jmir.org/preprint/19447>

Original Manuscript

Global sentiments surrounding the COVID-19 pandemic on Twitter

May Oo Lwin¹, Ph.D.

Jiahui Lu², Ph.D.

Anita Sheldenkar^{1,*}, M.Sc.

Peter J. Schulz³, Ph.D.

Wonsun Shin⁴, Ph.D.

Raj Kumar Gupta⁵, Ph.D.

Yinping Yang⁵, Ph.D.

1 Wee Kim Wee School of Communication and Information, Nanyang Technological University, Singapore

2 School of New Media and Communication, Tianjin University, China

3 Institute of Communication and Health, University of Lugano, Switzerland

4 School of Culture and Communication, University of Melbourne, Australia

5 Institute of High Performance Computing (IHPC), Agency for Science, Technology and Research (A*STAR), Singapore

*Author notes

Correspondence should be sent to Anita Sheldenkar, Wee Kim Wee School of Communication and Information, Nanyang Technological University, 31 Nanyang Link, Singapore 637718, Singapore. Email: anitas@ntu.edu.sg. Phone: (65) 69083444.

Global sentiments surrounding the COVID-19 pandemic on Twitter

Abstract

Background: With the World Health Organization's (WHO) pandemic declaration and government-initiated actions against the disease, COVID-19 sentiments evolved rapidly.

Objectives: This study examined worldwide trends of four emotions (i.e., fear, anger, sadness, and joy) and the narratives underlying those emotions during the COVID-19 pandemic.

Methods: Over 20 million social media twitter posts made during the early phases of the COVID-19 outbreak from 28 January to 9 April 2020 were collected using "wuhan", "corona", "nCov", and "covid" as search keywords.

Results: Public emotions shifted strongly from fear to anger over the course of the pandemic, while sadness and joy also surfaced. Findings from word clouds suggest that fears around shortages of COVID-19 tests and medical supplies became increasingly widespread discussion points. Anger shifted from xenophobia at the beginning of the pandemic to discourse around the stay-at-home notices. Sadness was highlighted by the topics of losing friends and family members while topics relating to joy included words of gratitude and good health.

Conclusions: Overall, global COVID-19 sentiments have shown rapid evolutions just within the span of a few weeks. Findings suggest that emotion-driven collective issues are developing, that are entered around shared public distress experiences of the COVID-19 pandemic which include large scale social isolation and the loss of human lives. The steady rise of societal concerns indicated by negative emotions need to be monitored and controlled by complementing regular crisis communication with strategic public health communication that aims to balance public psychological wellbeing.

Keywords: COVID-19; Twitter; Pandemic; Social sentiments; Emotions

Introduction

The coronavirus 2019 (COVID-19) pandemic has infected individuals in more than 200 countries resulting in many deaths [1]. With the World Health Organization's (WHO) pandemic declaration and government-initiated actions against the disease, COVID-19 sentiments are rapidly evolving. In the past decade, social media analytic tools have been utilized to monitor public sentiments and communication patterns of public health emergencies like the Ebola and Zika endemics. Although many studies have investigated general sentiment valences and discourse topics [2,3], specific emotions have been found to be more closely linked to psychological processes and behaviours than the overall positive and negative valences [4]. Therefore, we postulate that distinct emotions emerging from social media and their underlying narratives are highly relevant to the current COVID-19 crisis, and can provide actionable insights into the efficacy of public health messaging.

Particularly, we focused on four emotions: fear, anger, sadness, and joy. According to Plutchik's Wheel of Emotions [5], fear-anger and sadness-joy are the basic emotion pairs of opposite experiences. Fear is an unpleasant emotion typically arising from danger or uncertainties caused by circumstances, while anger results from uncertainties caused by others [6]. Sadness is a negative emotion experienced typically after unpleasant circumstances that are out of one's control, but joy is a positive feeling after pleasant events that are appraised as certain and under control [6]. Investigating the evolution of these four basic emotions can demonstrate the changing dynamics of the public's experience to the crisis.

In this report, we present the results of Twitter users' public emotional responses to the pandemic. Trends of the four basic emotions and the narratives underlying those emotions were examined.

Methods

English tweets worldwide related to COVID-19 made from 28 January to 9 April 2020 were collected from Twitter's standard search application programming interface (API) using "wuhan", "corona", "nCov", and "covid" as search keywords. These keywords were selected because they were widely used during the early assessment of the COVID-19 situation. Publicly accessible tweets from any type of accounts that contained any of the keywords were collected. The underlying emotions of tweets were analysed using the algorithm *CrystalFeel*, a sentiment analytic technology whose accuracy had been demonstrated (see details and examples in Multimedia Appendix 1) [7]. Pearson's r correlations were conducted between emotions and date to demonstrate the trends of emotions across time statistically. Word clouds were generated for each of the four emotions based on the top frequent unigrams and bigrams.

Results

A total of 20,325,929 tweets were collected, including 7,033,158 unique users from more than 170 countries. The daily proportion of tweets stratified by emotion were plotted across time (see Figure 1).




Figure 1: Emotions trends during the early stages of the COVID-19 pandemic

Expectedly, fear was the dominant emotion at the end of January when the disease first surfaced. The prominence of fear gradually dropped to less than 30% of daily tweets in early April as the crisis developed, $r(71) = -0.92$, $P < .001$. In contrast, anger progressively increased from late January to early March, peaking at 29% on 12 March, a day after the pandemic declaration by WHO. Anger has slightly decreased since then but remains at a relatively high level, $r(71) = 0.75$, $P < .001$. Coinciding with the decrease of both fear and anger after the pandemic announcement, sadness, although proportionally lower than the other emotions, has doubled since the declaration ($r(71) = 0.88$, $P < .001$). Similarly, joy, suggesting sense of pride, gratitude, hope, and happiness [9], has also increased ($r(71) = 0.86$, $P < .001$).

Further analyses using word clouds suggest that narratives underlying those emotions evolved as the pandemic developed (see Multimedia Appendix 2). In late January, fear was possibly related to COVID-19 emerging and the unknown nature of it, causing uncertainty about containment and spread, indicated by words such as “first case” and “outbreak.” However, as the pandemic escalated, the narratives suggest underlying fears around shortages of COVID-19 tests and medical supplies indicated by words such as “test shortages” and “uncounted.” The anger word clouds suggest xenophobia at the beginning of the pandemic when the disease was predominantly localised to China and Asia, indicated by words such as “racist” and “Chinese people.” Anger then shifted to discourses around the isolation fatigue that can occur from social seclusion indicated by words such as “stay home” and several swear words. Narratives of recent sadness surrounding the topics of losing friends and family members are surfacing with words relating to “loved one” and “passed away”, highlighting potential social concerns arising from personal traumatic experiences of the pandemic. The world has also seen a concurrent increase in the sense of joy encompassing hope, gratitude, and human resilience with words such as “Thank”, “good news” and “feel good”.

Discussion

Our initial findings suggest that global online discourse is swiftly evolving. The discourse is driven by shared public experiences of the COVID-19 pandemic, including large scale social isolation and the loss of human lives. Though existing studies have demonstrated the immediate psychological reactions to COVID-19 [8,9], our study is the first to demonstrate the evolution of responses across time.

Our findings reveal that negative emotions are dominant during the COVID-19 pandemic, supporting

the recent call for action to maintain the public's mental wellbeing for this unprecedented crisis [10]. Negative emotions such as anger and sadness, which are increasing, need to be heeded and counterbalanced, by complementing regular crisis communication with strategic public health communication that aims to balance public psychological wellbeing [2]. If such overbearing public emotions are not addressed, there is the potential for the emergence of unintended outcomes such as breeding mistrust in the handling of the disease and a belief in online falsehoods that could hinder the ongoing control of the disease [11,12].

Although the data, collected from Twitter API, looks at only public tweets surrounding the four selected keywords, the estimation is appropriate for the public discourse surrounding the pandemic at present that abides to ethnical guidelines. Future studies should investigate sentiments further by examining specific countries and expanding the scope to include other media platforms such as Facebook and Weibo.

Acknowledgements

Lwin conceptualised, initiated and led the manuscript; Lu and Sheldenkar drafted the manuscript; Schulz and Shin provided discussions surrounding global results; Gupta and Yang provided data analysis. All authors contributed to the manuscript writing, reviewed the content, and agreed with submission.

This work is supported by Agency for Science, Technology and Research (A*STAR) under its A*ccelerate Gap Fund (ETPL/18-GAP050-R20A) and the Singapore Ministry of Health's National Medical Research Council under its COVID-19 Research Fund (COVID19RF-005).

Conflicts of interest

Gupta and Yang are co-inventors of the CrystalFeel algorithm, which is a software with existing non-exclusive licensees. No other conditions or circumstances that present a potential conflict of interest for the other authors.

Multimedia appendix 1

Extended details on methods and data analysis

Multimedia appendix 2

Narratives of emotions during the COVID-19 pandemic

Reference

1. World Health Organization. Coronavirus disease 2019 (COVID-19) Situation Report – 83. Available from: https://www.who.int/docs/default-source/coronaviruse/situation-reports/20200412-sitrep-83-covid-19.pdf?sfvrsn=697ce98d_4
2. Lwin MO, Lu J, Sheldenkar A, Schulz PJ. Strategic uses of Facebook in Zika outbreak communication: implications for the crisis and emergency risk communication model. *Int J Environ Res Public Health* 2018;15:1974. PMID: 30201929
3. Zhang EX, Yang Y, Shang R et al. Leveraging social networking sites for disease surveillance and public sensing: the case of the 2013 avian influenza A (H7N9) outbreak in China. *Western Pac Surveill Response J*. 2015;6:66–72. PMID: 26306219

4. Moors A. The integrated theory of emotional behavior follows a radically goal-directed approach. *Psychol Inq* 2017;28:68–75. doi: 10.1080/1047840X.2017.1275207
5. Plutchik R. A general psychoevolutionary theory of emotion. In Plutchik R, Kellerman H, editors. *Emotion: Theory, Research, and Experience, Volume 1: Theories of Emotion*. Cambridge, Massachusetts: Academic press; 1980. p. 3-33. doi: 10.1016/B978-0-12-558701-3.50007-7
6. Roseman IJ. Appraisal determinants of emotions: Constructing a more accurate and comprehensive theory. *Cognition & Emotion*. 1996; **10**:241–78. doi: 10.1080/026999396380240
7. Gupta RK, Yang Y. CrystalFeel at semeval-2018 task 1: Understanding and detecting emotion intensity using affective lexicons. In *Proceedings of the 12th International Workshop on Semantic Evaluation* 2018; 256-263. doi: 10.18653/v1/S18-1038
8. Li S, Wang Y, Xue J, Zhao N, Zhu T. The impact of COVID-19 epidemic declaration on psychological consequences: a study on active Weibo users. *Int J Environ Res Public Health* 2020;17:2032. PMID: 32204411
9. Wang C, Pan R, Wan X, Tan Y, Xu L, Ho CS, Ho RC. Immediate psychological responses and associated factors during the initial stage of the 2019 coronavirus disease (COVID-19) epidemic among the general population in China. *Int J Environ Res Public Health* 2020;17:1729. PMID: 32155789
10. Holmes EA, O'Connor RC, Perry VH et al. Multidisciplinary research priorities for the COVID-19 pandemic: a call for action for mental health science. *Lancet Psychiatry* 2020. PMID: 32304649
11. Bavel, JJV, Baicker, K, Boggio, PS et al. Using social and behavioural science to support COVID-19 pandemic response. *Nat Hum Behav* 2020. PMID: 32355299
12. Duan L, Zhu G. Psychological interventions for people affected by the COVID-19 epidemic. *Lancet Psychiatry* 2020;7:300-2. PMID: 32085840

Supplementary Files

Figures

Multimedia Appendixes



Other materials for editor/reviewers onlies