

Using Narrative Evidence to Convey Health Information on Social Media: The Case of COVID-19

Anat Gesser-Edelsburg

Submitted to: Journal of Medical Internet Research on: October 11, 2020

Disclaimer: © **The authors. All rights reserved.** This is a privileged document currently under peer-review/community review. Authors have provided JMIR Publications with an exclusive license to publish this preprint on it's website for review purposes only. While the final peer-reviewed paper may be licensed under a CC BY license on publication, at this stage authors and publisher expressively prohibit redistribution of this draft paper other than for review purposes.

Table of Contents

Original Manuscript	4
Supplementary Files	47
Figures	
Figure 1	
Figure 2	
Figure 3	
Figure 4	
Figure 5	
Figure 6	
Figure 7	
TOC/Feature image for homepages	56
TOC/Feature image for homepage 0	57

Using Narrative Evidence to Convey Health Information on Social Media: The Case of COVID-19

Anat Gesser-Edelsburg¹ BA, PhD

¹School of Public Health and the Health and Risk Communication Research Center University of Haifa Haifa IL

Corresponding Author:

Anat Gesser-Edelsburg BA, PhD School of Public Health and the Health and Risk Communication Research Center University of Haifa 199 Aba Khoushy Ave. Mount Carmel, Haifa Haifa IL

Abstract

During disease outbreaks or pandemics, policymakers must convey information to the public for informative purposes (e.g., morbidity or mortality rates). They must also motivate the public to cooperate with the guidelines, specifically by changing its usual behavior. Policymakers have traditionally adopted a didactic and formalistic stance by conveying dry and statistics-based health information to the public. They have not yet considered the alternative of providing health information in the form of narrative evidence, using stories that address both cognitive and emotional aspects. The aim of this viewpoint paper is to introduce policymakers to the advantages of using narrative evidence during a disease outbreak or pandemic such as COVID-19. Throughout human history, authorities have tended to employ apocalyptic narratives during disease outbreaks or pandemics. This viewpoint paper proposes an alternative coping narrative that includes the following components: segmentation, barrier reduction, role models, empathy and support, strengthening self/community-efficacy and coping tools, preventing stigmatization of at-risk populations, and communicating uncertainty.

This viewpoint paper also discusses five conditions for using narrative evidence to produce an effective communication campaign on social media: 1) identifying narratives that reveal the needs, personal experiences and questions of different subgroups in order to tailor messaging to produce targeted behavioral change; 2) providing separate and distinct treatment of each information unit or theory that arises on social networks; 3) identifying positive deviants who found creative solutions for stress during the COVID-19 crisis not found by other members of the community; 4) creating different stories of coping; and 5) maintaining a dialogue with population subgroups (e.g., skeptical and hesitant groups). The paper concludes by proposing criteria for evaluating a narrative's effectiveness.

(JMIR Preprints 11/10/2020:24948)

DOI: https://doi.org/10.2196/preprints.24948

Preprint Settings

1) Would you like to publish your submitted manuscript as preprint?

Please make my preprint PDF available to anyone at any time (recommended).

Please make my preprint PDF available only to logged-in users; I understand that my title and abstract will remain visible to all users. Only make the preprint title and abstract visible.

- ✓ No, I do not wish to publish my submitted manuscript as a preprint.
- 2) If accepted for publication in a JMIR journal, would you like the PDF to be visible to the public?
- ✓ Yes, please make my accepted manuscript PDF available to anyone at any time (Recommended).

Yes, but please make my accepted manuscript PDF available only to logged-in users; I understand that the title and abstract will remain ves, but only make the title and abstract visible (see Important note, above). I understand that if I later pay to participate in <a href="https://example.com/above/linear-above-note-

Original Manuscript

Viewpoint

Using Narrative Evidence to Convey Health Information on Social Media: The Case of COVID-19

Abstract

During disease outbreaks or pandemics, policymakers must convey information to the public for informative purposes (e.g., morbidity or mortality rates). They must also motivate the public to cooperate with the guidelines, specifically by changing its usual behavior. Policymakers have traditionally adopted a didactic and formalistic stance by conveying dry and statistics-based health information to the public. They have not yet considered the alternative of providing health information in the form of narrative evidence, using stories that address both cognitive and emotional aspects. The aim of this viewpoint paper is to introduce policymakers to the advantages of using narrative evidence during a disease outbreak or pandemic such as COVID-19.

Throughout human history, authorities have tended to employ apocalyptic narratives during disease outbreaks or pandemics. This viewpoint paper proposes an alternative coping narrative that includes the following components: segmentation, barrier reduction, role models, empathy and support, strengthening self/community-efficacy and coping tools, preventing stigmatization of at-risk populations, and communicating uncertainty.

This viewpoint paper also discusses five conditions for using narrative evidence to produce an effective communication campaign on social media: 1) identifying narratives that reveal the needs, personal experiences and questions of different subgroups in order to tailor messaging to produce targeted behavioral change; 2) providing separate and distinct treatment of each information unit or theory that arises on social networks; 3) identifying positive deviants who found creative solutions for stress during the COVID-19 crisis not found by other members of the community; 4) creating different stories of coping; and 5) maintaining a dialogue with population subgroups (e.g., skeptical and hesitant groups). The paper concludes by proposing criteria for evaluating a narrative's

effectiveness.

Keywords: health and risk communication; social media; narrative evidence; crisis; pandemic; misinformation; infodemic; COVID-19

Introduction

Background

During disease outbreaks or pandemics, organizations must convey effective information that will cause the general public to cooperate and even change its behavior, as in the need for social distancing and isolation during the COVID-19 crisis [1]. Moreover, policymakers must also convey information to healthcare professionals who must deal with new care conditions and social situations [2]. This information must go beyond factual information such as morbidity and mortality statistics. It must also provide explanations to help the public understand the rationale behind the guidelines, as well as information to help population subgroups deal with social conditions such as loneliness and anxiety caused by lifestyle changes.

In communicating this information, health organizations must also address the psychological, sociological, economic and political factors motivating the behavior of diverse population groups, such that conveying information, messages, and guidelines to the public becomes quite complex [3, 4]. Moreover, in a media- and communication platform-saturated environment, if policymakers do not convey information such that it is relevant to people's needs, the public will lose interest and turn to other resources and channels [5-7].

Health information can be conveyed as statistical evidence or as narrative evidence. Statistical evidence usually entails a dry summary of quantitative information about a sample of cases that can be generalized to an entire population [8]. This information is conveyed in a statistics-based and

didactic manner that appeals primarily to cognitive considerations.

In contrast, health information can also be conveyed in the form of narrative, through stories that address both cognitive and emotional aspects. Narrative evidence is constructed in the form of a plot that has a beginning, a middle, and an ending that is often open [9-13]. Stories involve characters who portray incidents, life experiences, problems/conflicts/questions and challenges emerging from their daily lives or during crises. These characters transcend their personal stories to represent communal stories that often entail information about goals, plans, actions, and outcomes [9-13].

In examining whether narrative or nonnarrative [9, 13-15] means are most effective in conveying healthcare information and creating health behavior change, research has uncovered apparently contradictory results. For example, one study found that narrative evidence is more effective than statistical evidence [16], whereas a meta-analysis indicated that statistical evidence is more persuasive [8].

In another meta-analysis, Zebregs et al. [17] identified the influential factors in the two approaches: statistical evidence vs. narrative evidence. Statistical evidence was found to exert a stronger influence on beliefs and attitudes than narrative evidence, whereas narrative evidence had a stronger influence on intention. The authors' explanation was that statistical evidence, beliefs, and attitudes are mainly related to cognitive responses, whereas both narrative evidence and behavioral intention are more specifically related to affective (emotional) responses. Accordingly, during a crisis or pandemic policymakers can employ both means of information transmission: statistical evidence and narrative evidence. As noted by Zebregs et al. [17], narratives can help influence people's intentions to change their behavior, as required by unusual situations.

Hoper and Clippard [18] identified five qualities of narrative messages that make them particularly promising for health interventions. Narrative messages can overcome resistance toward the

advocated health behavior. Moreover, they can engage audiences that are less involved, reach audiences that are less knowledgeable, render complex information comprehensible, and ground messages in the culture and experiences of the target audience. In the next section we describe these five qualities and tie them to the field of emerging infectious diseases (EID) communication. We also add two qualities that we believe are of particular importance for the use of narrative strategy in health communication: The first is using aesthetic means (nonverbal communication) to convey information based on the edutainment theoretical framework [19, 20], as such means are important components of persuasion strategies. The second is conveying a diffused story through social networks based on the Diffusion of Innovations theory [21, 22] and para-social interactions [23-25], both adapted to the current social media realm.

Overcoming resistance to advocated health behavior

Resistance can be broadly defined as a reaction against change or an incentive to oppose persuasive appeals. Resistance to persuasive messages may include counterarguing the message's claims, ignoring the message altogether, or denying the validity of the message due to its source. The greater the public's resistance, the greater the advantages of the narrative approach in reaching people [26].

Rendering complex information comprehensible

Narrative evidence helps people process new or complex information by putting the facts into the context of a specific time and place during an outbreak or pandemic. Moreover, narratives can be used to link the information to the experience of the readers or listeners [27, 28].

Reaching audiences that are less knowledgeable

Policymakers seeking to find the most effective way to make the public heed information and guidelines during a crisis need a tool that does not require a high level of literacy or education.

Narrative evidence meets that requirement because it can address people at all levels and in all languages [18].

Engaging audiences that are less involved

Addressing emotions is one way to make the public feel involved. Emotions have long been acknowledged as an essential ingredient in the recipe for persuasion [29-31]. In health communication field, persuasive messages that arouse emotions tend to be perceived as more effective than those that do not [32-36]. Even healthcare workers may be more responsive to messages that address their emotions than to statistical data. Hence, this approach can be used to provide healthcare workers with tools and vital information to help them communicate with families whose loved ones are hospitalized with COVID-19.

Grounding messages in the culture and experiences of the target audience

People exposed to other people's stories in the media undergo a "para-social relationship" [37] in that they become engaged with the characters despite never having met them. In line with social-cognitive theory [38], such characters may serve as role models for appropriate behavior by demonstrating the costs and benefits of different courses of action. People may be inspired to imitate the actions of positive characters, avoid the problems of negative characters, or follow in the footsteps of characters who undergo a transformation (usually from negative to positive attitudes or behaviors) over the course of the story [39].

In media campaigns, the characters in a narrative can serve as role models for the readers/viewers [40]. For instance, characters representing at-risk population groups can depict different coping situations that the public can learn and imitate [41]. As opposed to merely short texting (e.g., such as a Tweet that can contain up to 280 characters), social media such as Facebook, blogs, or COVID-19 forums enable people to create and share their stories. These platforms provide opportunities to talk about their fears and concerns as well as their beliefs and risk perceptions in different situations [5, 42, 43]. Policymakers can study stories on social networks to learn how people understand the epidemic narrative at any given time and use that information to generate appropriate narratives. Stories can be used for long-term interventions as well as for the short-term needs of a specific context, such as the outbreak of a pandemic. Furthermore, pandemics are not necessarily short. Indeed, the COVID-19 crisis is prolonged and ongoing. For example, policymakers can design stories that model effective behavior for the subgroup of healthcare workers caring for the elderly during the COVID-19 crisis.

Using aesthetic means to convey information

The newly proposed quality of aesthetic means is of particular importance in health communication. Narratives can use aesthetic means and strategies such as empathy, humor, sarcasm and irony to convey information using [27]. Edutainment has shown that aesthetic experiences provide viewers opportunities for meaningful cognitive illumination or change in the context of health or other issues [19, 20]. Aesthetic means offer added value that cannot be achieved merely by conveying statistical information.

Conveying a diffused story through social networks

Conveying a diffused story [21, 22] through social media leads to para-social interactions [23-25]

and generates relationships between people that transcend geographic and linguistic borders. Such relationships turn strangers into friends and transform passive audiences into active co-participants [44, 45]. People who hear a good story can be expected to share it with others, initiating a pattern of social proliferation, such that messages go "viral" [46, 47]. Thus the boundaries between the personal and the public become blurred. For example, when people identify with a story posted on social networks and share it on their feed, they actually turn that story into "their" story. Hence, one individual's story becomes the story of many others who identify with it and share it with others.

This viewpoint paper combines three intertwining parts to provide a holistic perspective on the use of narrative evidence during a disease outbreak or pandemic. The first part compares the commonly used strategy of apocalyptic narratives to the more desirable strategy of coping narratives, an alternative that has not yet been fully implemented. The second part outlines the conditions necessary to generate an alternative coping narrative and discusses the outcomes of this alternative. Finally, the third part proposes evaluation criteria that can be used in constructing an alternative coping narrative.

Objectives

First Objective

The viewpoint's first objective is to introduce policymakers to the advantages of using narrative evidence [9, 13-15] during a disease outbreak or pandemic such as COVID-19. To date, health organizations have used narratives mainly in the fields of clinical care and education. Such narratives usually focus on disease prevention, disease management, patient recovery, and psychological and social resilience [17]. Yet using narrative evidence as a tool for changing attitudes and behaviors can be effective not only for long periods of clinical care intervention, but also for shorter periods that require the public to change its behavior.

Second Objective

The viewpoint's second objective is to propose an alternative coping narrative based on health and risk communication approaches and models. Throughout human history, authorities have tended to employ apocalyptic narratives that include threats, intimidation [48], and the use of "good" and "bad" protagonists. Yet alternatives are available to this apocalyptic narrative.

Third Objective

The viewpoint's third objective is to propose five conditions for constructing and using alternative narrative evidence to launch communication campaign on social media.

Fourth Objective

The viewpoint's fourth objective is to propose criteria for evaluating a narrative's effectiveness and potential to generate change: narrative mechanisms, rhetorical concerns, and empirical questions.

Based on the aforesaid, policymakers can use narrative evidence not only for long-term interventions but also during disease outbreaks and pandemics when the public is called upon to follow guidelines and change its behavior. In the next section, we propose an alternative coping narrative model instead of the apocalyptic narrative model commonly used during disease outbreaks and pandemics.

Traditional use of narrative evidence in pandemics: Apocalyptic narratives

Pandemics are difficult and complex events with a high level of uncertainty. From the dawn of

history pandemics have aroused fear, panic and alarm, as expressed in many Western works of

literature and art [49-54]. Over the years, human and technological progress has led to the

development of vaccinations. Nevertheless, epidemics and pandemics, such as the COVID-19, still

pose a serious challenge, with wide-ranging existential consequences that spark primeval emotions and fears. How can leaders deal with the public's fears, uncertainty and concerns? What narrative can policymakers create in the public sphere to gain people's trust and cooperation? [55-58]

Some, though not all, health organizations currently employ apocalyptic narratives [59]. This sort of narrative lacks many of the qualities of narrative evidence while also containing some elements that can generate negative responses among the public. In this section we describe the features of apocalyptic narratives traditionally used during pandemics and discuss why these have not been effective. After that, we describe an alternative coping narrative based on the health and risk communication literature, which some countries have put into effect during the COVID-19 pandemic.

Throughout human history, pandemic narratives have incorporated melodramatic and apocalyptic features [59, 60]. Indeed, the word "epidemic" refers to something that "falls upon people" (in Greek, *epi* means "upon or above" and *demos* means "people") [61]. Hence, by definition epidemics are unpredictable and therefore perceived as threatening.

Artistic expressions of epidemics in literature, painting, sculpture and other media symbolize the sense of vulnerability in the face of uncertainty and death, as well as the random nature of death itself. The villain of the plot is the virus that is threatening to destroy humanity, while the good guys or heroes are the lifesaving medical workers. The narrative also includes characters depicted as disease spreaders, usually from disempowered communities. Blame, stigmatization [62], fears and anxieties (whether real or exaggerated) swirl around in the public consciousness [62]. The tone of this narrative is apocalyptic rather than redemptive. Diseases are managed and endured rather than overcome, and species-level damage is incurred. In pandemic narratives, our anxieties are not assuaged; we are invited to struggle rather than to overcome.

According to Wald, pandemic narratives tell "a contradictory but compelling story of the perils of

human interdependence and the triumph of human connection and cooperation, scientific authority and the evolutionary advances of the microbe, ecological balance and impending disaster" [62]. Further, Massumi indicated that we live in an environment that is not so much threatening as "threat generating" [63, 64]. That is, the threat is not always as existential as its effect on human consciousness, as expressed through the stories we tell.

In the modern pandemic narrative, traditional and social media not only cover and mediate the crisis. They also serve as narrators that dictate the pandemic reality/narrative to the audience. In this narrative, humanity searches for a solution in the form of a medication/vaccination that will redeem it from the apocalyptic threats [3]. In recent disease outbreaks, health organizations seem to have strengthened this apocalyptic narrative by using strategies of intimidation to make the public follow instructions and guidelines [3]. This can be seen in the language and tone of information delivery (e.g., use of war language to describe COVID-19 as a cruel enemy that needs to be defeated [65]).

Moreover, the modern pandemic narrative often uses overblown statistics not backed by accurate facts to describe morbidity and mortality in order to motivate the public to follow directives. For example, Dew [66] describes how during the 1997 measles outbreak in New Zealand, the Ministry of Health ran a media advertisement campaign using emotional appeals and employing statistics and numbers to create a "quantification rhetoric." According to Petersen and Lupton [67], this rhetoric "tends to suggest the figures used are not subject to doubt or uncertainty." During the media campaign, "the viewer was subjected to images of cemeteries and crucifixes passing across the screen . . ." [66]. Yet the 1997 outbreak in New Zealand turned out to be minor. The actual number of measles cases reported was 1,200, and not a single child died [66]. Intimidation has also been used during the COVID-19 pandemic. For example, the prime minister of Israel compared the first wave of the epidemic both to the Spanish flu and to the Holocaust, citing inaccurate statistics

[68, 69].

Policymakers and organizations often tend to frame uncertain information in terms of certainty. Their assumption is that uncertain information may create negative emotions. Furthermore, even when the risk is uncovered, often through social media, and its communication becomes inevitable, experts and organizations are often reluctant to reveal all available information. They prefer to provide a straightforward and unambiguous explanation. Van Asselt et al. [70, 71] called this framing "the uncertainty paradox," referring to situations wherein uncertainty is acknowledged, but the role of science is framed as providing certainty [72].

Contrary to this assumption, other studies indicate that when people feel they do not have sufficient information regarding a risk, their sense of uncertainty and negative feelings may increase [73-76], especially when the risk is perceived as severe and uncontrollable [77]. Indeed, honest risk communication and giving sufficient information do not have a negative impact on the public's behavior. On the contrary, sufficient and accurate information can help mitigate negative feelings [78-81].

Authorities often use intimidation strategy because they believe the public is in a state of "panic" and "hysteria" during a crisis [82]. For example, the public's reaction to the appearance of four Ebola cases in the US and to the authorities' diverse approaches to necessary precautionary measures was perceived as "national panic" [83, 84], with Maryn McKenna [85] coining the term "Ebolanoia" to describe it.

Contrary to this widely accepted view of public panic, empirical studies of public response to extreme situations have revealed the opposite findings [79, 80, 86]. Indeed, some studies indicate that in extreme situations people are more likely to react by demonstrating social cohesion and mutual trust rather than showing panic [87].

Even in the case of public panic, using intimidation without empowering individual self-efficacy is

counter to the theory of intimidation use known as the Extended Parallel Process Model (EPPM) [88]. The EPPM attempts to predict how individuals will react when confronted with fear-inducing stimuli. In order for fear-based policies to be effective, policymakers must induce a moderate level of fear alongside a higher level of self-efficacy and response efficacy. When the public's fear exceeds its sense of self-efficacy, the message becomes ineffective.

An alternative coping narrative

As opposed to this apocalyptic narrative, here we propose an alternative coping narrative based on health and risk communication approaches and frameworks [89, 90]. Such a narrative should contain the following components: segmentation, barrier reduction, role modeling, empathy and support, tools to promote self and collective efficacy and coping, preventing the stigmatization of at-risk populations, and uncertainty communication.

Segmentation through narrative

The literature underscores the importance of segmenting [91, 92] and mapping [93, 94] each subgroup in the population in order to tailor [95, 96] the information and media campaign to the barriers, risks, concerns and unique needs of each group. During every disease outbreak or pandemic, some groups are at higher risk than others. The narrative put forward by the authorities must communicate and distinguish between actions taken for the benefit of the public at large and those targeting specific at-risk groups. For example, during the COVID-19 pandemic, young people between the ages of ages 18 and 30 without any underlying conditions are not at risk of serious illness. Therefore, the authorities must tailor risk messages to particular at-risk groups without resorting to intimidation.

Reducing barriers through narrative

The strategy of barrier reduction entails reducing existing difficulties and barriers to the adoption of desirable behavior [97, 98] and offering the population incentives and solutions. This strategy can be useful during a disease outbreak or pandemic. One of the barriers during COVID-19 is the difficulty in maintaining social distancing. By means of narratives that illustrate this barrier while providing ways of coping with it, the public can be given solutions for complying with social distancing without the use of intimidation.

Role modeling through narrative

Research has shown that role models, identification and social support can be used effectively in interventions to change health behavior [38, 99]. According to Bandura's socio-cognitive theory, individuals can learn a behavior by observing a model. Moreover, they will be more likely to perform this behavior if they see positive and appealing reinforcement for the behavior. The use of role models boosts self-efficacy in that the characters demonstrating a particular health behavior provide viewers with tools and skills.

The use of role models to teach social behavior through narratives can be implemented during disease outbreaks or pandemics as well. During COVID-19, for instance, narratives using positive role models can demonstrate the advantages of following the guidelines, thus strengthening people's self-efficacy. Likewise, patients who survived COVID-19 can share their experiences and give the public tips. Leaders dealing with the crisis can also serve as role models through their behavior. For example, during the COVID-19 crisis New Zealand's Prime Minister Jacinda Ardern announced a 20% salary cut for herself and the members of her cabinet [100].

Strengthening collective efficacy through narrative

Beyond strengthening individual self-efficacy, narratives can strengthen collective efficacy by illustrating the community's ability to provide social support for its members. A community's collective efficacy can be reinforced through stories that emphasize solidarity and mutual support for weaker community members during a health crisis or pandemic. For example, during COVID-19 civic organizations and individuals can support elderly people under lockdown by helping them obtain food and medicine.

Using narratives to prevent stigmatization of at-risk populations

During a health crisis, authorities sometimes worry that at-risk population groups will reject relevant information for fear of being stigmatized by the media and society. The literature points to the possibility of self or social stigmatization if the media use sensational means to communicate a risk [101]. For example, during COVID-19 the Asian American community expressed strong fears of being blamed for the spread of the virus. Therefore, policymakers should stress stigma reduction and create narratives that underscore social solidarity.

Communicating uncertainty through narrative

Scholars investigating the topic of risk found that dealing with uncertainty is a major challenge in risk assessment and management. According to Frewer et al. [102], public health experts tend to believe the public is incapable of coping with the uncertainties associated with risk management.

Contrary to this opinion, studies in the risk communication literature indicate that in risky situations [70, 71, 103, 104], especially those that involve uncertainty [105], the public wants full information

transparency. Transparent communication does not provoke negative reactions among the public, but rather helps reduce negative feelings and increases the public's respect for the risk-assessing agency [106].

Sandman and Lanard [107] emphasize the need to "proclaim uncertainty," advising authorities to disseminate tentative information if that is all they have. A number of studies conducted during pandemics, such as the Ebola outbreak in the U.S. [108] and the polio outbreak in Israel [109], reinforced Sandman and Lenard's hypothesis by showing that the public wants organizations to communicate uncertainty. Furthermore, the public is impatient and uncooperative when authorities only give them partial or selective information [110].

Table 1 summarizes the strategies and components of a pandemic coping narrative based on health and risk communication approaches. For each apocalyptic pandemic narrative, an alternative pandemic narrative that offers coping strategies is presented, to help health organizations transforms from one narrative to the other.

Table 1. Apocalyptic pandemic narrative versus an alternative coping narrative.

Apocalyptic pandemic narrative	Alternative pandemic narrative that
	offers coping strategies
Waging war against an enemy	Coping with situations of uncertainty
Using intimidation strategy to motivate	Using empathy strategy and reflexivity to
the public to follow guidelines	motivate the public to cooperate
Creating heroes (leaders/life-saving	Creating social support and mutual aid
medical teams)	through health organizations
Public health is the most important thing	Differentiation between public health
	and personal risk
Taking extreme measures to protect the	Introducing fact-based measures
public	
Using sensationalism and dramatization	Seeking truth and exposing
	policymakers' doubts and questions
Surveillance, guidelines and regulations	Transparency and rationalization of
(Big Brother)	guidelines
Stigmatization and blame of groups that	Solidarity
do not follow guidelines	
Closed ending: Defeat or victory over the	Coping and living in changing and
virus	dynamic situation

Figure 1 depicts an apocalyptic pandemic narrative, in which the COVID-19 depicted as an apocalyptic explosion of an atomic bomb causing a severe harm to humans.

--- Please insert Figure 1 about here---

Figure 2 depicts an alternative pandemic narrative that offers coping strategies, using additional tools provided to people to cope with the COVID-19.

--- Please insert Figure 2 about here---

In this section we explained how an apocalyptic narrative can be transformed into a coping narrative. In the next section, we propose several conditions necessary for constructing and using a coping narrative to launch a communication campaign on social media.

Use of narrative evidence to communicate COVID-19 via social media while maintaining constructive dialogue with the public

A narrative media campaign launched on social media can be based on one or both of the following methods: 1) posting personal stories on social networks and distributing them to relevant subgroups in the population via channels targeting these groups; 2) using narratives based on preliminary research that identifies the public's questions and concerns and responds to them through narrative evidence posted on social networks. Each of these methods requires five main conditions. In the following section we outline these conditions, methods and prospective outcomes. These conditions and their outcomes are formulated based on integrating health and risk communication theories [3, 4, 111]. We thus provide a new perspective on the use of narrative and communication strategies during disease outbreaks and pandemics, in this case COVID-19. These conditions and outcomes have a high degree of reliability and can be further validated by additional empirical research.

First condition: Tailor messages toward targeted behavioral change based on needs and experiences of different subgroups

Despite the theoretical understanding that national health authorities should build segmented profiles of their publics [112], this understanding has not yet been fully implemented. During the midst of the H1N1 pandemic, countries were called on to adapt their communication strategies to specific cultural needs [113], pointing to a general lack of such cultural and social adaptation [112]. Although government agencies have long recognized the ineffectiveness of one-size-fits-all messaging [114], studies have indicated that segmentation is still far from adequate implementation [115-119].

Method

Content analysis [120] and ethnographic analysis [121] should be used to map and categorize the narratives of specific subgroups on social media. The variables defining such groups will vary depending on the issue. In addition to sociodemographic or geodemographic variables typifying different countries, other variables will be based on specific attributes of different groups (e.g., trust in the authorities, science skepticism, and vaccination hesitancy). Through such a research apparatus, policymakers can use qualitative and quantitative tools to map and analyze the stories arising from different population groups and the theories to be elicited from them.

Outcomes

1) Health organizations will be able to understand the needs, needs, assumptions, and risk perceptions of different groups and respond instantly. 2) When health organizations identify the main stories of each subgroup, they will be able to adjust the relevant information accordingly. Figure 3 depicts the need to identify the main stories of each subgroup, such as the elderly or the disabled.

--- Please insert Figure 3 about here---

3) Health organizations can use people's authentic stories to disseminate essential information to the community. 4) When health organizations use the experiences of people who found ways to cope with different crisis situations, other people can learn from that information, thus building social resilience.

Second Condition: Refer separately and distinctly to each information unit or theory arising on social networks

Studies show that when health organizations want to communicate facts to the public, they often distinguish between myth and fact [122-124]. This distinction is not neutral and has been found to be ineffective for two reasons. First, when information provided on a website is identified as a myth, people still remember the information even though it is totally or partially untrue. Second, the public refuses to accept a judgmental approach without scientific evidence. In two studies on public attitudes towards the MMR vaccine and the seasonal flu vaccine [125, 126], pro-vaccine information from the CDC website had a "backfire effect." After being given information intended to refute the supposed connection between vaccinations and autism, vaccine skeptics formed even stronger negative opinions about vaccinations.

Health organizations must provide separate and distinct treatment for any kind of information unit or theory that arises on social networks. For example, social media are filled with rumors pertaining to COVID-19 [127, 128]. Health organizations have generally used a single approach to handle information they consider unfounded, without sufficient differentiation. Thus, they countered the claim that the virus originated in a laboratory in Wuhan in the same way they countered the proposal to eat garlic as a cure or the notion that the virus can be killed through exposure to sunlight. These units of information differ, and each deserves to be engaged and addressed on its own merits.

Method

Do not answer the questions and theories posed by different population groups by correcting the information but rather by differentiating the information and addressing each claim on its own

merits.

Outcome

By distinguishing among different theories that arise on social media and addressing them separately, health authorities will build up the public's trust. Health and risk communication theories show that bidirectional dialogue is critical. That is, the positions and arguments emerging from a theory should be addressed through a dialogue between equals. Likewise, conveying positive feedback regarding the factual parts of different theories raised on social networks will give the public a sense of transparency and trust. In contrast, deciding to correct or dismiss entire theories (including their correct parts) can generate antagonism such that the public feels its views are being dismissed. Figure 4 depicts the need to conduct a dialog between health organizations and the public, regarding COVID-19 concerns and questions raised by the public.

--- Please insert Figure 4 about here---

Third Condition: Identify positive deviants that offer creative solutions

According to Singhal [129], "the Positive Deviance (PD) approach is based on the premise that in every community there are certain individuals or groups whose uncommon behaviors and strategies enable them to find better solutions to problems than their peers, while facing worse challenges and having access to the same resources. However, these people are ordinarily invisible to others in the community." The PD approach seeks to identify and streamline existing resources deriving from within a community, rather than import external "best practices". Such practices are distributed and implemented over time via social networks [130, 131].

Health organizations should seek out positive deviants [132-134] who propose creative (outside the box) solutions for stressful situations emerging from the COVID-19 crisis that other members of the

community did not find.

Method

Health organizations should use the narratives of exceptional individuals in various groups who have found ways to cope with loneliness, stress and pressure. These means can then be disseminated to other members of their community.

Outcome

These creative solutions and thinking outside the box will generate role models and promote tips from ordinary people representing various population groups that can help the public cope during the crisis. The advantage is that the community is more likely to accept solutions coming from inside than those imposed by the authorities. Figure 5 visualizes the need to think outside the box to find creative solutions, adapted to the changing state of the COVID-19 pandemic.

--- Please insert Figure 5 about here---

Fourth Condition: Create different stories of coping experiences

Storytelling relies upon realism, identification, and transportation to help people understand different points of view and change their attitudes and health behavior [135]. According to Lee et al. [135], "narrative communication is context-dependent because it derives meaning from the surrounding situation and provides situation-based stories that are a pathway to processing story content".

Method

Instead of the dry statistics and didactic guidelines that health authorities convey, members of different subgroups can share their stories with their friends and introduce dilemmas and emotions emerging from their coping experiences. Figure 6 visualizes the need to create different coping stories using strategies such as identification, humor etc.

--- Please insert Figure 6 about here---

These narratives may be in the form of testimonials. They can also be dramatizations of personal narratives [13] that illustrate what happened to the narrator or to other individuals during the crisis (e.g., a story about how a patient from an immigrant group copes with stress).

Outcome

These stories can provide specific tools to help different population subgroups cope with the crisis.

Fifth Condition: Maintain a dialogue with skeptical and hesitant groups

According to Larson [136], "educational materials and resources are important, but limited; health officials and educational campaigns often fall short because they craft messages based on what they want to promote, without addressing existing perceptions. Dialogue matters. Strategies must include listening and engagement. We have to get better at this...".

Method

Health authorities can use the authentic narratives/social media posts of skeptical and hesitant groups to answer questions and address arguments while providing objective and transparent

information. In doing so, the authorities should not attempt to frame the arguments of these hesitant and skeptical groups in terms of myths versus fact or as misinformation.

Outcomes

Building trust among skeptical groups will have consequences for enlisting the cooperation of these groups in future pandemics. Figure 7 depicts the need to maintain a dialogue with skeptical and hesitant groups.

--- Please insert Figure 7 about here---

After outlining the conditions underlying the use of narrative evidence to communicate crises, we now propose criteria for evaluating the effectiveness of a narrative.

A formative evaluation toolkit for health organizations

Formative evaluation of a narrative must take into consideration both the narrative created by the organization itself and the authentic narratives found on social networks and used by the organization during campaigns. The purpose of formative evaluation is to ensure that the intervention element is applicable, suitable, significant, and acceptable to the program's target audience [137]. Formative evaluation focuses on participatory research with the target audience before, during and after launching the communication campaign. It includes checking the barriers, needs and preferences of the target audiences and setting objectives on the way to designing the narrative. Formative evaluation for narrative building should be preceded by qualitative empirical research among representatives of the target audience (including personal interviews, focus groups, role playing and more).

Table 2 summarizes the questions and issues relevant to examining a narrative through evaluation research.

Table 2. A rhetorical matrix for empirical analysis of narrative mechanisms and potential for change (evaluation toolkit), based on Gesser-Edelsburg, A & Singhal, A (2013) [19].

Narrative	Rhetorical concerns	Empirical questions to gauge
mechanisms		narrative's potential for change
Dialogue	How do the produced	In processing the narrative, to what
(between	messages and dialogue	extent did the public feel
narrative and	engage with the public's	They were invited and/or coerced
public)	predisposed realities?	into a dialogue about coping with
		the challenges?
		The messages were consensual
		and/or oppositional to their
		predispositions?
		New possibilities for coping were
		raised in the narrative?
Involvement	How is the public	In processing the narrative, to what
(public's	emotionally involved,	extent did the public experience
emotional	immersed, or absorbed	Feelings of voyeurism, empathic
engagement with	in the unfolding	identification, alienation and/or
the narrative)	narrative?	anger?
		Identification with certain
	0-6	characters, and how did that
		influence their perceptions and
		positions on the issues the
		characters represented?

Narrative	Rhetorical concerns	Empirical questions to gauge
mechanisms		narrative's potential for change
Trust (public's	How does the public	In processing the narrative, to
perceptions of the	perceive the plausibility,	what extent did the public feel
narrative's	realism, and veracity of	the narrative was credible?
credibility)	the unfolding narrative?	Realistic? Plausible?
	Is the narrative	At what stage did the public
	trustworthy? Credible?	begin to experience clarification
		of doubts, new emergent
		possibilities? What conditions
		facilitated this change?
Catharsis and	How does public	In processing the narrative, to what
transformation	engagement with the	extent did the public feel
(narrative's	narrative lead to new	They identified with the
influence on	learning, alternative	transformation of characters in
public)	positions, and change	the unfolding story?
	possibilities?	They went through a process of
	How does the modeling	change parallel to the
	and reinforcement of	transformed characters?
	change through	They were engaged and
	characters increase	empowered by the characters
	audience motivation and	and their story?
	self-efficacy for practice?	The alternatives presented in the
		narratives are applicable to the
	0-6	reality of their behavior?

Conclusions

The use of narrative evidence as a tool for changing attitudes and behaviors is effective not only for long periods of clinical care intervention but also for short ones, because in either case the public is required to change its behavior. As we have realized during the COVID-19 pandemic, the public will

be forced to change its lifestyle over the long term.

During a disease outbreak or pandemic, policymakers must deal with the flow of information on multiple media forums. Indeed, policymakers must compete for the public's attention with other sources that may be manufacturing misinformation. In such a complex multimedia environment, the use of narrative has many advantages.

Seven qualities of narrative messages make them particularly promising for health interventions.

Narrative messages can overcome resistance toward the advocated health behavior, engage audiences that are less involved, reach audiences with less knowledge, render complex information comprehensible, ground messages in the target audience's culture and experience [18], use aesthetic means, and convey a diffused story over social networks.

Throughout human history, authorities have tended to employ apocalyptic narratives during disease outbreaks or pandemics. This viewpoint paper proposes an alternative coping narrative model based on health and risk communication approaches and models incorporating the following components: segmentation [138], barrier reduction [97, 98], role models, empathy and support [90, 99], strengthening self/community-efficacy and coping tools [89], preventing the stigmatization of at-risk populations, and communicating uncertainty.

In this viewpoint paper, we also recommend five conditions for using narrative evidence that will lead to launching an effective communication campaign on social media:

- 1. Identifying narratives that reveal the needs, personal experiences and questions of different groups to tailor messaging toward producing targeted behavioral change.
- 2. Offering separate and distinct treatment of each information unit or theory of any kind that arises on social networks.
- 3. Identifying positive deviants [132-134] who have found creative solutions for stress during the COVID-19 crisis that other members of the community did not find.

4. Creating different stories of coping experiences.

5. Maintaining a dialogue with subgroups (e.g., skeptical and hesitant groups).

Evaluating the narrative constructed by health organizations is also very important. In this viewpoint

paper we offer criteria for evaluating the effectiveness of a narrative by addressing narrative

mechanisms, rhetorical concerns and empirical questions in order to gauge each narrative's

potential for change.

The proposed use of narrative as a communication tool will help policymakers more effectively

manage how they communicate with the public during disease outbreaks and pandemics. Narrative

is a human and pluralistic means that appeals to everyone. Hence, by using existing narratives on

social networks while at the same time creating new narratives to transmit information, health

officials and policymakers are more likely to be able to influence actual health attitudes and

behaviors.

Abbreviations

CDC: Centers for Disease Control and Prevention

EID: Emerging Infectious Disease

EPPM: Extended Parallel Process Model

References

1. CDC. Social Distancing: Keep a Safe Distance to Slow the Spread. 2020 [November 6, 2020];

Available from: https://www.cdc.gov/coronavirus/2019-ncov/prevent-getting-sick/social-

distancing.html.

2. Gesser-Edelsburg A, Stolero N, Mordini E, Billingsley M, James JJ, Green MS. Emerging infectious disease (EID) communication during the 2009 H1N1 influenza outbreak: literature review (2009-2013) of the methodology used for EID communication analysis. Disaster Med Public Health Prep. 2015 Apr;9(2):199-206. PMID: 25882126. doi: 10.1017/dmp.2014.126.

- 3. Gesser-Edelsburg A, Shir-Raz Y. Risk Communication and Infectious Diseases in an Age of Digital Media. London and New York: Routledge; 2016.
- 4. Lundgren RE, McMakin AH. Risk Communication: A Handbook for Communicating Environmental, Safety, and Health Risks. 5th ed. Piscataway, NJ: IEEE Press; 2013.
- 5. Chew C, Eysenbach G. Pandemics in the age of Twitter: content analysis of Tweets during the 2009 H1N1 outbreak. PLoS One. 2010 Nov 29;5(11):e14118. PMID: 21124761. doi: 10.1371/journal.pone.0014118.
- 6. Hughes AL, Palen L, Sutton J, Liu SB, Vieweg S, editors. "Site-seeing" in disaster: An examination of on-line social convergence. The 5th International ISCRAM Conference; 2008; Washington, DC.
- 7. Stiegler R, Tilley S, Parveen T, editors. Finding family and friends in the aftermath of a disaster using federated queries on social networks and websites Web systems evolution (WSE). The 2011 13th IEEE International Symposium on Web Systems Evolution (WSE); 2011; Williamsburg, VI.
- 8. Allen M, Preiss RW. Comparing the persuasiveness of narrative and statistical evidence using meta-analysis. Communication Research Reports. 1997 1997/03/01;14(2):125-31. doi: 10.1080/08824099709388654.
- 9. Dahlstrom MF. Using narratives and storytelling to communicate science with nonexpert audiences. Proc Natl Acad Sci U S A. 2014 Sep 16;111 Suppl 4:13614-20. PMID: 25225368. doi: 10.1073/pnas.1320645111.
- 10. Hinyard LJ, Kreuter MW. Using narrative communication as a tool for health behavior change:

a conceptual, theoretical, and empirical overview. Health Educ Behav. 2007 Oct;34(5):777-92. PMID: 17200094. doi: 10.1177/1090198106291963.

- 11. Kopfman JE, Smith SW, Ah Yun JK, Hodges A. Affective and cognitive reactions to narrative versus statistical evidence organ donation messages. Journal of Applied Communication Research. 1998 1998/08/01;26(3):279-300. doi: 10.1080/00909889809365508.
- 12. Larkey LK, Hecht M. A model of effects of narrative as culture-centric health promotion. J Health Commun. 2010 Mar;15(2):114-35. PMID: 20390982. doi: 10.1080/10810730903528017.
- 13. Miller-Day M, Hecht ML. Narrative means to preventative ends: a narrative engagement framework for designing prevention interventions. Health Commun. 2013;28(7):657-70. PMID: 23980613. doi: 10.1080/10410236.2012.762861.
- 14. Murphy ST, Frank LB, Chatterjee JS, Moran MB, Zhao N, Amezola de Herrera P, et al.
 Comparing the Relative Efficacy of Narrative vs Nonnarrative Health Messages in Reducing
 Health Disparities Using a Randomized Trial. Am J Public Health. 2015 Oct;105(10):2117-23.
 PMID: 25905845. doi: 10.2105/AJPH.2014.302332.
- 15. Stavrositu CD, Kim J. All blogs are not created equal: the role of narrative formats and usergenerated comments in health prevention. Health Commun. 2015;30(5):485-95. PMID: 24978046. doi: 10.1080/10410236.2013.867296.
- 16. Baesler EJ, Burgoon JK. The Temporal Effects of Story and Statistical Evidence on Belief Change. Commun Res. 1994;21(5):582-602. doi: 10.1177/009365094021005002.
- 17. Zebregs S, van den Putte B, Neijens P, de Graaf A. The Differential Impact of Statistical and Narrative Evidence on Beliefs, Attitude, and Intention: A Meta-Analysis. Health Commun. 2015 2015/03/04;30(3):282-9. doi: 10.1080/10410236.2013.842528.
- Hopfer S, Clippard JR. College women's HPV vaccine decision narratives. Qual Health Res.
 2011 Feb;21(2):262-77. PMID: 20841433. doi: 10.1177/1049732310383868.

19. Gesser-Edelsburg A, Singhal A. Enhancing the persuasive influence of entertainment-education events: rhetorical and aesthetic strategies for constructing narratives. Critical Arts. 2013 2013/02/01;27(1):56-74. doi: 10.1080/02560046.2013.766973.

- 20. Sood S, Menard T, Witte K. The theory behind entertainment-education. In: Singhal A, Cody MJ, E.M. R, M. S, editors. Entertainment-Education and Social Change: History, Research, and Practice. Mahwah, New Jersey: Lawrence Erlbaum Associates, Publishers; 2004. p. 117-49.
- 21. Rogers EM. Diffusion of Innovations. 5th ed. New York: Free Press; 2003.
- 22. Rogers EM. A Prospective and Retrospective Look at the Diffusion Model. Journal of Health Communication. 2004 2004/01/01;9(sup1):13-9. doi: 10.1080/10810730490271449.
- 23. Horton D, Richard Wohl R. Mass Communication and Para-Social Interaction. Psychiatry. 1956 1956/08/01;19(3):215-29. doi: 10.1080/00332747.1956.11023049.
- 24. Rubin AM, Rubin RB. Interface of personal and mediated communication: A research agenda. Critical Studies in Mass Communication. 1985 1985/03/01;2(1):36-53. doi: 10.1080/15295038509360060.
- 25. de Graaf A, Hoeken H, Sanders J, Beentjes JWJ. Identification as a Mechanism of Narrative Persuasion. Commun Res. 2012;39(6):802-23. doi: 10.1177/0093650211408594.
- 26. Kreuter MW, Green MC, Cappella JN, Slater MD, Wise ME, Storey D, et al. Narrative communication in cancer prevention and control: a framework to guide research and application. Ann Behav Med. 2007 Jun;33(3):221-35. PMID: 17600449. doi: 10.1007/BF02879904.
- 27. Gesser-Edelsburg A. Drama as a rhetorically effective health communication strategy: Risks and benefits. In: Kim DK, Singhal A, Kreps GL, editors. Global Health Communication Strategies in the 21st Century: Design, Implementation, and Evaluation. New York, NY: Peter Lang Publishing Group; 2014. p. 134-50.
- 28. Gray JB. The power of storytelling: Using narrative in the healthcare context. Journal of

- Communication in Healthcare. 2009 2009/07/01;2(3):258-73. doi: 10.1179/cih.2009.2.3.258.
- 29. Eagly AH, Chaiken S. The Psychology of Attitudes. New York: Academic Press; 1993.
- 30. McGuire WJ. The nature of attitudes and attitude change. In: Lindzey G, Aronson E, editors. The Handbook of Social Psychology. Reading: MA: Addison-Wesley; 1969. p. 136-314.
- 31. Petty RE, DeSteno D, Rucker DD. The role of affect in attitude change. In: Forgas JP, editor.

 Handbook of Affect and Social Cognition. Mahwah, NJ: Lawrence Erlbaum Associates; 2001.

 p. 212-33.
- 32. Biener L. Adult and youth response to the Massachusetts anti-tobacco television campaign. J Public Health Manag Pract. 2000 May;6(3):40-4. PMID: 10848481. doi: 10.1097/00124784-200006030-00007.
- 33. Biener L, Reimer RL, Wakefield M, Szczypka G, Rigotti NA, Connolly G. Impact of smoking cessation aids and mass media among recent quitters. Am J Prev Med. 2006 Mar;30(3):217-24. PMID: 16476637. doi: 10.1016/j.amepre.2005.10.026.
- 34. Dillard JP, Nabi RL. The Persuasive Influence of Emotion in Cancer Prevention and Detection Messages. Journal of Communication. 2006;56(s1):S123-S39. doi: 10.1111/j.1460-2466.2006.00286.x.
- 35. Dillard JP, Peck E. Affect and Persuasion: Emotional Responses to Public Service

 Announcements. Commun Res. 2000;27(4):461-95. doi: 10.1177/009365000027004003.
- 36. Pechmann C, Reibling ET. Antismoking advertisements for youths: an independent evaluation of health, counter-industry, and industry approaches. Am J Public Health. 2006 May;96(5):906-13. PMID: 16571709. doi: 10.2105/AJPH.2004.057273.
- 37. Meyrowitz J. No Sense of Place. New York, NY: Oxford University Press; 1985.
- 38. Bandura A. Social Learning Theory. Englewood Cliffs, NJ: Prentice Hall; 1977.
- 39. Rogers EM, Vaughan PW, Ramadhan MAS, Rao N, Svenkerud P, Sood S. Effects of an Entertainment-Education Radio Soap Opera on Family Planning Behavior in Tanzania. Studies

- in Family Planning. 1999;30(3):193-211.
- 40. Frank LB, Murphy ST, Chatterjee JS, Moran MB, Baezconde-Garbanati L. Telling stories, saving lives: creating narrative health messages. Health Commun. 2015;30(2):154-63. PMID: 25470440. doi: 10.1080/10410236.2014.974126.
- 41. Wang H, Singhal A. East Los High: Transmedia Edutainment to Promote the Sexual and Reproductive Health of Young Latina/o Americans. Am J Public Health. 2016;106(6):1002-10. PMID: 27077336. doi: 10.2105/AJPH.2016.303072.
- 42. Zhang EX, Yang Y, Di Shang R, Simons JJP, Quek BK, Yin XF, et al. Leveraging social networking sites for disease surveillance and public sensing: the case of the 2013 avian influenza A (H7N9) outbreak in China. Western Pacific Surveillance and Response. 2015;6(2).
- 43. Henrich N, Holmes B. Communicating during a pandemic: Information the public wants about the disease and new vaccines and drugs. Health Promot Pract. 2011;12(4):610-9. doi: 10.1177/1524839910363536 [doi].
- 44. Booth P. Digital Fandom: New Media Studies. New York, NY: New York, NY; 2010.
- 45. Baym N. Personal Connections in the Digital Age. Cambridge: Polity; 2010.
- 46. Moorhead SA, Hazlett DE, Harrison L, Carroll JK, Irwin A, Hoving C. A New Dimension of Health Care: Systematic Review of the Uses, Benefits, and Limitations of Social Media for Health Communication. J Med Internet Res. 2013;15(4):e85. PMID: 23615206. doi: 10.2196/jmir.1933.
- 47. Kass-Hout TA, Alhinnawi H. Social media in public health. Br Med Bull. 2013;108:5-24. PMID: 24103335. doi: 10.1093/bmb/ldt028.
- 48. Doshi P. Are US flu death figures more PR than science? Bmj. 2005;331(7529):1412. doi: 10.1136/bmj.331.7529.1412.
- 49. ANTI-VAXXER Vaccination Movement Psychotherapy. Yoga Journal Magazine. 1992.
- 50. Kloss B, Bruce T. Graphic Guide to Infectious Disease. Philadelphia, PA: Elsevier; 2018.

- 51. Mitchell P. Contagious Metaphor. London: Bloomsbury Academic; 2012.
- 52. Moore J. Deadly Diseases: Epidemics throughout history. CNN. 2014.
- 53. Potter P. Art in Science: Selections from Emerging Infectious Diseases. New York, NY: Oxford University Press; 2014.
- 54. Vidal P, Tibayrenc M, Gonzalez JP. Infectious disease and arts. In: Tibayrenc M, editor.

 Encyclopedia of Infectious Diseases: Modern Methodologies. Hoboken, NJ: Wiley; 2007.
- 55. Rufai SR, Bunce C. World leaders' usage of Twitter in response to the COVID-19 pandemic: a content analysis. J Public Health (Oxf). 2020 Aug 18;42(3):510-6. PMID: 32309854. doi: 10.1093/pubmed/fdaa049.
- 56. Gesser-Edelsburg A, Cohen R, Hijazi R, Abed Elhadi Shahbari N. Analysis of Public Perception of the Israeli Government's Early Emergency Instructions Regarding COVID-19: Online Survey Study. J Med Internet Res. 2020 May 15;22(5):e19370. PMID: 32392172. doi: 10.2196/19370.
- 57. Ladkin D. What Donald Trump's response to COVID-19 teaches us: It's time for our romance with leaders to end. Leadership. 2020;16(3):273-8. doi: 10.1177/1742715020929134.
- 58. Garrett L. COVID-19: the medium is the message. The Lancet. 2020;395(10228):942-3. doi: 10.1016/S0140-6736(20)30600-0.
- 59. Davis M. "Is it Going to be Real?" Narrative and Media on a Pandemic [40 paragraphs]. Forum Qualitative Sozialforschung / Forum: Qualitative Social Research. 2017;18.
- 60. Wonser R, Boyns D. Between the Living and Undead: How Zombie Cinema Reflects the Social Construction of Risk, the Anxious Self, and Disease Pandemic. The Sociological Quarterly. 2016;57(4):628-53. doi: 10.1111/tsq.12150.
- 61. Cunningham A. Epidemics, Pandemics, and the Doomsday Scenario. Historically Speaking. 2008;9(7):29-31.
- 62. Wald P. Contagious: Cultures, Carriers, and the Outbreak Narrative. Durham: Duke University

- Press; 2008. ISBN: 978-0-8223-4128-4.
- 63. Massumi B. Potential politics and the primacy of preemption. Theory & Event. 2007;10(2). doi: 10.1353/tae.2007.0066.
- 64. Mitchell S, Hamilton SN. Playing at apocalypse: Reading Plague Inc. in pandemic culture. Convergence. 2018;24(6):587-606. doi: 10.1177/1354856516687235.
- 65. Qian X, Ren R, Wang Y, Guo Y, Fang J, Wu Z-D, et al. Fighting against the common enemy of COVID-19: a practice of building a community with a shared future for mankind. Infectious Diseases of Poverty. 2020 2020/04/07;9(1):34. doi: 10.1186/s40249-020-00650-1.
- 66. Dew K. Epidemics, panic and power: representations of measles and measles vaccines. Health (London). 1999;3(4):379-98.
- 67. Petersen A, Lupton D. The New Public Health: Health and Self in the Age of Risk. St Leonards: Allen & Unwin; 1996.
- 68. Alpher R. Comparing the corona to the Holocaust would not have occurred to any Israeli. Except for Netanyahu. Haaretz. April 22, 2020.
- 69. Israel Prime Minister's Office. Prime Minister Netanyahu's remarks in a statement to the media following the Corona virus. March 25, 2020.
- 70. van Asselt MBA, Vos E. Wrestling with uncertain risks: EU regulation of GMOs and the uncertainty paradox. Journal of Risk Research. 2008 2008/01/01;11(1-2):281-300. doi: 10.1080/13669870801990806.
- 71. van Asselt MBA, Vos E, Rooijackers B. Science, knowledge and uncertainty in EU risk regulation. In: Everson M, Vos E, editors. Uncertain Risks Regulated. Oxon, OX: Routledge-Cavendish; 2009. p. 359-88.
- 72. Fox T, editor. The role of uncertainty intolerance in European Risk Governance. Risk Research Symposium; 2009; King's College London.
- 73. Gesser-Edelsburg A, Shir-Raz Y, Green MS. Why do parents who usually vaccinate their

- children hesitate or refuse? General good vs. individual risk. Journal of Risk Research. 2016 2016/04/20;19(4):405-24. doi: 10.1080/13669877.2014.983947.
- 74. Griffin RJ, Dunwoody S, Neuwirth K. Proposed model of the relationship of risk information seeking and processing to the development of preventive behaviors. Environmental Research. 1999 2//;80(2):S230-S45. doi: http://dx.doi.org/10.1006/enrs.1998.3940.
- 75. Huurne ET, Gutteling J. Information needs and risk perception as predictors of risk information seeking. Journal of Risk Research. 2008 2008/10/01;11(7):847-62. doi: 10.1080/13669870701875750.
- 76. Kahlor L. PRISM: A planned risk information seeking model. Health Communication. 2010 2010/05/28;25(4):345-56. doi: 10.1080/10410231003775172.
- 77. Witte K. Putting the fear back into fear appeals: The extended parallel process model. Communication Monographs. 1992 1992/12/01;59(4):329-49. doi: 10.1080/03637759209376276.
- 78. De Vocht M, Claeys AS, Cauberghe V, Uyttendaele M, Sas B. Won't we scare them? The impact of communicating uncontrollable risks on the public's perception. Journal of Risk Research. 2016 2016/03/15;19(3):316-30. doi: 10.1080/13669877.2014.971336.
- 79. Lofstedt RE. How can we make food risk communication better: Where are we and where are we going? Journal of Risk Research. 2006 2006/12/01;9(8):869-90. doi: 10.1080/13669870601065585.
- 80. Palenchar MJ, Heath RL. Another part of the risk communication model: Analysis of communication processes and message content. Journal of Public Relations Research. 2002 2002/03/01;14(2):127-58. doi: 10.1207/S1532754XJPRR1402_3.
- 81. Slovic P. Beyond numbers: A broader perspective on risk perception and risk communication.

 In: Mayo DG, Hollander RD, editors. Acceptable Evidence: Science and Values in Risk

 Management. New York: Oxford University Press; 1991. p. 48-65.

82. Sandman PM. Ebola in the U.S. (so far): The public health establishment and the quarantine debate. The Peter M. Sandman Risk Communication Website; November 15, 2014 [May 14, 2016]; Available from: http://www.psandman.com/col/Ebola-4.htm.

- 83. Gonsalves G, Staley P. Panic, paranoia, and public health The AIDS epidemic's lessons for ebola. New Engl J Med. 2014;371(25):2348-9. PMID: 25372947. doi: doi:10.1056/NEJMp1413425.
- 84. Viebeck E. Health officials struggle to control the media narrative about Ebola. The Hill.

 October 12, 2014.
- 85. McKenna M. Ebolanoia: The only thing we have to fear is Ebola itself. Wired. October 22, 2014.
- 86. De Vocht M, Claeys AS, Cauberghe V, Uyttendaele M, Sas B. Won't we scare them? The impact of communicating uncontrollable risks on the public's perception. Journal of Risk Research. 2014:1-15. doi: 10.1080/13669877.2014.971336.
- 87. Erikson K. New Species of Trouble: Explorations in Disaster, Trauma, and Community. New York: W.W. Norton & Co 1994.
- 88. Witte K. Fear control and danger control: A test of the extended parallel process model (EPPM). Communication Monographs. 1994 1994/06/01;61(2):113-34. doi: 10.1080/03637759409376328.
- 89. Bennett P, Calman K, Curtis S, Fischbacher-Smith D. Risk Communication and Public Health.

 Oxford: Oxford University Press; 2010.
- 90. Thompson TR, Parrott R, Nussbaum JF. The Routledge Handbook of Health Communication.

 Second Edition ed. New York and London: Routledge; 2011.
- 91. Kreuter MW, Strecher VJ, Glassman B. One size does not fit all: the case for tailoring print materials. Ann Behav Med. 1999 Fall;21(4):276-83. PMID: 10721433. doi: 10.1007/bf02895958.

92. Lee NR, Kotler P. Social Marketing Influencing Nehaviors for Good. Fourth Edition ed. Thousand Oaks, CA: SAGE Publications, Inc.; 2011.

- 93. Serra YA, Colón-López V, Savas LS, Vernon SW, Fernández-Espada N, Vélez C, et al. Using Intervention Mapping to Develop Health Education Components to Increase Colorectal Cancer Screening in Puerto Rico. Frontiers in public health. 2017;5:324-. PMID: 29270400. doi: 10.3389/fpubh.2017.00324.
- 94. Fernandez ME, Ruiter RAC, Markham CM, Kok G. Intervention Mapping: Theory- and Evidence-Based Health Promotion Program Planning: Perspective and Examples. Frontiers in public health. 2019;7:209-. PMID: 31475126. doi: 10.3389/fpubh.2019.00209.
- 95. Schmid KL, Rivers SE, Latimer AE, Salovey P. Targeting or tailoring? Mark Health Serv. 2008 Spring;28(1):32-7. PMID: 18389854.
- 96. Lustria MLA. Message Tailoring in Health and Risk Messaging. Oxford University Press; 2017.
- 97. Kotler P, Lee NR. Social Marketing: Influencing Behaviors for Good. 3 ed. Thousand Oaks: CA: Sage; 2008.
- 98. Kreps GL, Kunimoto E. Effective communication in multicultural health care settings.

 Newbury Park, CA: Sage; 1994.
- 99. Bandura A. Health promotion by social cognitive means. Health Educ Behav. 2004 Apr;31(2):143-64. PMID: 15090118. doi: 10.1177/1090198104263660.
- 100. Campbell A. Jacinda Ardern's coronavirus plan is working because, unlike others, she's behaving like a true leader. Independent. April 11, 2020.
- 101. Guttman N, Salmon CT. Guilt, fear, stigma and knowledge gaps: ethical issues in public health communication interventions. Bioethics. 2004 Nov;18(6):531-52. PMID: 15580723. doi: 10.1111/j.1467-8519.2004.00415.x.
- 102. Frewer L, Hunt S, Brennan M, Kuznesof S, Ness M, Ritson C. The views of scientific experts

- on how the public conceptualize uncertainty. Journal of Risk Research. 2003 2003/01//;6(1):75-85. doi: 10.1080/1366987032000047815.
- 103. Christley RM, Mort M, Wynne B, Wastling JM, Heathwaite AL, Pickup R, et al. Wrong, but Useful": Negotiating Uncertainty in Infectious Disease Modelling. PLoS One. 2013;8(10):e76277.
- 104. Slovic P. The construction of preference. American Psychologist. 1995;50(5):364-71.
- 105. Palenchar MJ, Heath RL. Another part of the risk communication model: analysis of communication processes and message content. Journal of Public Relations Research. 2002 2002/03/01;14(2):127-58. doi: 10.1207/S1532754XJPRR1402_3.
- 106. Lofstedt RE. How can we make food risk communication better: where are we and where are we going? Journal of Risk research. 2006;9(8):869-90.
- 107. Sandman P, Lanard J. Explaining and proclaiming uncertainty: Risk communication lessons from Germany's E. coli outbreak. The Peter Sandman risk Communication websiteAugust 14, 2011 [November 23, 2014]; Available from: http://www.psandman.com/col/GermanEcoli.htm.
- 108. Gesser-Edelsburg A, Shir-Raz Y. Science vs. fear: the Ebola quarantine debate as a case study that reveals how the public perceives risk. Journal of Risk Research. 2017 2017/05/04;20(5):611-33. doi: 10.1080/13669877.2015.1100659.
- 109. Gesser-Edelsburg A, Shir-Raz Y, Green MS. Why do parents who usually vaccinate their children hesitate or refuse? General good vs. individual risk. Journal of Risk Research. 2016 2016/04/20;19(4):405-24. doi: 10.1080/13669877.2014.983947.
- 110. Gesser-Edelsburg A, Shir-Raz Y, Bar-Lev OS, James JJ, Green MS. Outbreak or Epidemic?

 How Obama's Language Choice Transformed the Ebola Outbreak Into an Epidemic. Disaster

 Med Public Health Prep. 2016 Aug;10(4):669-73. PMID: 27098568. doi:

 10.1017/dmp.2016.48.
- 111. Heath RL, O'Hair HD. Handbook of Risk and Crisis Communication. New York, NY:

- Routledge; 2009.
- 112. Gesser-Edelsburg A, Mordini E, James JJ, Greco D, Green MS. Risk communication recommendations and implementation during emerging infectious diseases: a case study of the 2009 H1N1 influenza pandemic. Disaster Med Public Health Prep. 2014;8(02):158-69. doi: doi:10.1017/dmp.2014.27.
- 113. Brennan B, Hall W. Putting Planning Into Practice: The Communications Response to H1N1. A Global Communications Conference sponsored by the Pan American Health Organization and the United States Department of Health and Human Services. Pan American Health Organization, Department of Health and Human Services USA,, 2009.
- 114. Fischhoff B. Scientifically sound pandemic risk communication (House Science Committee Briefing, Gaps in the National Flu Preparedness Plan: Social Science Planning and Response, December). In: New KD, editor. McGraw Hill Handbook of Terrorism and Counter-terrorism. New York: McGraw Hill; 2005.
- 115. Driedger SM, Cooper E, Jardine C, Furgal C, Bartlett J. Communicating risk to aboriginal peoples: first nations and Metis responses to H1N1 risk messages. PLoS One. 2013;8(8):e71106. PMID: 23940697. doi: 10.1371/journal.pone.0071106.
- 116. Gray L, MacDonald C, Mackie B, Paton D, Johnston D, Baker MG. Community responses to communication campaigns for influenza A (H1N1): a focus group study. BMC Public Health. 2012 2012;12(1). doi: 10.1186/1471-2458-12-205.
- 117. Massey PD, Miller A, Saggers S, Durrheim DN, Speare R, Taylor K, et al. Australian Aboriginal and Torres Strait Islander communities and the development of pandemic influenza containment strategies: community voices and community control. Health Policy. 2011 Dec;103(2-3):184-90. PMID: 21868121. doi: 10.1016/j.healthpol.2011.07.004.
- 118. Massey PD, Pearce G, Taylor KA, Orcher L, Saggers S, Durrheim DN. Reducing the risk of pandemic influenza in Aboriginal communities. Rural and remote health. 2009 Jul-

- Sep;9(3):1290. PMID: 19728766.
- 119. Rudge S, Massey PD. Responding to pandemic (H1N1) 2009 influenza in Aboriginal communities in NSW through collaboration between NSW Health and the Aboriginal community-controlled health sector. NSW Public Health Bull. 2010 Jan-Feb;21(1-2):26-9. PMID: 20374691. doi: 10.1071/NB09040.
- 120. Lai LSL, To WM. Content analysis of social media: A Grounded Theory approach. Journal of Electronic Commerce Research. 2015;16(2):138-52.
- 121. Airoldi M. Ethnography and the digital fields of social media. International Journal of Social Research Methodology. 2018 2018/11/02;21(6):661-73. doi: 10.1080/13645579.2018.1465622.
- 122. Baxendale S, O'Toole A. Epilepsy myths: alive and foaming in the 21st century. Epilepsy Behav. 2007 Sep;11(2):192-6. PMID: 17602883. doi: 10.1016/j.yebeh.2007.04.019.
- 123. Manyibe EO. Top ten cancer myths. Journal of Applied Rehabilitation Counseling. 2006;37(2):36.
- 124. Miller K. Book review: Girls' violence: myths and realities. Youth Violence and Juvenile Justice. 2007;5(3):207-10.
- 125. Nyhan B, Reifler J. Does correcting myths about the flu vaccine work? An experimental evaluation of the effects of corrective information. Vaccine. 2015 1/9/;33(3):459-64. doi: http://dx.doi.org/10.1016/j.vaccine.2014.11.017.
- 126. Nyhan B, Reifler J, Richey S, Freed GL. Effective messages in vaccine promotion: A randomized trial. Pediatrics. 2014 2014-04-01 00:00:00;133(4):e835-e42. doi: 10.1542/peds.2013-2365.
- 127. Tasnim S, Hossain MM, Mazumder H. Impact of Rumors and Misinformation on COVID-19 in Social Media. J Prev Med Public Health. 2020;53(3):171-4. PMID: 32498140. doi: 10.3961/jpmph.20.094.
- 128. Ali S. Combatting Against Covid-19 & Misinformation: A Systematic Review. Human Arenas.

- 2020 2020/10/07. doi: 10.1007/s42087-020-00139-1.
- 129. Singhal A. The positive deviance approach to designing and implementing health communication interventions. In: Kim DK, Singhal A, Kreps GL, editors. Health Communication Strategies for Developing Global Health Programs. New York, NY: Peter Lang; 2013. p. 176.
- 130. Singhal A, Greiner K. Using the positive deviance approach to reduce hospital-acquired infections at the veterans administration healthcare system in Pittsburgh. In: Suchman AL, Sluyter DG, Williamson PR, editors. Leading Change in Healthcare: Transforming Organizations Using Complexity, Positive Psychology, and Relationship-Centered Care. London: Radcliffe Publishing; 2011. p. 177–209.
- 131. Maryland Patient Safety Center. MRSA Field Guide. 2007.
- 132. Gesser-Edelsburg A, Cohen R, Halavi AM, Zemach M, van Heerden PV, Sviri S, et al. Beyond the hospital infection control guidelines: a qualitative study using positive deviance to characterize gray areas and to achieve efficacy and clarity in the prevention of healthcare-associated infections. Antimicrob Resist Infect Control. 2018;7:124. PMID: 30386593. doi: 10.1186/s13756-018-0418-x.
- 133. Lindberg C, Buscell P, Singhal A. Inviting Everyone: Healing Healthcare through Positive Deviance. Bordentown, NJ: PlexusPress; 2010.
- 134. Singhal A, Buscell P, Lindberg C. Inspiring Change and Saving Lives: The Positive Deviance Way. Bordentown, NJ: PlexusPress; 2014.
- 135. Lee H, Fawcett J, DeMarco R. Storytelling/narrative theory to address health communication with minority populations. Applied nursing research: ANR. 2016 May;30:58-60. PMID: 27091254. doi: 10.1016/j.apnr.2015.09.004.
- 136. Larson HJ. The biggest pandemic risk? Viral misinformation. Nature. 2018 Oct;562(7727):309. PMID: 30327527. doi: 10.1038/d41586-018-07034-4.

137. Tobacco Technical Assistance Consortium. The power of proof: An evaluation primer. [July 23, 2020]; Available from: http://tacenters.emory.edu/resources/products tools/tobacco/powerof-proof/.

138. Andreasen AR. Marketing social change: Changing behavior to promote health, social development, and the environment. San Francisco: Jossey-Bass; 1995.


Supplementary Files

Figures

Apocalyptic pandemic narrative.




Alternative pandemic narrative presenting coping strategies.



Identify the main stories of each subgroup.




Answer the questions and theories posed by different population groups.




Thinking outside the box.



Create different stories of coping experiences.



Maintain a dialogue with skeptical and hesitant groups.



TOC/Feature image for homepages

Apocalyptic pandemic narrative/Alternative pandemic narrative presenting coping strategies.

