

COVID-19 and Vitamin D Misinformation on YouTube: A Content Analysis

Emma Kathleen Quinn, Shelby Fenton, Chelsea A. Ford-Sahidzada, Andrew Harper, Alessandro R. Marcon, Timothy Caulfield, Sajjad S Fazel, Cheryl E Peters

Submitted to: JMIR Infodemiology on: July 28, 2021

Disclaimer: © **The authors. All rights reserved.** This is a privileged document currently under peer-review/community review. Authors have provided JMIR Publications with an exclusive license to publish this preprint on it's website for review purposes only. While the final peer-reviewed paper may be licensed under a CC BY license on publication, at this stage authors and publisher expressively prohibit redistribution of this draft paper other than for review purposes.

Table of Contents

Original Manuscript	5
Supplementary Files	
Figures	
Figure 1	
Figure 2	
Figure 3	
Figure 4	

COVID-19 and Vitamin D Misinformation on YouTube: A Content Analysis

Emma Kathleen Quinn^{1, 2} BHSc, MSc Candidate; Shelby Fenton^{2, 3} MPH; Chelsea A. Ford-Sahidzada^{2, 3, 4} BHSc; Andrew Harper³ MSc; Alessandro R. Marcon⁵ MA; Timothy Caulfield^{5, 6} BSc, LLB, LLM; Sajjad S Fazel^{2, 3, 7} PharmD, MPH; Cheryl E Peters^{2, 3, 4, 7} BSc, MSc, PhD

Corresponding Author:

Emma Kathleen Quinn BHSc, MSc Candidate
Department of Occupational and Environmental Hygiene
School of Population and Public Health
University of British Columbia
2206 E Mall
Vancouver
CA

Abstract

Background: The "infodemic" accompanying the SARS-CoV-2 virus pandemic has the potential to increase avoidable spread as well as engagement in risky health behaviours. While social media platforms such as YouTube may be an inexpensive and effective method of sharing accurate health information, sharing inaccurate and misleading information on YouTube could be dangerous for viewers.

Objective: The confusing nature of data and claims surrounding the benefits of vitamin D, particularly in the prevention or cure of COVID-19, influences both viewers and the general "immune boosting" commercial interest.

Methods: YouTube video results for the search terms COVID, coronavirus, and vitamin D were collected and analyzed for content themes and deemed useful or misleading, based on the accuracy or inaccuracy of the content. Qualitative content analysis and simple statistical analysis were used to determine the prevalence and frequency of concerning content, such as confusing correlation with causation regarding vitamin D benefits.

Results: 77 videos with 10,225,763 views (at the time of data collection) were included in the analysis, with over three quarters of them containing misleading content about COVID-19 and vitamin D. 58% of the videos confused the relationship between vitamin D and COVID-19, with 85% of the videos stating that vitamin D had preventative or curative abilities. The major contributor of these videos were medical professionals with YouTube accounts. Vitamin D recommendations that do not align with current literature were frequently suggested, included taking over the recommended safe dosage or seeking intentional solar ultraviolet radiation exposure.

Conclusions: The spread of misinformation is particularly alarming when spread by medical professionals and confusion of existing data suggesting vitamin D has "immune boosting" abilities can add to viewer confusion or mistrust in health information. Further, the suggestions made in the videos may increase risks of other poor health outcomes, such as skin cancer from solar UV radiation.

(JMIR Preprints 28/07/2021:32452)

DOI: https://doi.org/10.2196/preprints.32452

¹Department of Occupational and Environmental Hygiene School of Population and Public Health University of British Columbia Vancouver CA

²CAREX Canada Faculty of Health Sciences Simon Fraser University Vancouver CA

³Cancer Epidemiology and Prevention Research Department Cancer Care Alberta Alberta Health Services Calgary CA

⁴Department of Community Health Sciences Cumming School of Medicine University of Calgary Calgary CA

⁵Health Law Institute University of Alberta Edmonton CA

⁶Faculty of Law University of Alberta Edmonton CA

⁷Department of Oncology Cumming School of Medicine University of Calgary Calgary CA

Preprint Settings

- 1) Would you like to publish your submitted manuscript as preprint?
- ✓ Please make my preprint PDF available to anyone at any time (recommended).

Please make my preprint PDF available only to logged-in users; I understand that my title and abstract will remain visible to all users. Only make the preprint title and abstract visible.

- No, I do not wish to publish my submitted manuscript as a preprint.
- 2) If accepted for publication in a JMIR journal, would you like the PDF to be visible to the public?
- ✓ Yes, please make my accepted manuscript PDF available to anyone at any time (Recommended).

Yes, but please make my accepted manuscript PDF available only to logged-in users; I understand that the title and abstract will remain ves, but only make the title and abstract visible (see Important note, above). I understand that if I later pay to participate in https://example.com/above/en/linear-note, above). I understand that if I later pay to participate in https://example.com/above/en/linear-note, above). I understand that if I later pay to participate in https://example.com/above/en/linear-note, above). I understand that if I later pay to participate in <a href="https://example.com/above/en/linear-note, above/en/linear-note, above/en

Original Manuscript

Original Paper

COVID-19 and Vitamin D Misinformation on YouTube: A Content Analysis

Emma K. Quinn^{1-3,6}, BHSc; Shelby Fenton^{1,2}, MPH; Chelsea A. Ford-Sahibzada^{1,2,7}, BHSc; Andrew Harper¹, MSc; Alessandro R. Marcon⁴, MA; Timothy Caulfield^{4,5}, BSc, LLB, LLM; Sajjad S. Fazel^{1,2,6}, PharmD, MPH; Cheryl E. Peters^{1,2,6,7}, PhD

- 1. Cancer Epidemiology and Prevention Research, Cancer Care Alberta, Alberta Health Services, Calgary, AB, Canada.
- 2. CAREX Canada, Simon Fraser University, Harbour Centre Campus, Vancouver, BC, Canada
- 3. School of Population and Public Health, University of British Columbia, Vancouver, BC, Canada
- 4. Health Law Institute, University of Alberta, Edmonton, AB, Canada
- 5. Faculty of Law, University of Alberta, Edmonton, Alberta, Canada
- 6. Department of Oncology, Cumming School of Medicine, University of Calgary, Calgary, AB, Canada
- 7. Department of Community Health Sciences, Cumming School of Medicine, University of Calgary, Calgary, AB, Canada

ORCID

Emma K. Quinn 0000-0003-3130-259X Shelby Fenton Chelsea A. Ford-Sahibzada 0000-0002-1788-9796 Andrew Harper Alessandro R. Marcon 0000-0001-5018-423X Timothy Caulfield 0000-0001-5471-6184 Sajjad S. Fazel 0000-0002-6457-4017 Cheryl E. Peters 0000-0003-1202-5689

Corresponding Author

Emma K. Quinn, BHSc

Department of Occupation and Environmental Hygiene, School of Population and Public Health, University of British Columbia

2206 E Mall, Vancouver, BC V6T 1Z3

Phone: +1 403 809 1289

Email: equinn99@student.ubc.ca

Keywords (3-10): COVID-19, Vitamin D, Misinformation, YouTube, Content analysis, Social media

Abstract:

Background: The "infodemic" accompanying the SARS-CoV-2 virus pandemic has the potential to increase avoidable spread as well as engagement in risky health behaviours. While social media platforms such as YouTube can be an inexpensive and effective method of sharing accurate health information, inaccurate and misleading information shared on YouTube can be dangerous for viewers. The confusing nature of data and claims surrounding the benefits of vitamin D, particularly in the prevention or cure of COVID-19, influences both viewers and the general "immune boosting" commercial interest. The objective of this study was to ascertain how information on vitamin D and COVID-19 was presented on YouTube in 2020.

Methods: YouTube video results for the search terms COVID, coronavirus, and vitamin D were collected and analyzed for content themes and deemed useful or misleading, based on the accuracy or inaccuracy of the content. Qualitative content analysis and simple statistical analysis were used to determine the prevalence and frequency of concerning content, such as confusing correlation with causation regarding vitamin D benefits.

Results: 77 videos with a combined 10,225,763 views (at the time of data collection) were included in the analysis, with over three quarters of them containing misleading content about COVID-19 and vitamin D. 58% of the videos confused the relationship between vitamin D and COVID-19, with 85% of the videos stating that vitamin D had preventative or curative abilities. The major contributor of these videos were medical professionals with YouTube accounts. Vitamin D recommendations that do not align with current literature were frequently suggested, included taking supplementation higher than the recommended safe dosage or seeking intentional solar ultraviolet radiation exposure.

Conclusions: The spread of misinformation is particularly alarming when spread by medical professionals and confusion of existing data suggesting vitamin D has "immune boosting" abilities can add to viewer confusion or mistrust in health information. Further, the suggestions made in the videos may increase risks of other poor health outcomes, such as skin cancer from solar UV radiation.

Keywords: COVID-19; Vitamin D; misinformation; YouTube; content analysis; Social media

Introduction:

The SARS-CoV-2 virus outbreak is a serious global threat, accompanied by an "infodemic" of health misinformation and disinformation [1]. The difference between misinformation and disinformation is based on intent of the creator or sharer; misinformation is false, but not intended to cause harm, while disinformation is deliberately created and/or shared to mislead or manipulate its audience [2]. Both can be damaging to public health and trust. While social media can be a valuable tool to share health messaging for free, where it is widely available all over the world [3,4], the overabundance of both accurate and inaccurate health information available to the general public through mainstream and social media can lead to risky health behaviours, and in some cases, even death [5]. There are many factors that influence the consumption of online health misinformation. For example, recent work by Scherer et al. [6] showed that people who are susceptible to misinformation on one topic are more likely to be influenced by a variety of misinformation, and that those with less education and health literacy, less trust in the health care system, and more positive views towards alternative medicine are also more susceptible to belief in misinformation.

Research has shown that people go online to investigate and diagnose symptoms, to look up treatments and alternative treatments, to research information provided by health care professionals, to research personal as well as public health concerns and topics, to engage with others who have similar health conditions or concerns, and to research and rank health care providers [7,8]. People who use social media for health information face increased exposure to misinformation [9], which in turn can influence their health-related decisions [10]. The explanations of why some are more susceptible to health misinformation are complex, yet research shows that political ideology [11], media use, and trust in government, science and health authorities can all play influential roles [12].

YouTube is a video sharing platform visited by approximately two billion viewers daily [13]. Over 70% of videos viewed on YouTube.com are accessed via mobile devices, suggesting that information and entertainment available on the platform is easily accessible in a variety of environments, and is one of the most accessed websites [14,15]. In a survey conducted by the Health Information National Trend Survey (HINTS), eight out of ten people seek health information on the internet [14,16]. Evidence suggests that people use social media to access health information because it can supplement information provided by their healthcare providers and provide social supports [17].

Despite being a potentially positive source of health information for many, misinformation and disinformation are very prevalent on YouTube [15,18]. Currently, YouTube has practices in place to prevent the spread of harmful misinformation [19], though clearly not enough [20]. Health information may be presented in a way that makes it challenging to differentiate the accurate from inaccurate, or to identify misleading statements [21]. Some health professionals take part in spreading misleading opinions and misinformation, adding to the difficulty viewers can experience navigating accurate versus inaccurate health information online [22].

SARS-CoV-2 and the disease it causes (COVID-19) has had an impact on day-to-day life, employment, healthcare, and general sanitation practices [23]. By April 4, 2020, more than 1 million cases of COVID-19 were confirmed worldwide [24]. At two years into the pandemic (as of December 13, 2021) cases had risen to 270 million, accounting for over 5 million deaths. The World Health Organization has provided recommendations for staying healthy and preventing the spread of the virus [25]. Several vaccines are now available in many countries and efforts to vaccinate large proportions of the population are of paramount importance to curbing the spread of COVID-19, but as of the date of this publication, there is no known cure for COVID-19 [26]. Despite this, there has been an influx of social media posts claiming that an array of substances have preventative or curative properties against COVID-19, and selling dubious 'immune boosting' kits, home test kits, and personal protective equipment [27]. Examples of the fake prevention and treatment products promoted on Twitter and Instagram include a mix of so-called immune-boosting supplements (e.g. essential oils, some foods, colloidal silver) and unproven pharmaceutical treatments (e.g. hydroxychloroquine, remdesivir) [27].

One frequently amplified dietary supplement (during the pandemic but certainly not a new trend) is vitamin D, available through consumption of naturally occurring or fortified foods, supplementation, and synthesized naturally in the skin after ultraviolet radiation exposure [28]. The current understanding of the important functions of vitamin D in the body include regulation of serum calcium and phosphate homeostasis, which aids in the maintenance and development of bones. Foods naturally containing vitamin D include fatty fish, fish liver oil, and egg yolks, while other common foods often fortified with man-made vitamin D include milk, margarine, bread, and orange juice [29]. The fortification is done to prevent vitamin D deficiency, which can lead to rickets. Beginning in the early 2000s, an increasing number of studies investigated vitamin D as a preventive or curative agent for a wide variety of ailments and this has only increased over the past 20 years

(Figure 1, data from PubMed), with an evident spike in 2020. Even though it has been extensively studied as a potential preventive agent for a variety of cancers and other chronic and infectious diseases, evidence for the benefits of supplementation have largely failed to show appreciable beneficial effects on human health (besides in cases of extreme deficiency) [29-31]. Early in the COVID-19 pandemic, a correlation between lower vitamin D levels and severity of outcomes was reported across many studies, which led to the idea that supplementation (either pre-infection as a preventive agent or post-infection to support treatment) may play a role in pandemic control [32,33]. The most recent meta-analysis on the topic concluded that vitamin D deficiency can increase the susceptibility to severe COVID-19, but noted that the included studies suffered from high risk of bias and significant heterogeneity, and that several of the randomized control trials were too widely heterogenous to include in meta-analysis [34].




Figure 1. Number of citations over time in PubMed for 'vitamin D', 1922 – 2020

Recommended daily supplementation doses of vitamin D range from 400IU to 800IU depending on the age and condition of the individual, and consuming excess of 4,000IU is generally not recommended as safe [28]. Several companies have advertised supplements (including ones that contain vitamin D) as having "immune boosting" properties, and thus are potentially profiting from the misinformation infodemic accompanying the COVID-19 pandemic [35]. Recommendations to take a supplement without adequate medical reference or advice may be harmful to the individual and can lead to hypercalcemia and even death in rare cases [36].

The aim of this study was to qualitatively analyze how vitamin D was presented in association with COVID-19 in YouTube videos shared in 2020. Inaccurate or inappropriate messaging regarding vitamin D and COVID-19 may be problematic for a host of reasons, including causing people to take supplements to feel that they are safe from a highly infectious disease that requires vigilant public health behaviours and vaccination. In addition, it may help to drive and legitimize scientifically inaccurate conceptions of immune boosting.

Methods:

Data Collection

We searched YouTube.com for the keywords <u>COVID</u>, <u>coronavirus</u>, <u>and vitamin D</u> on June 10, 2020,

and again on December 7, 2020. We used the Google Chrome web browser, and to limit bias associated with a personal Google.ca account or prior search history, an incognito web browser was used, and no Google account was linked to the search. Browser history was also erased including cookies and cache prior to conducting each search. Default search filters were not modified to present the findings in the most common search order, in order of relevance, as it would appear when a person usually searches for a video on YouTube. During each data collection event, search results were collected from the first three pages of results, or 60 videos, as previous studies suggest that most individuals do not view results past the third page [37]. URLs from the first 60 posts of search results were transferred to MS Excel along with descriptive characteristics, such as the result number, post title, account name, date posted, engagement (thumbs up, thumbs down, and number of comments) on the date of data collection, and type of account.

Only English YouTube videos that discussed COVID-19 *and* vitamin D were included. Videos were excluded if they discussed only one of the two information categories (i.e., COVID-19 or vitamin D). Duplicate videos were also removed.

Content Analysis

Content analysis, is a method of taking valid and replicable inferences from a group of texts for the purpose of specific research context, as used in previous studies [38]. The posts were analyzed using a coding framework (Supplementary Tables 1 and 2) similar to previous social media content analysis studies conducted by our team [39-41] and a codebook developed *a priori* that was based on COVID-19 themes seen in previous studies and vitamin-D specific themes. Audio and visual content was coded together to ensure the unique impact of YouTube videos was coded appropriately. During each data collection event, a team of two coders (SF/EQ, SLF/CFS) used the code book to code all videos for useful (all accurate information) or misleading (any inaccurate or misleading content) COVID-19 and vitamin D information, unsafe sun exposure recommendations, and confusing correlation with causation. In particular, videos were tagged as misleading if they included information that vitamin D prevents or cures COVID-19, which is a statement that is not in line with the current evidence base, which presently only concludes a correlation between the two [34]. The video content was then recorded for areas of interest described in the codebook; a set of codes and inclusion criteria/descriptions developed a priori. If differences in coding results could not be resolved through a consensus-driven discussion between coders, the senior author (CP) was used as a third reviewer to reach consensus. During analysis, the account holder was investigated to determine the type of user (medical professionals included users who stated on their account that they are qualified and work in a medical field; this excluded chiropractors and naturopaths).

Statistical Analysis

In addition to the qualitative content analysis, we calculated simple descriptive statistics to investigate the prevalence of misinformation in our collected videos, as well as whether engagement metrics differed by video accuracy. Bivariate analyses were conducted using various video metrics and parameters to assess potential associations and patterns in the collected data. These analyses consist of generated two-way tables that describe the relationship between multiple pairs of individual metrics. Chi-Square or Fisher's exact tests were conducted depending on the appropriateness of the cell size to assess associations between metrics, where strengths of association are represented using p-values [42].

Results:

In total, 77 of the 120 YouTube videos screened were included in our analysis. Twenty-seven YouTube videos were excluded as they did not present information on vitamin D *and* COVID-19

(i.e., the video only discussed one of the two topics of interest). Videos were also excluded due to duplication (13), non-English language (2), or if the video was blocked by YouTube on copyright grounds (1).

The 77 videos included in our study had a total of 10,225,763 views at the time of our analysis. Videos posted by medical professionals accounted for the majority of the videos (34, 44%) included in our analysis, followed by 'other' e.g., personal (24, 31%), and news (19, 25%) account types.




Figure 2. Data inclusion and exclusion criteria.




Figure 3. Sample of coding system.

Accuracy and Engagement Metrics

Nearly 3/4 of the videos (57/77, 74%) contained at least some misleading information about COVID-19, and 60 (78%) contained misleading information about vitamin D (Table 1). Indeed, most videos (55, 71%) contained at least some misleading information about *both* COVID-19 and vitamin D, and only 15 videos were accurate in their statements about vitamin D and COVID-19. A minority of videos provided a mix of useful and misleading information across the two topics (Table 1). For further analysis on accuracy, we classified the videos as misleading if they had misleading information on either vitamin D, COVID-19, or both (i.e., the 7 videos with some useful and some misleading information were labeled as misleading overall).

Table 1. Accuracy of Vitamin D Information vs. Accuracy of COVID-19 Information

		COVID-19 Information			
Fisher's E	Exact Test:		Useful		
p < (0.001	Misleading	(n, column	Total	
		(n, column %)	%)	(n)	
Vitamin D	Misleading	55 (96)	5 (25)	60	
Information	Useful	2 (4)	15 (75)	17	
	Total	57	20	77	

When examining accuracy by account type, we found that most of the useful videos were shared by medical professional accounts (12 of the 15 videos or 80%). The remaining few useful videos were

shared by either news organizations or 'other' (Table 2) Interestingly, medical professionals also shared over 1/3 of the misleading videos (22 of 62, 35%), though 'other' account type shared the most misleading videos (23, 37% of all misleading videos). There was a statistically significant difference (p=0.008) between the types of accounts sharing misleading versus useful videos, with medical professionals more likely to share useful information, but medical professionals still mostly shared misleading information on COVID-19 and/or vitamin D (Table 2).

Table 2. Accuracy of Information by Account Type

Account type	Misleading (n, %)	Useful (n, %)	Total (n)	p-value
Medical professional	22 (35)	12 (80)	34	
News	17 (27)	2 (13)	19	0.008
Other	23 (37)	1 (7)	24	
Total	62	15	77	

The number of views, comments, and thumbs up/down are summarized by overall video accuracy in Table 3. A comparison of mean values suggests YouTube videos containing useful vitamin D information had greater viewer engagement overall, including a greater number of views; however, the video with the single greatest number of views (1,895,430) was misleading about both COVID-19 and vitamin D. These differences, however, were not statistically significant.

Table 3. Overall Accuracy by Engagement Metric

	Misleading Information			Useful Information					
Engagement Metric ¹	N	Mean	Std. Dev.	Range	N	Mean	Std. Dev.	Range	p- value
Views	62	108,43 6	278,6 04	8 – 1,895,430	15	242,8 46	470,504	62 – 1,786 066	0.208
Comments	62	603	1,397	0 - 8,711	15	1,702	2,992	2 - 10,760	0.153
Thumbs Up	62	2,639	6,212	0 - 40,000	15	6,153	11,774	0 - 48,000	0.242
Thumbs Down	62	64	154	0 – 1,000	15	272	710	0 – 2,800	0.083

¹At the time of data collection

Attributes and themes

The number of videos per attribute category demonstrates the overall themes shared by content creators (Figure 2). Approximately half (37 of 77) of the videos recommended people engage in unsafe sun (does not fit within recommendations [43]) or UV-related behaviours in an effort to improve their vitamin D status (e.g. "it's free, just go out in the sun"). Intentional (unprotected) sun exposure was recommended in videos including the idea to "seek direct sun exposure for 20-60 minutes with minimal clothing" as well as the suggestion that those who have higher levels of melanin in their skin increase their sun exposure, even extremes such as "stand naked in direct sunlight for a minimum of 20 minutes" or "never use sunblock". Sunlight was occasionally presented as the "only" or "best" source of vitamin D, recommending "exposure during peak UV hours for optimal absorption". Such information was coded as misleading due to the contrasting statements made by sun safety organizations and existing literature recommendations, such as (but not limited to): avoid direct unprotected sun exposure of over 15 minutes, avoid exposure during peak UV

hours, and wear (and reapply) sunscreen and protective clothing when sun exposure is unavoidable [43]. Many videos did, however, provide recommendations on how to safely generate vitamin D from the sun (e.g., minimizing exposure with the use of sunscreen, clothing, or seeking shade).




Figure 4. Attributes and Frequency of Appearance in Videos Coded as Misleading (n=62)

Of additional concern, a total of 45 videos (58%) confused correlation with causation either directly or implicitly. Relevant statements included suggestions that the global COVID-19 pandemic is actually a "pandemic of insufficient vitamin D levels". Concerning statements were also made regarding the state of the scientific evidence between vitamin D levels and COVID-19, suggesting that the "evidence is now so strong" and "overwhelming". Videos also suggested that "every public health official should be recommending it [vitamin D for COVID-19]," and doing so, "could save the lives of millions". The notion that "there is no harm in adding a vitamin D supplement to your daily routine" was found in several videos, despite evidence in the literature that demonstrates an overdose of vitamin D can be harmful [36]. Overall, the suggestion of vitamin D supplements being a safe and easy way to 'boost immunity' was a common thread in many videos.

Videos commonly discussed the general function of vitamin D (55 of 77 or 71% of videos) and how vitamin D functions in overall immunity (62 of 77 or 80% of videos). Many videos highlighted that vitamin D is known as the "sunshine vitamin," and stated that a considerable proportion of the global population is vitamin D insufficient and/or deficient. Some videos also included in-depth scientifically supported details regarding vitamin D production, metabolism, and associated mechanisms of action.

Most of the videos (54, 70% of the total videos) explicitly discussed vitamin D as a COVID-19 primary prevention method or to prevent more severe outcomes. While not all of these videos provided misleading information on these topics, the majority (46, 85% of videos including these topics) did directly state or imply that vitamin D can prevent or cure COVID-19, which is not supported by current scientific evidence and is thus misleading. Further, 41 videos (53%) included comments on the ability of vitamin D to treat and/or cure COVID-19 and 37 of these (90%) contained misleading information on this topic. Examples of the types of misleading messages

include that vitamin D is an "effective treatment" for COVID-19 and could be "lifesaving," and suggested that physicians should provide it to patients infected with COVID-19.

The 8 videos that contained useful information about the potential for vitamin D to prevent COVID-19 or reduce severe disease generally informed viewers that on-going studies were investigating the theory of vitamin D preventing COVID-19 and outlined proposed mechanisms of action. Useful videos also noted that the current state of the science "does not prove" that vitamin D deficiency increases susceptibility to COVID-19 infection. In comparison, misleading videos encouraged individuals to increase their vitamin D intake to "reduce their likelihood of catching it (COVID-19)" because there is a "strong relationship" between vitamin D status and COVID-19 infection rates. The 4 videos (of 41 (10%)) that contained useful information about the potential for vitamin D to help treat or cure individuals included similar messages to the useful videos about vitamin D as a potential preventative agent against COVID-19. Useful videos discussed how some hospital-based pilot studies are including vitamin D (or calcifediol) as part of experimental treatment protocols for COVID-19 patients.

Generally, there was a mix of useful information (e.g. recommendations to "discuss supplementation and dosage with your physician") and concerning vitamin D recommendations, particularly regarding supplementation (e.g., "immune-boosting" to prevent COVID-19) and "prescription-level" dosage (e.g. up to 60,000 IU a day). Several videos stated that "vitamin D supplements amplify immune function" or provides a "boost" to the body in fighting off the virus. A common supporting theory to the claims of vitamin D having a protective factor was that supplement use will "reduce inflammation in the body". Several videos did suggest consulting with a physician prior to taking supplements, while others suggested starting at a base dosage of 2500 IUs daily. We also analyzed the videos for the theme of vitamin D recommendations related to the subthemes of vitamin D dosage, supplements, food sources, and sun or UV radiation exposure. Many of the videos did provide a recommendation (or recommendations) to viewers, with vitamin D supplements (59 of 77 videos (77%)) being the most common, followed by sun or UV radiation exposure (42 (55%)), vitamin D dosage (41 (53%)), and food sources (31 (40%)).

The videos also discussed the theme of demographics and risk, including aspects of ethnicity, location, and age in relation to vitamin D and COVID-19. Ethnicity was discussed in approximately half of the videos. This content typically focused on how darker-skinned individuals may be more susceptible to vitamin D deficiency and this could support understanding of racial (and ethnic) differences in severe COVID-19 outcomes. Videos that discussed location in relation to vitamin D and COVID-19 (28 videos (36%)) commonly described the increased risk of vitamin D deficiency in northern latitudes or a hypothesized COVID-19 "latitude gradient". Lastly, videos that had a theme of age (also 28 videos) generally described how older individuals (i.e., greater than 60 years old) may be more susceptible to vitamin D deficiency, and therefore, COVID-19.

Discussion:

Our results provide evidence that videos available on YouTube contribute to the "infodemic" which may lead to misunderstanding and confusion among viewers. Overall, the results of our study indicated that the majority of videos contained misleading information about both COVID-19 *and* vitamin D, frequently implying that vitamin D supplementation reduces COVID-19 incidence in a causal manner. This type of misinformation is particularly concerning from a public health perspective given the audience and their susceptibility to be influenced by health information [44]. Although some videos were careful to explicitly state the difference between correlation and causation, others went on to state direct association between vitamin D and COVID-19, despite the lack of reliable data [30].

Misleading videos generally overstated our current understanding of the relationship between vitamin D and COVID-19 or presented a one-sided view of the current research (i.e., strictly sharing research in support of an association between vitamin D status and COVID-19 outcomes). In addition to sharing selective and misleading messages, the available information was frequently confused to state that vitamin D has preventative or had curative abilities against the COVID-19 virus. Of great concern, misleading videos also suggested or directly stated there was no evidence to support COVID-19 public health prevention measures (e.g., masks, social distancing, lockdowns, etc.) despite the mounting evidence supporting decreased transmission rates with the preventative measures [25]. The most recent meta-analysis on vitamin D as a preventive or curative treatment for COVID-19 did report correlations between levels of vitamin D and COVID-19 outcomes, but the authors were careful to note that the available studies had a high risk of bias and heterogeneity [34]. One bias of particular concern was related to timing of vitamin D ascertainment, which in many studies was done at the time of diagnosis or hospital admission, which obscures the ability to determine causation (as compared to correlation). A further complication is that we know that circulating vitamin D concentration decreases in times of acute illness or inflammation [45]. This means that given the types of studies available, it is impossible to ascertain whether having higher vitamin D prevents COVID-19 (or severe outcomes), COVID-19 inflammation causes lower vitamin D levels, or that vitamin D is a marker of underlying health status – or indeed, some combination of all three scenarios.

Vitamin D supplementation recommendations were made in many of the videos that inappropriately associated vitamin D supplementation with reduced risk of contracting COVID-19, often suggesting a dosage higher than standard guidelines [28] or not recommending inquiring about vitamin D recommendations from a family physician (such as based on a confirmed, clinically relevant deficiency). Dietary sources of vitamin D were discussed, however often deemed less valuable than a supplement or solar UV source. Encouraging members of the public to purchase supplements or engage in risky health behaviours for unproven benefits is concerning to public health researchers, tying together health risks and poor health outcomes such as skin cancer with the COVID-19 pandemic [46,47]. Several misleading videos also suggested all individuals should take a vitamin D supplement as they are without risk, readily available and cheap, or even suggested the use of an extremely high-dose [28] or "prescription-level" vitamin D regimen (e.g., 60,000 IU/day) to prevent COVID-19 illness and to "boost the immune system". These videos also commonly described the global population as being vitamin D deficient/insufficient and claim that this is the "real root cause" of the pandemic.

Unsafe sun exposure was a common recommendation in order to increase vitamin D levels, with claims that intentional sun exposure was the 'best' option for increasing immunity. Recommending unsafe exposure to ultraviolet radiation is alarming, particularly when it is classified by the International Agency for Research on Cancer (IARC) as a known skin carcinogen [48] with other well-documented negative health effects [49]. While vitamin D is a known source of vitamin D [50], studies have shown that the DNA damage and elevated skin cancer risk associated with direct sun exposure outweigh the vitamin D status, particularly when replaceable by diet or supplements [51].

Medical professionals have a highly influential position on online platforms due to the assumption they are sharing accurate and reliable information learned through their professional education [52]. Although COVID-19 is a relatively new area of research, it is not encouraging to observe accredited medical professionals sharing potentially dangerous health misinformation, including suggesting individuals overdose on a vitamin or seek intentional risky sun exposure, in turn increasing their risk of skin cancer or other poor health outcomes [20,53,54]. It would be advisable for medical

professionals making informational videos on YouTube that they use their platform to share only reliable and accurate information [52], rather than speculative claims for holistic measures (particularly when for personal financial gain) as it has been demonstrated that consumers of social media place more trust in these professionals [52]. While financial gain (e.g., from supplement sales) is one reason that some health professionals may share misinformation, this is unlikely to cover all situations. Indeed, physicians and other health care professionals can be susceptible to believing ideas that are at least biologically plausible, or where they have trusted colleagues who share in the belief [55]. Additionally, these professionals have a strong desire to alleviate suffering and could have a lower threshold for what constitutes "evidence" in the prevention or treatment of a novel virus [56,57]. It is assumed or expected by many viewers that a medical professional would only share reliable and accurate information [52], although from our results it is clear that is not always the case. This could alter the public's sense of medical knowledge and potentially lead to doubt in the health system.

Not all information within the YouTube videos analyzed included misinformation; some of the videos were very useful and could provide viewers with valuable information pertaining to their health. Overall, we found useful information was also shared, including guidance on the potential benefits and risk associated with vitamin D intake and the current epidemiology of COVID-19. Other useful videos shared several studies that both supported *and* refuted an association between vitamin D and COVID-19. The videos containing useful information were also found to describe the state of current science, limitations of current research studies and the need for additional research before making any supplement or other recommendations. Social media can be a valuable and inexpensive method of sharing health information widely with the public, as long as it is clear and accurate [46].

Despite some of the videos containing useful information, the overall recommendation of supplements contributes to the concerning theories of 'immune boosting' holistic approaches to health. This is a dangerous place that lacks sufficient scientific evidence to support the claims [53,54]. The pandemic has lead wellness influencers and companies promoting "immune boosting" products to capitalize on the vulnerability of the unprecedented times of the pandemic. Commercial interest in the "immune boosting" products, as noted in the study by Wagner et al., was present with most "immune boosting" posts on Instagram [47]. Similarly, among general Google searches, evidence-based claims were paired with "immune boosting" theories inadvertently legitimizing the concepts [35]. In the case of medical professionals with YouTube accounts, their position of authority may be inadvertently legitimizing the claims stated about vitamin D *and* COVID-19, simply because viewers assume a medical professional would only share accurate reliable information [52].

This study has some important limitations that should be mentioned. Firstly, we designed our study to collect 60 videos at two separate time points for a total of 120 videos, but many of the videos captured by our search strategy only included information on one of our topics of interest (e.g., either COVID-19 or vitamin D, but not both). This created a smaller dataset in our sample than we anticipated. However, one of the main drivers of our inquiry was how members of the general population interface with YouTube, and what videos they'd be likely to see based on simple searches, not to find every video possible using more complex Boolean strings. Therefore, we are confident that the sample of videos we collected was representative of 'real world' information that is easily accessible to an average user. We also had two separate coding teams for the two time points of our study, which could have introduced differences in coding across the time points. However, all coders were central members of an experienced team working on similar topics and from the same codebook, led by the same senior scientist, who also carefully reviewed all videos and coding to ensure consistent approaches across the phases.

In conclusion, the results of our study suggest that confusing messaging about vitamin D as having preventative or curative abilities against/for COVID-19 is prevalent on social media and is dominating the online narrative. Concerns surrounding the type of individuals spreading this type of health misinformation is unique in the unprecedented times of a global pandemic, where the public may be anxiously seeking advice about how to remain healthy [3,58]. Easily accessible online platforms hold the potential to decrease the spread of SARS-CoV-2, however, if misinformation is shared publicly, it can lead to increased viral spread or the increased presence of other poor health outcomes either immediately or in the future (such as skin cancer from intentional ultraviolet radiation exposures) [59]. This study is an important contribution for public health, as it demonstrated that health professionals are a significant source of misleading information on the relationship between vitamin D and COVID-19 infection and severity. The practical next steps to address this challenge include the sharing of anti-misinformation efforts as well as pre-bunking or de-bunking methods to curb risky 'immune boosting' behaviours on social media, to deter avoidable negative health consequences of unnecessary supplementation [60].

Acknowledgements

This study was supported by the Canadian 2019 Novel Coronavirus (COVID-19) Rapid Research Funding Opportunity. Specific funders include: Canadian Institutes for Health Research, Alberta Innovates, the Ministry of Economic Development, Trade and Tourism, and the Government of Alberta.

Conflicts of Interest

The authors declare no conflicts of interest.

References

1. World Health Organization. Coronavirus disease (COVID-19) pandemic. Published 2020. https://www.who.int/emergencies/diseases/novel-coronavirus-2019

- 2. Bradshaw S, Howard PN. The global disinformation order: 2019 global inventory of organised social media manipulation. *Univ Oxford*. Published online 2019:25. https://comprop.oii.ox.ac.uk/wp-content/uploads/sites/93/2019/09/CyberTroop-Report19.pdf
- 3. Bavel JJV, Baicker K, Boggio PS, et al. Using social and behavioural science to support COVID-19 pandemic response. *Nat Hum Behav*. 2020;4(5):460-471. doi:10.1038/s41562-020-0884-z
- 4. Kemp S. TikTok Hits 1 Billion Users—Faster Than Facebook (And More New Stats). Hootsuite. Published 2021. Accessed December 17, 2021. https://blog.hootsuite.com/simon-kemp-social-media/
- 5. Busari S, Adebayo B. Nigeria records chloroquine poisoning after Trump endorses it for coronavirus treatment. *CNN*. March 2020.
- 6. Scherer LD, McPhetres J, Pennycook G, et al. Who is susceptible to online health misinformation? A test of four psychosocial hypotheses. *Heal Psychol Off J Div Heal Psychol Am Psychol Assoc*. 2021;40(4):274-284. doi:10.1037/hea0000978
- 7. Kubb C, Foran HM. Online health information seeking by parents for their children: Systematic review and agenda for further research. *J Med Internet Res.* 2020;22(8):1-21. doi:10.2196/19985
- 8. Choudhury M De, Morris MR, White RW. Seeking and sharing health information online: comparing search engines and social media. *Proc SIGCHI Conf Hum Factors Comput Syst*. Published online 2014.
- 9. Johnson NF, Velásquez N, Restrepo NJ, et al. The online competition between pro- and anti-vaccination views. *Nature*. 2020;582(7811):230-233. doi:10.1038/s41586-020-2281-1
- 10. Bridgman A, Merkley E, Loewen PJ, Owen T, Ruths D, Teichmann L ZO. The causes and consequences of COVID-19 misperceptions: Understanding the role of news and social media. *Harvard Kennedy Sch Misinformation Rev.* 2020;1(3).
- 11. Calvillo DP, Ross BJ, Garcia RJ, Smelter TJ RA. Political ideology predicts perceptions of the threat of COVID-19 (and susceptibility to fake news about it). *Soc Psychol Personal Sci.* 2020;11(8):1119-1128.
- 12. Roozenbeek J, Schneider CR, Dryhurst S, et al. Susceptibility to misinformation about COVID-19 around the world: Susceptibility to COVID misinformation. *R Soc Open Sci.* 2020;7(10). doi:10.1098/rsos.201199
- 13. YouTube. YouTube for Press.
- 14. Rutten LJF, Squiers L, Hesse B. Cancer-related information seeking: Hints from the 2003 Health Information National Trends Survey (HINTS). *J Health Commun.* 2006;11(SUPPL. 1):147-156. doi:10.1080/10810730600637574
- 15. Madathil KC, Rivera-Rodriguez AJ, Greenstein JS, Gramopadhye AK. Healthcare information on YouTube: A systematic review. *Health Informatics J.* 2015;21(3):173-194. doi:10.1177/1460458213512220
- 16. Atkinson N, Saperstein S, Pleis J. Using the Internet for Health-Related Activities: Findings From a National Probability Sample. *J Med Internet Res.* 2009;11(1):e4. doi:10.2196/jmir.1035
- 17. Smailhodzic E, Hooijsma W, Boonstra A, Langley DJ. Social media use in healthcare: A

- systematic review of effects on patients and on their relationship with healthcare professionals. *BMC Health Serv Res.* 2016;16(1):1-14. doi:10.1186/s12913-016-1691-0
- 18. Li HOY, Bailey A, Huynh D, Chan J. YouTube as a source of information on COVID-19: A pandemic of misinformation? *BMJ Glob Heal*. 2020;5(5). doi:10.1136/bmjgh-2020-002604
- 19. YouTube. How does YouTube combat misinformation? Our Commitments.
- 20. Instagram from Facebook. Combatting Misinformation on Instagram. Published 2019. https://about.instagram.com/blog/announcements/combatting-misinformation-on-instagram
- 21. Scales D, Gorman J, Jamieson KH. The Covid-19 Infodemic Applying the Epidemiologic Model to Counter Misinformation. *N Engl J Med.* Published online May 12, 2021. doi:10.1056/NEJMp2103798
- 22. Chua AYK, Banerjee S. Intentions to trust and share online health rumors: An experiment with medical professionals. *Comput Human Behav*. 2018;87:1-9. doi:https://doi.org/10.1016/j.chb.2018.05.021
- 23. Haleem A, Javaid M, Vaishya R. Effects of COVID-19 pandemic in daily life. *Curr Med Res Pract.* 2020;10(2):78-79. doi:10.1016/j.cmrp.2020.03.011
- 24. World Health Organization (WHO). WHO Coronavirus Disease (COVID-19) Dashboard.
- 25. World Health Organization (WHO). Coronavirus disease (COVID-19) advice for the public. Coronavirus Disease (COVID-19).
- 26. World Health Organization (WHO). The push for a COVID-19 vaccine. Coronavirus Disease (COVID-19).
- 27. Mackey TK, Li J, Purushothaman V, et al. Big Data, Natural Language Processing, and Deep Learning to Detect and Characterize Illicit COVID-19 Product Sales: Infoveillance Study on Twitter and Instagram. *JMIR public Heal Surveill*. 2020;6(3):e20794. doi:10.2196/20794
- 28. Ross A, Taylor C, Yaktine A DVH. DRI: Dietary Reference Intakes for Calcium and Vitamin D.; 2011.
- 29. Yakoob MY, Salam RA, Khan FR, Bhutta ZA. Vitamin D supplementation for preventing infections in children under five years of age. *Cochrane Database Syst Rev.* 2016;(11). doi:10.1002/14651858.CD008824.pub2
- 30. Stroehlein JK, Wallqvist J, Iannizzi C, et al. Vitamin D supplementation for the treatment of COVID-19: a living systematic review. *Cochrane Database Syst Rev.* 2021;(5). doi:10.1002/14651858.CD015043
- 31. Das RR, Singh M, Naik SS. Vitamin D as an adjunct to antibiotics for the treatment of acute childhood pneumonia. *Cochrane Database Syst Rev.* 2018;(7). doi:10.1002/14651858.CD011597.pub2
- 32. Bergman P. The link between vitamin D and COVID-19: distinguishing facts from fiction. *J Intern Med.* 2021;289(1):131-133. doi:10.1111/joim.13158
- 33. Teymoori-Rad M, Marashi SM. Vitamin D and Covid-19: From potential therapeutic effects to unanswered questions. *Rev Med Virol*. 2021;31(2):1-16. doi:10.1002/rmv.2159
- 34. Dissanayake HA, de Silva NL, Sumanatilleke M, et al. Prognostic and therapeutic role of vitamin D in COVID-19: systematic review and meta-analysis. *J Clin Endocrinol Metab*. Published online December 2021. doi:10.1210/clinem/dgab892
- 35. Rachul C, Marcon AR, Collins B, Caulfield T. COVID-19 and 'immune boosting' on the internet: a content analysis of Google search results. *BMJ Open.* 2020;10(e040989):1-6. doi:10.1136/bmjopen-2020-040989
- 36. Galior K, Grebe S, Singh R. Development of Vitamin D Toxicity from Overcorrection of Vitamin D Deficiency: A Review of Case Reports. *Nutr* . 2018;10(8).


- doi:10.3390/nu10080953
- 37. iProspect. iProspect Search Engine User Behavior Study. Published online 2006:0-16. http://www.iprospect.com/premiumPDFs/WhitePaper_2006_SearchEngineUserBehavior.pdf
- 38. Macnamara, R. J. Media content analysis: its uses, benefits and best practice methodology. *Asia-Pacific Public Relations J.* 2005;6(1):1-34.
- 39. Quinn E, Ford-Sahibzada CA, Fazel SS, McWhirter JE, Peters CE. Sunscreen and Associated Risk in the News: A Content Analysis of Canadian Newspapers (2009-2019). Published online 2019.
- 40. Quinn EK, Fazel SS, Peters CE. The Instagram Infodemic: Co-branding of conspiracy theories, COVID-19 and authority-questioning beliefs. *Cyberpsychology, Behav Soc Networking*. Published online 2020. https://doi.org/10.1089/cyber.2020.0663
- 41. Fazel SS, Quinn EK, Ford-Sahibzada CA, Szarka S PC. Sunscreen on Twitter, United States and Canada, 2019: A Content Analysis. *JMIR Dermatology*. 2021;(forthcomi. doi:16/06/2021:29723
- 42. Fisher RA. On the Interpretation of χ^2 from Contingency Tables, and the Calculation of P. *J R Stat Soc.* 1922;85(1):87-94. doi:10.2307/2340521
- 43. Schüz N, Eid M. *Sun Exposure and Skin Cancer Prevention*. Vol 23. Second Edition. Elsevier; 2015. doi:10.1016/B978-0-08-097086-8.14136-4
- 44. Duran G. Unmasked in the Plandemic: Misinformation during the novel coronavirus (SARS-CoV-2) pandemic. Published online 2020.
- 45. Pal R, Banerjee M, Bhadada SK, Shetty AJ, Singh B, Vyas A. Vitamin D supplementation and clinical outcomes in COVID-19: a systematic review and meta-analysis. *J Endocrinol Invest*. Published online 2021. doi:10.1007/s40618-021-01614-4
- 46. Swire-Thompson B, Lazer D. Public health and online misinformation: Challenges and recommendations. *Annu Rev Public Health*. 2019;41:433-451. doi:10.1146/annurev-publhealth-040119-094127
- 47. Wagner DN, Marcon AR, Caulfield T. "Immune Boosting" in the time of COVID: selling immunity on Instagram. *Allergy, Asthma Clin Immunol.* 2020;16(1):76. doi:10.1186/s13223-020-00474-6
- 48. The International Agency for Research on Cancer. IARC Monograph, Volume 76.; 2000.
- 49. Young AR, Claveau J, Rossi AB. Ultraviolet radiation and the skin: Photobiology and sunscreen photoprotection. *J Am Acad Dermatol*. 2017;76(3):S100-S109. doi:10.1016/j.jaad.2016.09.038
- 50. Moan J, Porojnicu AC, Dahlback A, Setlow RB. Addressing the health benefits and risks, involving vitamin D or skin cancer, of increased sun exposure. *Proc Natl Acad Sci U S A*. 2008;105(2):668-673. doi:10.1073/pnas.0710615105
- 51. Petersen B, Wulf HC, Triguero-Mas M, et al. Sun and ski holidays improve vitamin D status, but are associated with high levels of DNA damage. *J Invest Dermatol*. 2014;134(11):2806-2813. doi:10.1038/jid.2014.223
- 52. Ventola CL. Social media and health care professionals: benefits, risks, and best practices. *P T.* 2014;39(7):491-520. https://pubmed.ncbi.nlm.nih.gov/25083128
- 53. Tewari S, David J, David B. A Critical Review on Immune-Boosting Therapeutic Diet Against Coronavirus (Covid-19). *J Sci Technol*. 2020;5(Volume 5):43-49. doi:10.46243/jst.2020.v5.i5.pp43-49
- 54. Ahmed O, Johnson K. Debunking Medical Myths: Do dietary supplements help prevent or treat COVID-19? Creative Commons License: Published online 2021.
- 55. Love JS, Blumenberg A, Horowitz Z. The Parallel Pandemic: Medical Misinformation and COVID-19: Primum non nocere. *J Gen Intern Med.* 2020;35(8):2435-2436.

- doi:10.1007/s11606-020-05897-w
- 56. Tuccori M, Convertino I, Ferraro S, et al. The Impact of the COVID-19 "Infodemic" on Drug-Utilization Behaviors: Implications for Pharmacovigilance. *Drug Saf.* 2020;43(8):699-709. doi:10.1007/s40264-020-00965-w
- 57. World Health Organization (WHO). Off-label use of medicines for COVID-19. Published 2020. https://www.who.int/news-room/commentaries/detail/off-label-use-of-medicines-for-covid-19
- 58. Caulfield T. Pseudoscience and COVID-19 we've had enough already. *Nature*. Published online April 2020. doi:10.1038/d41586-020-01266-z
- 59. Dorfman L. Studying the News on Public Health: How Content Analysis Supports Media Advocacy. *Am J Heal Behav.* 2003;27:217-226.
- 60. Caulfield T. Does Debunking Work? Correcting COVID-19 Misinformation on Social Media. (preprint). Published online 2020:1-13. doi:10.2196/19016.13


Supplementary Files

Figures


Number of citations over time in PubMed for 'vitamin D', 1922 – 2020.



Data inclusion and exclusion criteria.



Sample of coding system.



Attributes and frequency of appearance in videos coded as misleading (N=62).

