

Study to Evaluate the Comparative Efficacy of Medhya Rasayana (Pharmacological) Versus Non-Pharmacological Interventions in Management of Gadget Addiction in Children: Protocol for a Randomized Parallel Triple Arm Clinical Trial

Prasad Yewale, Renu Rathi, Swapnali Mate

Submitted to: JMIR Research Protocols
on: August 28, 2023

Disclaimer: © The authors. All rights reserved. This is a privileged document currently under peer-review/community review. Authors have provided JMIR Publications with an exclusive license to publish this preprint on its website for review purposes only. While the final peer-reviewed paper may be licensed under a CC BY license on publication, at this stage authors and publisher expressly prohibit redistribution of this draft paper other than for review purposes.

Table of Contents

Original Manuscript.....	5
Supplementary Files.....	24
0.....	24
0.....	24
.....	25
.....	26
Figures	27
Figure 1.....	28
Related publication(s) - for reviewers eyes onlies	29
Related publication(s) - for reviewers eyes only 0.....	30
Related publication(s) - for reviewers eyes only 0.....	30

Study to Evaluate the Comparative Efficacy of Medhya Rasayana (Pharmacological) Versus Non-Pharmacological Interventions in Management of Gadget Addiction in Children: Protocol for a Randomized Parallel Triple Arm Clinical Trial

Prasad Yewale^{1, 1*} MD; Renu Rathi^{1*} MD; Swapnali Mate^{2*} MD

¹Datta Meghe Institute of Higher Education and Research Mahatma Gandhi Ayurved College Hospital and Research centre Wardha IN

²Dr Rajesh Kambe Ayurved College and Hospital Turkhed Murtijapur Maharashtra IN

*these authors contributed equally

Corresponding Author:

Prasad Yewale MD

Datta Meghe Institute of Higher Education and Research

Mahatma Gandhi Ayurved College Hospital and Research centre

Wardha, Maharashtra, India

Wardha

IN

Abstract

Background: Gadget addiction is a common behavioral problem among children. It is known to hamper social and academic life as well as adversely affect the lives of children. Ayurveda offers many therapeutic modalities and Ayurvedic medicines that can be used in the management of gadget addiction in children. The purpose of this study is to evaluate and compare the effectiveness of non-pharmacological therapies and the pharmaceutical intervention Medhya Rasayana in treating childhood gadget addiction.

Objective: This article intends to provide a detailed description of the study methodology that will be used to compare the efficacy of non-pharmacological versus pharmaceutical interventions in the treatment of children's gadget addiction.

Methods: A randomized, parallel, triple-arm interventional study will be conducted on diagnosed participants of gadget addiction with an age group of 6–16 year old children, which will be selected and equally distributed in two groups. Group P will be given Medhya Rasayana (pharmacological intervention), Group N will be non-pharmacological Ayurveda intervention, and Group C (cognitive behavioral therapy) will be an external group. The Study duration is 180 days with assessment at baseline, midpoint and at endpoint. Appropriate statistical techniques, such as ANOVA and regression analysis, will be employed to examine the data and evaluate the efficacy of the three groups' interventions. We will perform subgroup analysis according to initial addiction severity, gender, and age. Primary outcome measures include reduction in gadget addiction and changes in psychosocial well being of participants. Standardized Questionnaires and instruments will be used to collect data.

Results: In December 2023, the randomized controlled study got underway. Since participants may begin at any time, our goal is for everyone to be finished by December 2024.

Conclusions: This research will provide crucial new information about the relative effectiveness of Ayurveda non-pharmacological therapies and Medhya Rasayana in treating children's gadget addiction. The results will guide evidence-based treatments aimed at reducing the negative impact of excessive gadget use on this susceptible population's psychosocial development. In the end, the findings are meant to help policymakers and medical professionals create sensible plans to deal with the rising issue of childhood gadget addiction. Clinical Trial: Clinical Trial Registry of India, registration number: CTRI/2021/10/037211

(JMIR Preprints 28/08/2023:51833)

DOI: <https://doi.org/10.2196/preprints.51833>

Preprint Settings

1) Would you like to publish your submitted manuscript as preprint?

✓ **Please make my preprint PDF available to anyone at any time (recommended).**

Please make my preprint PDF available only to logged-in users; I understand that my title and abstract will remain visible to all users.

Only make the preprint title and abstract visible.

No, I do not wish to publish my submitted manuscript as a preprint.

2) If accepted for publication in a JMIR journal, would you like the PDF to be visible to the public?

✓ **Yes, please make my accepted manuscript PDF available to anyone at any time (Recommended).**

Yes, but please make my accepted manuscript PDF available only to logged-in users; I understand that the title and abstract will remain visible to all users.

Yes, but only make the title and abstract visible (see Important note, above). I understand that if I later pay to participate in <http://www.jmir.org>

Original Manuscript

Title: Study to Evaluate the Comparative Efficacy of Medhya Rasayana (Pharmacological) Versus Non-Pharmacological Interventions in Management of Gadget Addiction in Children: Protocol for a Randomized Parallel Triple Arm Clinical Trial

Dr. Prasad Gajanan Yewale¹

Asst. Prof. Dept. of Kaumarbhritya, Mahatma Gandhi Ayurved college hospital & research center, Salod (H), Datta Meghe Institute of Higher Education & Research (DU), Wardha Pincode: 442001

Email- prasadyewale2050@gmail.com

Orcid ID: 0000-0003-2277-9185

Dr. Renu Rathi²

H.O.D. & Prof. Dept. of Kaumarbhritya, Mahatma Gandhi Ayurved college hospital & research center, Salod (H), Datta Meghe Institute of Higher Education & Research (DU), Wardha Pincode: 442001,

Email- rbr.226@gmail.com

Orcid ID: 0000-0002-1747-8719

Dr. Swapnali Mate³

Asst. Prof Dept. of Kriya sharir, Dr Rajesh Kambe Ayurved college hospital & research center, Murtijapur.

Email- mateswapnali@gmail.com

Orcid ID: 0000-0001-6405-4479

Corresponding Author : Dr. Prasad Gajanan Yewale

Asst. Prof. Dept. of Kaumarbhritya, Mahatma Gandhi Ayurved college hospital & research center, Salod (H), Datta Meghe Institute of Higher Education & Research (DU), Wardha Pincode: 442001

Email- prasadyewale2050@gmail.com, Orcid ID: 0000-0003-2277-9185

Abstract:

Background: Gadget addiction is a common behavioral problem among children. It is known to hamper social and academic life as well as adversely affect the lives of children. Ayurveda offers many therapeutic modalities and Ayurvedic medicines that can be used in the management of gadget addiction in children. The purpose of this study is to evaluate and compare the effectiveness of non-pharmacological therapies and the pharmaceutical intervention Medhya Rasayana in treating childhood gadget addiction. **Objective:** This article intends to provide a detailed description of the study methodology that will be used to compare the efficacy of non-pharmacological versus pharmaceutical interventions in the treatment of children's gadget addiction. **Method:** A randomized, parallel, triple-arm interventional study will be conducted on diagnosed participants of gadget addiction with an age group of 6–16 year old children, which will be selected and equally

distributed in two groups. Group P will be given Medhya Rasayana (pharmacological intervention), Group N will be non-pharmacological Ayurveda intervention, and Group C (cognitive behavioral therapy) will be an external group. The Study duration is 180 days with assessment at baseline, midpoint and at endpoint. Appropriate statistical techniques, such as ANOVA and regression analysis, will be employed to examine the data and evaluate the efficacy of the three groups' interventions. We will perform subgroup analysis according to initial addiction severity, gender, and age. Primary outcome measures include reduction in gadget addiction and changes in psychosocial well being of participants. Standardized Questionnaires and instruments will be used to collect data. **Results:** In December 2023, the randomized controlled study got underway. Since participants may begin at any time, our goal is for everyone to be finished by December 2024. **Conclusion:** This research will provide crucial new information about the relative effectiveness of Ayurveda non-pharmacological therapies and Medhya Rasayana in treating children's gadget addiction. The results will guide evidence-based treatments aimed at reducing the negative impact of excessive gadget use on this susceptible population's psychosocial development. In the end, the findings are meant to help policymakers and medical professionals create sensible plans to deal with the rising issue of childhood gadget addiction.

Registration: Clinical Trial Registry of India, registration number: CTRI/2021/10/037211

Keywords: Addiction; Ayurveda; Gadget addiction; Children; Kaumarbhritya; Medhya Rasayana; Yoga;

Introduction:

In the modern era, technology has affected life in various ways. One of the evolutions in the world of technology is electronic gadgets, which are used for entertainment, communication, information, education, and business. Moderate use of electronic gadgets improves the quality of life, but they also have the potential to be misused and cause gadget addiction. In general, addiction terminology was only associated with addiction to drugs, alcohol, and tobacco, but in the recent era, addiction may be defined as a process whereby a behavior that can function both to produce pleasure and to provide relief from internal discomfort is employed in a pattern characterized by recurrent failure to control the behavior and continuation of the behavior despite significant negative consequences (unmanageability) [1]. Gadget addiction is a broad term that includes excessive use of mobile devices, internet games, online gambling, excessive surfing on the internet, and excessive use of social media [2]. Gadget addiction is adversely associated with psychosocial disorders among

children in the adolescent age group [3], as well as musculoskeletal problems and visual disturbance [4]. Gadget addiction leads to a reduction in physical activities which results in fat deposition at an early age [5]. Research reveals that stressful environmental conditions promote human addiction [6]. Gadget addiction is a type of behavioral addiction; these addictions are similar to drug addiction except that in the case of gadget addiction, the person is not addicted to the substance but to the behavior or feeling brought about by the use of a gadget [7]. The mesolimbic brain circuit plays a significant role in behavior due to addiction [8]. All addictive substances increase the feeling of joy and this trend leads to their repeated use.

Previous studies by Ayurveda scholars reveal only the prevalence and side effects of Gadget addiction but it lacking in proven and published cost-effective, promising, and convenient Ayurveda therapy for gadget-addicted children. A research gap exists with special reference to the use of Ayurvedic interventions for the management of gadget addiction in children.

The Ayurveda concepts of Asatmeindriyarth Samyoga [9] (inadequate association of senses with their organs of perception) and Pradnyaparadh (misuse of intellect) go much further to today's gadget addiction. Rather, it helps stimulate gadget addiction. The word Pradnyaparadha [10] is a combination of two words: Pradnya and Aparadh. Pradnya encompasses Dhee (intellect), Dhruti (control), and Smriti (memory), and Aparadh means misdemeanor. In addiction (could be of any type), the mental ability of the affected person is compromised, affecting their decision-making power. The mind needs controlling power to make decisions. According to Ayurveda, Dhee is the factor that governs the action of the mind [11]. Satva, Raja, and Tama Manas Guna also play an important role in the decision-making power and emotions of a person. Many features of gadget addiction are similar to the clinical features of Raja and Tama Guna predominance [12]. Hence, to achieve a normal mental equilibrium in a person, we need to increase satvaguna and decrease Tama and Raja Guna. This can be achieved by adequate counseling, assurance, Sadvritta Palana (Ayurveda rules to prevent mental and physical disorders), Dhyana (meditation), and utilization of the Medhya rasayana [13]. Medhya Rasayana means the drugs that promote Medha, which has Dhee (intellect), Dhruti (control on mind), and Smriti (memory) as its components [14]. Medhya rasayana enhances the Sadhaka pitta, which is responsible for nischayatmaka buddhi [15] that is the decision-making power to opt for the right thing over wrong.

Gadget addiction is a behavioral disorder. There is research evidence of the use of anti-depressants and anti-anxiolytic drugs for the management of gadget addiction [16]. The anti-depressant and anxiolytic effects of medhya drugs have proven efficacy, as reflected in various previous studies [17]. Medhya Rasayana acts on the hypothalamus-pituitary-adrenal axis and normalizes the secretion of serotonin and acetylcholine, thereby

improving mental function [18]. The classical texts of Ayurveda describe *satvavajaya chikitsa* (subjugation of mind) for the management and prevention of behavioral, psychogenic and lifestyle related disorders [20]. *Satvavajaya* (subjugation of mind) helps a person to control the mind and restrain it from unwholesome objects by playing a significant role in maintaining a harmonious state between intellect, memory and patience, leading to a healthy mental condition. Practical approaches of *Satvavajaya Chikitsa* are *Ashwasana* (reassurance and explanation), *Pratidwanda Chikitsa* (Replacement of emotions), *Chintya* (presumption), *Dhyeya* (correction of objectives and ideas), *Sankalpa* (proper guidance and advice for taking the right decision), *Dhriti* (proper control of patience), *Suhritvakya* (guidance and suggestion), *Dharmarthavakya* (education of individual and family), *Santwana* (rehabilitation and assurance) [21]. Applying the above methods could change children's thinking and restrain them from unwholesome things. It could be beneficial in the management of Gadget addiction. Changing the thinking power of a patient is very important in the case of any addiction; this will happen with the help of *Satvavajaya Chikitsa*. *Sadvritta* helps in maintaining physical and mental fitness [22]. This helps improve the quality and longevity of life by secreting happy hormones [23]. It supports an increase in the *Satvikguna* of mind. Non-pharmacological measures like *Sattwavajaya chikitsa* (subjugation of mind) dealing with *manonigraha* (control over unwanted thoughts and desires of mind) and proper counseling of patients, along with improvising the patient's self-confidence. Along with this, yogic (postures and meditation) therapy and lifestyle modifications are very beneficial to keep the body and mind healthy and calm. Yoga enables a person to restrain from addiction by promoting self-regulation. Yoga has the potential to detoxify our mind and body and it is also capable of controlling emotions. This phenomenon is useful in addiction craving, compulsive behavior, tolerance and relapse conditions [24]. Yoga induces dopamine homeostasis, leading to long-term benefits for various addictive behaviors [25].

Protocol

Study Objectives:

Aim

Evaluation of comparative efficacy of *Medhya Rasayana* (Pharmacological) intervention versus Ayurveda Non-pharmacological interventions and cognitive behavioral therapy in Gadget addiction in children of age group of 6 to 16 years.

Objectives

Primary objective

1. To evaluate the efficacy of Medhya Rasayana in gadget addiction with Internet addiction test scale, a digital addiction scale and DSM-5.
2. To evaluate the efficacy of Ayurveda non-pharmacological interventions in gadget addiction with an Internet addiction test scale, a digital addiction scale and DSM-5.
3. To assess the comparative efficacy of three therapeutic modalities in the management of gadget addiction by IAT and DSM-5.

Secondary objective

1. To evaluate the association of gadget addiction with Deha and Manas Prakriti (physical and mental constitution) of the participant with the help of Ayusoft softwear.
2. To assess the impact of gadget addiction on social relationships and behavior using the DSM-5 scale

Hypothesis:

Null hypothesis(H0): Any intervention among the Medhya rasayana and ayurveda non-pharmacological intervention are not effective than the control group in reducing gadget addiction in children.

Alternative hypothesis(H1): At least one intervention among the Medhya rasayana and Ayurveda non- pharmacological intervention are more effective than the control group in reducing gadget addiction in children.

The purpose of this hypothesis is to determine wheather the three interventions under comparison in the study differ in their efficacy. If statistically significant differences exist in the outcomes, researchers can ascertain them by testing the null hypothesis against the data gathered during the randomized controlled trial.

Method:

Ethical Approval and Trial registration:

The Mahatma Gandhi Ayurved College Hospital and Research Center's Institutional Ethics Committee approved this study (registration number: MGACHRC/IEC/Oct-2022/614), and it was also registered with the Clinical Trial Registry of India (registration number: CTRI/2021/10/037211). We will get assent from each participant's parents. During data analysis, measures will be taken to protect participants' privacy. The original informed assent or approval from the Institutional Review Board (IRB) explicitly permits secondary analyses of the research data without necessitating additional assent.

Study design:

A three-arm superiority randomized controlled trial will be performed. The study flow is depicted in Figure 1. Patients with gadget addiction will be selected from the Kaumarbhritya OPD (Outpatient department) of Mahatma Gandhi Ayurveda College Hospital and Research Centre, Salod, Wardha as per inclusion criteria mentioned in table no 1. During the first visit, Parents will be asked whether they would like to de-addict their child from gadget addiction if they are willing then written informed assent will be obtained from the participants guardian. Participants will then complete questionnaires on the Internet addiction test scale and digital addiction scale. Furthermore, participants' social behavior and Prakruti (physical and mental constitution) will be assessed. As well as age, gender, social-economic status, and type of gadget he or she is using frequently, and the purpose of gadget use will be assessed. After this period, participants will be randomly allocated to both intervention groups in a 1:1 allocation ratio. After this, Medhya rasayana will be prescribed to participants in Group I according to age-wise doses at a frequency of twice a day for a period of 90 days as per mentioned in table no.2. Participants allocated to Group II will be counseled regarding the adverse effects of gadget addiction on physical and mental health and advised to follow the following routine daily for a period of 90 days, details of non pharmacological interventions are described in table no 2 and table no 4. Yoga (sun salutations, meditation), Targeted reduction in Gadget use time Padanshik krama, i.e., reduce gadget use time by $\frac{1}{4}$ part each week. Reduced time will be used for adventure, bravery, cognitive skill-oriented things, sports and yoga. Patients will be counseled to play indoor and outdoor games daily. Encouragement towards attending social programs whenever required and feasible, encouragement of parent-child relationship by advising parents to spend a minimum of 2 hours of quality time daily with children and to give a reward for non-using mobile with encouraging children to learn new things, participate in group activities with peers and teach etiquette. Initial training in sun salutation and the method of meditation will be given to participants and their parents at the time of enrollment. Children will be asked to do the proposed sun salutation and meditation on the assessment day. Participants not responding or not following instructions will be eliminated from the study. Group III will be the external group due to the fact that cognitive behavioral therapy requires trained professionals and there are time and financial constraints as well. Hence, in this published data of previously conducted clinical trials, cognitive behavioral therapy intervention in management of gadget or internet addiction will be used for comparison with Medhya Rasayana and Ayurveda Non-pharmacological interventions. On the 30th, 60th, and 90th days of treatment, participants will be evaluated using the Internet addiction test scale

and the DSM V scale for social behavior. A follow-up will be conducted on the 180th day to determine whether the intervention's possible effects are lasting.

Participants:

The required sample size was calculated by using following formula

Sample size –

$$n = (Z_{\alpha} + Z_{\beta})^2 \frac{\varepsilon(1-\varepsilon)}{\delta^2}$$

$$Z_{\alpha} = 1.64$$

$$\alpha = \text{Type I error at 5 \%}$$

$$Z_{\beta} = 0.84$$

$$\beta = \text{Type II error at 20 \%}$$

$$\varepsilon = \text{True proportion difference} = 0$$

$$\delta = \text{Clinically relevant difference at 20 \% superiority}$$

$$\text{Internet addiction BEFORE P1 (\%)} = 62.22 \% = 0.622$$

$$\text{Internet addiction AFTER (\%)} \text{ P2} = 36.2 \% = 0.362 \text{ (REFERENCE ARTICLE) ,}$$

$$\text{Clinically Accepted Difference} = 20 \%$$

$$N = (1.64 + 0.84)^2 * (0.622)(1 - 0.622) + 0.362 (1 - 0.362) / (0.20)^2$$

$$\text{Sample Size (N)} = 72 \text{ PER GROUP.}$$

$$\text{At 10\% drop out sample size} = 80$$

Source of Article - “Alavi SS, Ghanizadeh M, Mohammadi MR, Jannatifard F, Esmaili Alamuti S, Farahani M. The effects of cognitive-behavioral group therapy for reducing symptoms of internet addiction disorder and promoting quality of life and mental health. Trends Psychiatry Psychother. 2021;43 (1):47-56.<http://dx.doi.org/10.47626/2237-6089-2020-0010> “

Therefore, 80 participants will be recruited after randomization in each group from the Kaumarbhritya OPD of Mahatma Gandhi Ayurved College Hospital and specialty camps held in peripheral villages of Wardha city. A computer-generated random number table will be used to avoid selection bias in the study. The Principle investigator will carried out the process of Randomization and enroll the participants. To be eligible for participation, participants should fulfill the following inclusion criteria as per mentioned in table no.1. Patients having any characteristics of exclusion criteria will be excluded from participation in the study.

Table no.1: Inclusion and Exclusion criteria

Inclusion criteria	Exclusion criteria
--------------------	--------------------

Subjects irrespective of gender, religion, and socioeconomic status.	IAT score >80
Participants affected with Gadget addiction as per case definition, i.e. IAT score:31-79	Children aged < 6 years and aged> 16 years
Age group between 6– 16 years with signs and symptoms of Gadget addictions as per ICD 10 or 11 as follows	Parents who are not willing to provide written informed consent for their children to include in the study.
Parents who are willing to provide written informed consent for their children to include in the study.	Children suffering from behavioral diseases, locomotor diseases, genetic diseases, systemic disorders

Table no.2: Overview of Interventions

	Group P	Group N	Group C
Subjects	80	80	External group
Name of medication	<i>Medhya Rasayana</i>	Non-pharmacological	Cognitive behavioral therapy
Dosage form	Young's formula	As per schedule	Not applicable
Duration	90 days	90 days	Not applicable
Assessment with IAT scale,	0,30,60,90 days	0,30,60,90 days	Not applicable
Followup with IAT scale, digital addiction scale and DSM V scale	180 th day	180 th day	Not applicable
Route/Mode of Administration	Oral	Not applicable	Not applicable
Anupana	Lukewarm Water	Not applicable	Not applicable

Preparation of medhya avaleha:

Medhya rasayana avaleha is the polyherbal combination of *Centella Asiatica*, *Convolvulus prostratus*, *Tinospora cordifolia*, and *Glycyrrhiza glabra* mentioned in table no 3. Drugs required for the preparation of medhya avaleha will be collected from local market or herbal gardens and identified in the Dravyaguna Department. Preparation of Medhya Rasayana Avaleha will be done as per classical reference [26] in Rasashastra & Bhaishyajya kalpana department of MGACHRC, Salod Wardha.

Table no.3: Overview of contents of Medhya Rasayana Avaleha [27]


	Contents	Parts used	Proportion	Maximum dose
1	<i>Centella Asiatica</i> (Linn.), Family name -Apiaceae Ayurveda name- <i>Mandukparni</i>	Leaves	1 part	2000mg/kg[28]
2	<i>Convolvulus prostratus</i> (chois) Family name - Convolvulaceae Ayurveda name- <i>Shankhpushpi</i>	Leaves, roots, barks, flowers,	1 part	2000mg/kg[29]
3	<i>Tinospora cordifolia</i> (Willd Miers) Family name -Menispermaceae Ayurveda name- <i>Guduchi</i>	Barks	1 part	Extracts 120 mg/kg[30]
4	<i>Glycyrrhiza glabra</i> (Linn.) Family name-Fabaceae Ayurveda name- <i>Yashtimadhu</i>	Roots	1 part	50gm/day [31]

Table no.4: Overview of Ayurveda Non pharmacological intervention

	Intervention	Details of method	Duration & Frequency
1	<i>Counseling</i> (<i>Satvavajaya</i>)	Counseling about hazardous effects of mobile and benefits of mobile deaddiction	fortnight 1 session with parents and child separately
2	<i>Yoga therapy</i>	<i>Surya Namaskar, Dhyana</i>	Daily
3	Encouragement for indoor & outdoor games	Patients will be counseled to play Indoor and Outdoor games daily	Daily for 1 hour
4	Encouragement towards attending social programs	Parents will be guided for engagement of children in learning new things, in group activities with peers, etiquette	‘Si-opus sit’ Whenever required &feasible

5	Encouragement of parent-child relationship	Parents advised to spend time with children. And advised to give a reward for non using mobile to child.	Minimum 2 hours of quality time daily by parents
6	Targeted reduction in Gadget use time	Reduced time will be used for adventure, bravery cognitive skill-oriented things, sports, and yoga.	By <i>Padanshik krama</i> i.e reduce Gadget use time by $\frac{1}{4}$ part each week

Yoga pose :



Assessment of participants:

All participants will be assessed for level of addiction, social behavior and Prakruti (physical and mental constitution) before initiating the intervention during the study at 0, 30, 60, and 90 days, and on follow-up day at 180 days at Mahatma Gandhi Ayurved Hospital Salod(H). For the assessment of gadget addiction, an Internet addiction test scale [32] questionnaire and a digital addiction scale [33] will be used. There are twenty statements on this questionnaire. After carefully reading each statement, participants have to choose the response (0, 1, 2, 3, 4, or 5) that best describes him or her using the 5-point Likert scale. Select the option that most accurately reflects how participants have been spending their time over the past month if two options seem to fit equally well. Along with participants, their parents or caretakers will be asked the following question regarding the gadget-addicted behavior of their children and the mean of both scores will be calculated to avoid bias in the study. The social behavior of patient will be assessed by DSM V [34] criteria on proposed day. Prakruti examination will be conducted on the day of initiation of intervention by ayusoft software [35].

Data Quality assessment:

The researchers will oversee and direct the process of gathering data. Since this study is a component of a postgraduate doctoral degree project, no committee was specifically tasked with overseeing or monitoring the data trials. However, the study progress will be discussed monthly with the supervisor.

Statistical Analysis: The data-collection phase will be concluded with statistical analysis. Repeated Measures ANOVA test, Chi-square test, will be used for statistical interpretation. A statistician consultation will be considered for selection of proper statistical method.

Dropout: If participants choose to stop the intervention, a detailed interview of the participant will be conducted to rule out the reason for the dropout. But no force will be exerted on them to continue their intervention. Common reasons for dropping out of the study will be enlisted and measures will be taken to manage them if feasible within the limits of the researcher.

Informed consent: Before the study begins, all participants must give written informed consent (i.e. during the first visit at hospital). Every participant will get information regarding the study's design, objectives, data confidentiality and their freedom to withdraw from the study at any moment and without giving a reason. The original informed consent or approval from the Institutional Review Board (IRB) explicitly permits secondary analyses of the research data without necessitating additional consent.


Adverse effects: Adverse consequences are characterized as unfavorable results resulting from study involvement. This study's potential side effects may include injury while doing yoga or G.I.T. disturbances due to Medhya rasayana avaleha. Adverse effects that occur will be noted and assessed for both the intervention and control groups.


Data storage: Every piece of information regarding the study will be kept on a central disk space on a password-protected computer. Data access will be restricted to members of the research team only.

Incentive: Participation in the study is completely voluntary; hence, no incentive will be provided to students.

Results: In December 2023, the randomized controlled study got underway. Since participants may begin the study at any time, our goal is to complete the research by December 2024. Any significant changes to the protocol will be posted on Clinicaltrials.gov. The study's findings will be disseminated through publications.

Chart no.1: **CONSORT Flow Diagram**





Discussion: Addiction is a compulsive behavior that seriously hinders the sufferer on a therapeutic level. Gadgets negatively affect the social life, health and cognition of the child [36]. Hence, it is necessary to diagnose and treat gadget addiction in children as early as possible. The medhya rasayana avaleha was selected in this study as a pharmacological intervention. Medhya rasayana has been popularly used as a proven therapy for the improvement of the intellect of child in India for centuries. As per Ayurveda, cognition is named as medha and it is not only related to the memory of a person but also consists of three components: Dhee (intellect), Dhruti (control of mind) and Smriti (memory). Among these three components, Dhruti is responsible for governing features and prevents the person from consuming destructive or non-beneficial substances [37]. Consumption of medhya rasayana on a daily basis could enhance the control of the mind along with intellect and memory, which is beneficial in the management of addiction.

The non-pharmacological arm selected in this study is satvavajaya. (Ayurveda psychotherapy) It is the psycho-spiritual method and is intended for use with the mind and its associated qualities. It is mainly used as an important therapeutic to control the mind, which is heading toward unwholesome objects. Satvavajaya has multiple domains along with them, we are choosing the vijnana (educative approach), dhairya (supportive approach and development of coping ability) and samadhi (psychophilosophical approach) [38]. Vijnana (educative approach) and dhairya (supportive approach and development of coping ability) are achieved in this treatment through proper counseling, which

will include the adverse effects of gadget addiction on physical and mental health in a simple language which child can understand. As well, padanshika karma is preferred over sudden stoppage of treatment, which is part of dhairya (supportive approach and development of coping ability). Samadhi (psychophilosophical approach) is a stage of unwavering concentration and minimizing mental fluctuation so one could be distracted from unwholesome things and thoughts. This is achieved by regular meditation and yogic practices.

Child externalization behavior and psychological factors like anxiety and depression are associated with gadget addiction [39] [40]. The Ayurveda interventions, medhya rasayana and satvavajaya have proven therapeutic effects in psychological factors [41] [42] [43] [44] [45] [46] [47]. As well as the impaired cognition in gadget addiction [48], both pharmacological and non-pharmacological interventions are beneficial in improving cognition [49].

Gadget addiction in children is one of the serious issues of concern in today's era so, there is a need to de-addict children to maintain proper growth and development of the child. Gadget addiction in children is associated with many behavioral diseases and no cost-effective convenient therapy is available for it this study can fulfill the gap.

While conducting the study, the investigator may face difficulties at the level of over diagnosis of gadget addiction in children due to over conscious parents. Another difficulty we may face in the Ayurveda non-pharmacological intervention group is the failure to follow lifestyle modifications and yogic practices. This is the first study in the Ayurveda domain using pharmacological and non-pharmacological interventions for gadget addiction. Hence the small sample size and lack of a proven Ayurvedic control group are the main limitations of this study.

Conclusion: This research will provide crucial new information about the relative effectiveness of Ayurveda non-pharmacological therapies and Medhya Rasayana in treating children's gadget addiction. The results will guide evidence-based treatments aimed at reducing the negative impact of excessive gadget use on this susceptible population's psychosocial development. In the end, the findings are meant to help policymakers and medical professionals create sensible plans to deal with the rising issue of childhood gadget addiction.

Authors contribution: Dr. P. Yewale: Conceptualization, Methodology, Data Collection, Data Curation, Statistical Analysis, Writing- Original draft, Review & Editing. Dr. R. Rathi: Conceptualization, Methodology, Data Collection, Writing- Original draft, Review & Editing. Dr. S. Mate: Conceptualization, Methodology, Writing original draft, Review & Editing.

Conflict of interest: Nil

Source of Funding: Nil

Data Availability: The data sets that will be generated and/or analyzed during this study will be available from the corresponding author upon reasonable request.

Acknowledgments:

All authors gratefully acknowledges the permission of the Department of Kaumarbhritya, Mahatma Gandhi Ayurved College and Hospital, DMIHER (DU) to conduct this research. We are also grateful to the participants who participated in this study.

Declaration of generative AI in scientific writing: During the preparation of this work the author(s) used Chat GPT and Grammarly in order to improve readability and language. After using this tool/service, the author(s) reviewed and edited the content as needed and take(s) full responsibility for the content of the publication.

References:

1. GOODMAN, A. (1990), Addiction: definition and implications. *British Journal of Addiction*, 85: 1403-1408. <https://doi.org/10.1111/j.1360-0443.1990.tb01620.x>.
2. Bhattacharyya R. Addiction to modern gadgets and technologies across generations. *Eastern Journal of Psychiatry*. 2015;18(2):27-37.
3. Tripathi A: Impact of Internet Addiction on Mental Health: An Integrative Therapy Is Needed. *Integr Med Int* 2017;4:215-222. doi: 10.1159/000491997.
4. Rashid SMM, Mawah J, Banik E, Akter Y, Deen JI, Jahan A, Khan NM, Rahman MM, Lipi N, Akter F, Paul A, Mannan A. Prevalence and impact of the use of electronic gadgets on the health of children in secondary schools in Bangladesh: A cross-sectional study. *Health Sci Rep*. 2021 Oct 1;4(4):e388.
5. Haghjoo, P., Siri, G., Soleimani, E. *et al*. Screen time increases overweight and obesity risk among adolescents: a systematic review and dose-response meta-analysis. *BMC Prim. Care* 23, 161 (2022). <https://doi.org/10.1186/s12875-022-01761-4>
6. Alcaro A, Brennan A and Conversi D (2021) The SEEKING Drive and Its Fixation: A Neuro-Psycho-Evolutionary Approach to the Pathology of Addiction. *Front. Hum. Neurosci.* 15:635932. DOI: 10.3389/fnhum.2021.63593
7. Alavi SS, Ferdosi M, Jannatifard F, Eslami M, Alaghemandan H, Setare M. Behavioral Addiction versus Substance Addiction: Correspondence of Psychiatric and Psychological Views. *Int J Prev Med*. 2012 Apr;3(4):290-4. PMID: 22624087; PMCID: PMC3354400.
8. Tymofiyeva O, Yuan JP, Kidambi R, Huang C-Y, Henje E, Rubinstein ML, Jariwala N, Max JE, Yang TT and Xu D (2020) Neural Correlates of Smartphone Dependence in Adolescents. *Front. Hum. Neurosci.* 14:564629. DOI: 10.3389/fnhum.2020.564629

9. Gupta G, Yadav SS. Insight of trividharogaayatana (three principal causes of diseases) mentioned in Ayurveda. *Int J Health Sci Res.* 2021; 11(12):42-47. DOI: <https://doi.org/10.52403/ijhsr.20211206>
10. Patil Asmita: The Concept Of Pradnyapradh With Respect To The Factors That Cause Life- Style Disorders. *International Ayurvedic Medical Journal* {online} 2018 {cited January, 2019}
11. Acharya YT, Acharya NR. *Sushruta Samhita of Sushruta*. 7th Ed. Varanasi: Chowkamba Orientalia, 2003, 500.
12. Karunakar G.V (2018) Role of trigunas for the psychological behavior of person w.s.rahara and vyavahara, *Indian Journal of Agriculture and Allied Sciences*, Volume: 4, No.2: <http://www.ijaas.org.in/>
13. Sarokte AS, Rao MV. Effects of Medhya Rasayana and Yogic practices in improvement of short-term memory among school-going children. *Ayu.* 2013 Oct;34(4):383-9. doi: 10.4103/0974-8520.127720. PMID: 24695779; PMCID: PMC3968701.
14. Rathi Renu, Rathi Bharat, Rajput Dhiraj Sing. Behavioural Problems in Children– Methods to Prevent and Manage through Good Parenting and Ayurveda. *J. Res. Tradit. Med* 2017; 3(4):117-122
15. Rathi R, Rathi B. Application of Ayurvedic Principles in Prevention and Management of Behavioural Problems in Children. *International Journal of Ayurvedic Medicine.* 2021;11(4):636-43.
16. Ramawat Bajrang, Jangid Varsha, Samagandi Kashinath. Review article on the role of MedhyaRasayana : Enhancing the Intellectual Power. *J Ayurveda Integr Med Sci* [Internet]. 2022Jul.10
17. Koushik AK, Singh RH. Clinical evaluation of medhyarasayana compound in cases of non-depressive anxiety neurosis. *Anc Sci Life.* 1982 Jul;2(1):11-6. PMID: 22556946; PMCID: PMC3336698.
18. Ray S, Ray A (2015) MedhyaRasayanas in Brain Function and Disease. *Med chem* 5: 505-511. doi: 10.4172/2161-0444.1000309
19. Murthy AR, Singh RH. The concept of psychotherapy in ayurveda with special reference to satvavajaya. *Anc Sci Life.* 1987 Apr;6(4):255-61. PMID: 22557578; PMCID: PMC3331430.
20. Agnivesha, Samhita C. Revised by Charaka and Dridhabala with the Ayurveda Dipika commentary of Chakrapanidatta Yadavji Trikamji Acharya, editor. reprinted. Chaukhambha Sanskrit Sansthan. Varanasi. 2004;77.
21. Shastri Kashinath & Gorakhnath Chaturvedi, Charaka Samhita of Agnivesha elaborated Vidyotini Hindi commentary, Sutra Sthana 8th chapter Indryeupkramniya - adhyay, Chaukhambha Bharati Sansthan, Varanasi, reprint edition; 2005. p. 181. 18.
22. Putchavayala CK, Singh D, Sashidharan RK. A perspective of yoga on smartphone addiction: A

- narrative review. *J Family Med Prim Care* 2022;11:2284-91.
23. Young KS. Treatment outcomes using CBT-IA with Internet-addicted patients. *J Behav Addict*. 2013 Dec;2(4):209-15. doi: 10.1556/JBA.2.2013.4.3. Epub 2013 Dec 13. PMID: 25215202; PMCID: PMC4154573.
24. Kuppili PP, Parmar A, Gupta A, Balhara YPS. Role of Yoga in Management of Substance-use Disorders: A Narrative Review. *J Neurosci Rural Pract*. 2018 Jan-Mar;9(1):117-122. doi: 10.4103/jnrp.jnrp_243_17. PMID: 29456355; PMCID: PMC5812135.
25. Baragi PC, Patgiri BJ, Prajapati PK. Neutraceuticals in Ayurveda with special reference to Avaleha Kalpana. *Anc Sci Life*. 2008 Oct;28(2):29-32. PMID: 22557309; PMCID: PMC3336349.
26. Agnivesha, Charaka, Dridhabala . Charaka Samhita, Chkitsa Sthana, Rasayana Adhyaya, Kara-Prachitiya Rasayana Pada, 1/3/30-31, Ayushi hindi commentary. In: Vd. Khushvaha HS, editor. 1st edition. Varanasi: Chaukhambha Orientalia Publisher; 2009. p. 30.
27. Yadav MK, Singh SK, Singh M, Mishra SS, Singh AK, Tripathi JS, Tripathi YB. In vivo toxicity study of ethanolic extracts of *Evolvulus alsinoides* & *Centella asiatica* in Swiss albino mice. *Open Access Macedonian Journal of Medical Sciences*. 2019 Apr 4;7(7):1071
28. Nhawkar Smita V, Mullani Ashish K, Magdum Chandrakant S, D'Souza John I. Quality standardization and toxicity study of ayurvedic formulation.
29. Patel A, Bigoniya P, Singh CS, Patel NS. Radioprotective and cytoprotective activity of *Tinospora cordifolia* stem enriched extract containing cordifolioside-A. *Indian journal of pharmacology*. 2013 May;45(3):237.
30. Nhawkar Smita V, Mullani Ashish K, Magdum Chandrakant S, D'Souza John I. Quality standardization and toxicity study of ayurvedic formulation.
31. Kim SJ, Park DH, Ryu SH, Yu J, Ha JH. Usefulness of Young's Internet Addiction Test for clinical populations. *Nordic Journal of Psychiatry*. 2013 Dec 1;67(6):393-9.
32. Bağatarhan T, Siyez DM. The digital addiction scale for children: psychometric properties of the Turkish version. *Current Psychology*. 2023 Apr 22:1-1.
33. Center for Behavioral Health Statistics and Quality. (2016). 2014 National Survey on Drug Use and Health: DSM-5 Changes: Implications for Child Serious Emotional Disturbance (unpublished internal documentation). Substance Abuse and Mental Health Services Administration, Rockville, MD.
34. https://www.cdac.in/index.aspx?id=hi_dss_ayusoft
35. Zain, Z. M., Jasmani, F. N., Haris, N. H., & Nurudin, S. M. (2022). Gadgets and Their Impact on Child Development. *Proceedings*, 82(1), 6. <https://doi.org/10.3390/proceedings2022082006>

36. Chahar DrJ. CONCEPT OF “MANAS, MANAS ROG, AND CHIKITSA SIDDHANTA”: A REVIEW . WORLD JOURNAL OF PHARMACEUTICAL AND MEDICAL RESEARCH 2021;7(11).
37. Belaguli G, Savitha HP. An empirical understanding on the concept of *Sattvavajaya Chikitsa* (Ayurveda Psychotherapy) and a mini-review of its research update. *Indian J HealthSci Biomed Res* 2019;12:15-20.
38. McDaniel, B. T., and Radesky, J. S. (2020). Longitudinal associations between early childhood externalizing behavior, parenting stress, and child media use. *Cyberpsychol. Behav. Soc. Netw.* 23, 384–391. doi: 10.1089/cyber.2019.0478
39. Cheng, L., & Cao, J. (2023). Factors influencing smart device addiction among preschool children: An extended protection-risk model perspective. *Frontiers in Psychology*, 14, 1017772. <https://doi.org/10.3389/fpsyg.2023.1017772>
40. Archana et.al, “Role of Charakokta Medhya Rasayana in the Management of Psychosomatic Disorders.” 2023; 6 (3):123-129
41. <https://doi.org/10.46607/iamj3611042023>
42. ulamarva K, Shivakumar V, Chikkanna U, Ramakrishna KK, Bhargav H, Varambally S. Role of Ayurveda in the management of psychotic disorders: A systematic review of clinical evidence. *J Ayurveda Integr Med.* 2023 May-Jun;14(3) 100720. doi:10.1016/j.jaim.2023.100720. PMID: 37290315; PMCID: PMC10267528.
43. <https://doi.org/10.46607/iamj.0508092020>
44. Ashwini A, Rajashekhar CV. Role of Satvavajaya Chikitsa in the management of Depression in current scenario. *Journal of Ayurveda and Integrated Medical Sciences.* 2019 Aug 31;4(04):275-8.
45. Madhavi AR, Savitha HP. Depression-an Ayurvedic outlook. *J Ayu Holistic Med.* 2017;5(2):12-23.
46. Zala DS, Thakar AB, Bhatt NN. Review of research works done on generalized anxiety disorder at institute for postgraduate teaching and research in Ayurveda, Jamnagar. *Indian Journal of Health Sciences and Biomedical Research kleu.* 2017 Sep 1;10(3):231-6.
47. Liza MM, Iktidar MA, Roy S, Jallow M, Chowdhury S, Tabassum MN, Mahmud T. Gadget addiction among school-going children and its association to cognitive function: a cross-sectional survey from Bangladesh. *BMJ Paediatrics Open.* 2023;7(1).
48. Sarokte AS, Rao MV. Effects of Medhya Rasayana and Yogic practices in improvement of short-term memory among school-going children. *Ayu.* 2013 Oct;34(4):383.
49. Chobe S, Patra SK, Chobe M, Metri K. Efficacy of Integrated Yoga and Ayurveda Rasayana on cognitive functions in elderly with mild cognitive impairment: Non-randomized three-arm clinical

trial. Journal of Ayurveda and integrative medicine. 2022 Jan 1;13(1):100373.



Supplementary Files

Untitled.

URL: <http://asset.jmir.pub/assets/358319c4f9b7c81b223c2e76d5e0e9c2.docx>

Untitled.

URL: <http://asset.jmir.pub/assets/540ac0238b600c72c4badf45ccfa5c04.docx>

Untitled.




Untitled.



Figures

CONSORT chart.



Related publication(s) - for reviewers eyes onlies

Revised manuscript with tacked changes.

URL: <http://asset.jmir.pub/assets/a069d0d0e98de93c36b3e79ad2fac5d7.pdf>

Supplementary File.

URL: <http://asset.jmir.pub/assets/9fd0d9538b3ce80f5ff37442022837b8.pdf>

