

Experiences of governments and public health agencies regarding crisis communication during the COVID-19 pandemic in the digital age: A systematic review of qualitative studies

Tsuyoshi Okuhara, Marina Terada, Hiroko Okada, Takahiro Kiuchi

Submitted to: JMIR Research Protocols
on: March 04, 2024

Disclaimer: © The authors. All rights reserved. This is a privileged document currently under peer-review/community review. Authors have provided JMIR Publications with an exclusive license to publish this preprint on its website for review purposes only. While the final peer-reviewed paper may be licensed under a CC BY license on publication, at this stage authors and publisher expressly prohibit redistribution of this draft paper other than for review purposes.

Table of Contents

Original Manuscript..... 5

Supplementary Files..... 16

0..... 16

CONSORT (or other) checklists..... 17

CONSORT (or other) checklist 0..... 17

Experiences of governments and public health agencies regarding crisis communication during the COVID-19 pandemic in the digital age: A systematic review of qualitative studies

Tsuyoshi Okuhara¹ PhD, MPH; Marina Terada² MPH; Hiroko Okada¹ PhD, MPH; Takahiro Kiuchi¹ PhD, MD

¹Department of Health Communication, School of Public Health, The University of Tokyo Tokyo JP

²Department of Health Communication, Graduate School of Medicine, The University of Tokyo Tokyo JP

Corresponding Author:

Tsuyoshi Okuhara PhD, MPH

Department of Health Communication, School of Public Health, The University of Tokyo

7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8655, Japan

Tokyo

JP

Abstract

Background: Governments and public health agencies worldwide experienced difficulties with social media-mediated infodemics on the Internet during the COVID-19 pandemic. Existing public health crisis communication strategies need to be updated. However, there is a lack of systematic compilation of crisis communication experiences of governments and public health agencies worldwide during the COVID-19 pandemic, necessitating the update of crisis communication strategies.

Objective: This systematic review aims to collect and organize the experiences of senders (i.e., governments and public health agencies) on crisis communication during the COVID-19 pandemic. Our specific interest is to explore the difficulties that governments and public health agencies experienced, challenges that should be overcome in future public health crises, and best practices of crisis communication of governments and public health agencies during the COVID-19 pandemic in times of infodemic.

Methods: The search will be conducted in MEDLINE, CINAHL, PsycINFO, PsycARTICLES, Web of Science, and Google Scholar. We seek to include qualitative studies on crisis communication of governments and public health agencies (e.g., officials, staffs, health professionals, researchers) to the public. Quantitative studies with quantitative data will be excluded. Only papers written in English will be included. Data on study characteristics, study aim, participant characteristics, methodology, theoretical framework, object of crisis communication, and key results will be extracted. The methodological quality of eligible studies will be assessed using the Joanna Briggs Institute (JBI) critical appraisal checklist for qualitative research. Two independent reviewers will share responsibility for screening of publications, data extraction, and quality assessment. If there is disagreement, it will be resolved through discussion and the third reviewer will be consulted, if necessary.

Results: We will summarize the findings in a table and a conceptual diagram and synthesize in a descriptive and narrative review. We expect the results of this review to be submitted for publication by the end of 2024.

Conclusions: To our knowledge, this will be the first systematic review to provide the experiences of governments and public health agencies on their crisis communication to the public during the COVID-19 pandemic. This review will contribute to the future improvement of the guidelines for crisis communication of governments and public health agencies to the public.

(JMIR Preprints 04/03/2024:58040)

DOI: <https://doi.org/10.2196/preprints.58040>

Preprint Settings

1) Would you like to publish your submitted manuscript as preprint?

Please make my preprint PDF available to anyone at any time (recommended).

Please make my preprint PDF available only to logged-in users; I understand that my title and abstract will remain visible to all users.

Only make the preprint title and abstract visible.

✓ **No, I do not wish to publish my submitted manuscript as a preprint.**

2) If accepted for publication in a JMIR journal, would you like the PDF to be visible to the public?

✓ **Yes, please make my accepted manuscript PDF available to anyone at any time (Recommended).**

Yes, but please make my accepted manuscript PDF available only to logged-in users; I understand that the title and abstract will remain visible to the public.

Yes, but only make the title and abstract visible (see Important note, above). I understand that if I later pay to participate in <http://www.jmir.org/>, I will be able to make my accepted manuscript PDF available to anyone at any time.



Original Manuscript

Research Protocol

Title

Experiences of governments and public health agencies regarding crisis communication during the COVID-19 pandemic in the digital age: A systematic review of qualitative studies

Tsuyoshi Okuhara¹, Marina Terada², Hiroko Okada¹, Takahiro Kiuchi¹

¹ Department of Health Communication, School of Public Health, The University of Tokyo, Tokyo, Japan

² Department of Health Communication, Graduate School of Medicine, The University of Tokyo, Japan

Corresponding author:

Tsuyoshi Okuhara, Department of Health Communication, School of Public Health, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8655, Japan

Email: okuhara-ctr@umin.ac.jp

Tel.: +81-3-5800-6549; Fax: +81-3-5689-0726

okuhara-ctr@umin.ac.jp (TO); marimomo@g.ecc.u-tokyo.ac.jp (MT); okadahiroko-tky@umin.ac.jp (HO); tak-kiuchi@umin.ac.jp (TK)

Abstract

Background: Governments and public health agencies worldwide experienced difficulties with social media-mediated infodemics on the Internet during the COVID-19 pandemic. Existing public health crisis communication strategies need to be updated. However, crisis communication experiences of governments and public health agencies worldwide during the COVID-19 pandemic have not been systematically compiled, necessitating updated crisis communication strategies.

Objective: This systematic review aims to collect and organize the crisis communication experiences of senders (i.e., governments and public health agencies) during the COVID-19 pandemic. Our focus is on exploring the difficulties that governments and public health agencies experienced, best practices in crisis communication by governments and public health agencies during the COVID-19 pandemic in times of infodemic, and challenges that should be overcome in future public health crises.

Methods: We plan to begin the literature search on May 1, 2024. We will search Pubmed, MEDLINE, Cumulative Index to Nursing and Allied Health Literature (CINAHL), PsycINFO, PsycARTICLES, Communication Abstracts, and Web of Science. We will filter our database searches to search from the year 2020 and beyond. We will use a combination of keywords by referring to the Sample, Phenomenon of Interest, Design, Evaluation, and Research type (SPIDER) tool to search the abstracts in databases. We intend to include qualitative studies on crisis communication by governments and public health agencies (e.g., officials, staff, health professionals, researchers) to the public. Quantitative data-based studies will be excluded. Only papers written in English will be included. Data on study characteristics, study aim, participant characteristics, methodology, theoretical framework, object of crisis communication, and key results will be extracted. The methodological quality of eligible studies will be assessed using the Joanna Briggs Institute (JBI) critical appraisal checklist for qualitative research. Two independent reviewers will

share responsibility for screening publications, data extraction, and quality assessment. Disagreement will be resolved through discussion, and the third reviewer will be consulted, if necessary. The findings will be summarized in a table and a conceptual diagram, and synthesized in a descriptive and narrative review.

Results: The results will be systematically integrated and presented in a way that corresponds to our research objectives and interests. We expect the results of this review to be submitted for publication by the end of 2024.

Conclusion: To our knowledge, this will be the first systematic review of the experiences of governments and public health agencies around their crisis communication to the public during the COVID-19 pandemic. This review will contribute to the future improvement of the guidelines for crisis communication by governments and public health agencies to the public.

Trial **Registration:** PROSPERO CRD42024528975;
https://www.crd.york.ac.uk/prospero/display_record.php?RecordID=528975

Keywords: COVID-19; health communication; infodemic; misinformation; social media

Introduction

The COVID-19 pandemic has been one of the most devastating health crises in human history. The pandemic forced governments and public health agencies to deal with a dizzying array of diverse and complex challenges, including disruptions to daily life, economic crises, and rapidly mutating viruses. Governments and public health agencies needed to communicate effectively to the general public to encourage people to restrict their activities and take preventive actions to stop the spread of the virus [1]. Even before the COVID-19 pandemic, the World Health Organization published guidelines for crisis communication [2-4], and public health researchers considered emergency communication strategies based on lessons learned from past public health crises [5-9]. However, once the COVID-19 pandemic broke out, governments and public health agencies worldwide realized that they lacked systematic preparation and training in communicating to the public in the midst of a rapidly changing and confusing situation [10-15].

During the COVID-19 pandemic, governments and public health agencies worldwide experienced great difficulties with crisis communication, represented by an “infodemic” on social media [16]. The flood of information and misinformation made it difficult for people to find reliable sources of information and guidelines for necessary actions to take [17]. For governments and public health agencies, social media was a new and important means of delivering accurate information to the public quickly and widely [18]. At the same time, however, the infodemics allowed misinformation to spread through social media as quickly as the virus [19]. Governments and public health agencies had to fight both the virus and the infodemic. Even before the COVID-19 pandemic, the management of misinformation was recognized as an important public health issue, and many studies were conducted and coping measures proposed [20-23]. However, the COVID-19 pandemic highlighted the inexperience and the failure of governments and public health agencies to develop strategies to deal with the spread of misinformation during an emergency with infodemics [24,25].

Thus, the COVID-19 pandemic presented governments and public health agencies with unprecedented challenges and necessitated updates to existing crisis communication strategies. Our study will collect and organize data on the difficulties experienced and lessons learned by governments and public health agencies worldwide in crisis communication to the general public during the COVID-19 pandemic. This work is essential for updating future crisis communication strategies of governments and public health agencies. To this end, we will conduct a systematic review of qualitative studies on governments and public health agencies in diverse countries. We will focus on the difficulties that governments and public health agencies experienced, best practices of crisis communication from governments and public health agencies to the public during the COVID-19 pandemic in times of infodemic, and challenges to overcome in future public health crises.

Methods

Overview

We will conduct and report this systematic review following the guidelines provided in the Preferred Reporting Items for Systematic Reviews and Meta-Analysis (PRISMA) statement [26]. As this will be a systematic review of qualitative studies, we will refer to the Sample, Phenomenon of Interest, Design, Evaluation, Research type (SPIDER) tool for the synthesis of qualitative evidence [27]. This protocol is registered with the International Prospective Register of Systematic Reviews (PROSPERO); the registration number is CRD42024528975. We plan to begin the literature search after this protocol is peer-reviewed on May 1, 2024, and finish the analysis by September 30, 2024.

Literature search

We will search Pubmed, MEDLINE, Cumulative Index to Nursing and Allied Health Literature

(CINAHL), PsycINFO, PsycARTICLES, Communication Abstracts, and Web of Science. We will filter our database searches to include only articles from the year 2020 and beyond. We will use a combination of keywords with reference to previous studies to search the abstracts in databases [28–30]: ((government*) OR (ministr*) OR (department*) OR (office*) OR (municipalit*) OR (prefecture*) OR (province*) OR (state*) OR (count*) OR (organization*) OR (institution*) OR (center*) OR (agenc*) OR (sector*) OR (authorit*)) AND ((covid-19) OR (coronavirus) OR (sars-cov-2)) AND ((interview*) OR (focus group*) OR (questionnaire*) OR (survey*)) AND ((communicat*) OR (messag*) OR (inform*) OR (recommend*) OR (announce*)) AND ((qualitative) OR (mix method)). All publications collected from the start to the end of the database search will be included. The reference lists of eligible studies will be searched to identify further potentially eligible publications.

Eligibility criteria

The inclusion and exclusion criteria for the review are presented in Textbox 1.

Textbox 1. Inclusion and exclusion criteria

Inclusion criteria

- Qualitative studies of communication to the public by governments and public health agencies
- With regard to design, qualitative studies with qualitative data, such as interviews, documents, and free-text responses to the questionnaire
- Content analysis of qualitative data that meet our study aim
- A review of qualitative studies that meet our study aim
- Mixed-methods studies with qualitative results that meet our study aim
- With regard to study participants, studies on individuals such as officials, staff, health professionals, and researchers working for governments and public health agencies
- Studies on participants of any age, gender, ethnicity, or country
- Gray literature (information produced outside traditional publishing and distribution channels, such as conference proceedings and theses) that provides sufficient information to assess eligibility (i.e., full-length description of research objectives, methods, results, discussion, and conclusions)
- Papers written in English
- Studies conducted in January 2020 and beyond

Exclusion criteria

- Quantitative studies with quantitative data, such as observational and interventional studies
- Studies on journalists in media companies and members of the public
- Studies not published in full-text format
- Papers written in languages other than English
- Studies that do not meet our study aims such as content analysis of media information, studies on information searches by the public, studies on COVID-19 patient handling in hospitals, patient-provider communication, telehealth, and digital transformation technology

Study selection

Rayyan QCRI software [31] will be used for screening studies. Duplicates will be removed automatically using this software. First, titles and abstracts will be screened to identify eligible studies using the selection criteria. The titles and abstracts of the literature will be independently

screened by both the first (TO) and second (MT) reviewers. Disagreements will be discussed until a consensus is reached. When a consensus cannot be reached, a third reviewer (HO) will be involved in resolving the disagreement. Second, the full text of the remaining literature will be screened independently by both the first (TO) and second (MT) reviewers. If they disagree, the third reviewer will be consulted to resolve it through discussion. The screening process will be displayed using a PRISMA flow diagram.

Data extraction

The first reviewer (TO) will extract descriptive data of eligible studies using Microsoft Excel, and the second reviewer (MT) will review the eligible studies for errors in the extracted data. The extracted data will consist of study characteristics (e.g., author, year of publication, country, title, year and month of data collection, and type of paper), study aim, participant characteristics (e.g., number of participants, workplace, and job title), methodology (e.g., study design, methods of analyzing qualitative data, type of data, and setting), theoretical framework (when used), and object of crisis communication (e.g., lockdown, behavioral restrictions, preventive behavior, and vaccination). The first reviewer (TO) will extract key results (e.g., categories, themes, and quotations) using Microsoft Word, and the second reviewer (MT) will review the eligible studies for errors and bias in the extracted data. The third reviewer (HO) will be consulted if necessary for this validation.

Quality assessment

To assess the methodological quality of eligible studies, the first reviewer (TO) will use the Joanna Briggs Institute (JBI) critical appraisal checklist for qualitative research [32], which is a trusted tool used for critical appraisal of qualitative studies [33]. Each of the 10 items of the checklist can be evaluated as “yes,” “no,” “unclear,” or “not applicable.” The JBI checklist assesses the descriptive, interpretative, theoretical, and evaluative validity of qualitative studies. The second reviewer (MT) will validate the results of the quality assessment using the JBI checklist, and the third reviewer will be invited if necessary. Our review will not exclude the included studies because of the results of the quality assessment.

Data synthesis

The first reviewer (TO) will synthesize data using thematic synthesis [34]. Thematic synthesis, recommended by Cochrane, is a systematic method for synthesizing qualitative evidence [35]. According to the thematic synthesis method, in the first stage, TO will conduct free line-by-line coding of texts and quotations in the Result section of each of the included studies. In the second stage, the first (TO) and second (MT) reviewers will independently group similar codes generated in the previous stage and develop data-driven descriptive themes. They will reach consensus through discussion, and the third reviewer (HO) will be consulted if necessary. In the third stage, TO will develop analytical themes by interpreting the descriptive themes generated in the previous stage. Those analytical themes will include new insights beyond the results of individual studies. The process of generating analytical themes will involve discussions between TO, MT, and HO. Those codes and themes will inductively be generated through the data-driven data synthesis process.

Results

We will summarize our findings in a table and a conceptual diagram, and discuss them in descriptive and narrative review form. We will discuss the implications for future research, policies, and practices. Our findings will be presented at a relevant conference, and published in a peer-reviewed journal. We expect our review to be submitted for publication by the end of 2024.

Discussion

Many studies have already been conducted worldwide on the infodemic experienced by patients and citizens during the COVID-19 pandemic [36–44], and systematic reviews of those studies already exist [45,46]. However, no systematic review to date has collected data on the experiences of governments and public health agencies regarding crisis communication during the COVID-19 pandemic. To fill this gap, our systematic review of qualitative studies will collect and organize data on the difficulties and challenges experienced by governments and public health agencies worldwide in crisis communication during the COVID-19 pandemic. Our systematic review will describe how communication strategies were developed and implemented by government and public health agencies during the pandemic, and how they were disrupted, called into question, and changed by the infodemic. It will also reveal outstanding attempts to overcome communication difficulties regarding lockdowns, recommendations for preventive behaviors, and the safety and efficacy of rapidly developed vaccines by governments and public health agencies.

Our systematic review will shed light on the experiences of information senders during the COVID-19 pandemic. By cross-checking studies on the experiences of patients and citizens on the receiving end of information with our systematic review of the experiences of governments and public health agencies on the sending end of information, we will be able to capture a fuller picture of crisis communication experiences during the COVID-19 pandemic. A literature review that provides such a complete picture of crisis communication experiences during the COVID-19 pandemic will be an essential resource for professionals and the public to learn from the COVID-19 pandemic, and address future public health crises.

Limitations

Although we will use a comprehensive search strategy, we may miss relevant studies. To review qualitative studies such as articles published in international academic journals, we will, as a first step in our research, include full-length literature written in English, which may exclude relevant studies published in languages other than English. Future studies will be expected to collect more comprehensive findings from various countries' literature written in various languages. This review will include qualitative analyses but exclude quantitative results of previous studies. That is because a quantitative survey using a questionnaire reveals the quantitative distribution of already known or inferred items. Our study objective is to examine the unprecedented difficulties that governments and public health agencies experienced during the pandemic involving the first online infodemics in human history, and it attempts to address these difficulties. To this end, it is important to begin with a review of qualitative studies that shed light on the lived experiences of governments and health professionals. We will include analyses of qualitative data, such as interviews, documents, and free-text responses to the questionnaire, to meet our study objective as comprehensively as possible.

Conclusion

To our knowledge, this will be the first systematic review to describe the experiences of governments and public health agencies around their crisis communication to the public during the COVID-19 pandemic. This review will provide important information for the future improvement of the guidelines for crisis communication of governments and public health agencies to the public. On the basis of this systematic review, we will examine the communication challenges for governments and public health agencies in the COVID-19 pandemic and provide recommendations for managing future global public health crises.

Data Availability

Data sharing is not applicable to this article as no data sets were generated or analyzed in this study protocol.

Authors' Contributions

Tsuyoshi Okuhara: Conceptualization, Methodology, Writing – original draft, Writing – review & editing, Marina Terada: Writing – review & editing, Hiroko Okada: Writing – review & editing, Funding acquisition, Takahiro Kiuchi: Writing – review & editing, Supervision

Funding

This work was supported by the Japan Society for the Promotion of Science KAKENHI (20K10397).

Competing interests

None declared.

Multimedia Appendix 1: the PRISMA checklist

References

1. Porat T, Nyrop R, Calvo RA, Paudyal P, Ford E. Public Health and Risk Communication During COVID-19—Enhancing Psychological Needs to Promote Sustainable Behavior Change. *Front Public Health* Frontiers Media S.A.; 2020 Oct 27;8. doi: 10.3389/fpubh.2020.573397
2. Geneva. Effective Media Communication during Public Health Emergencies A WHO HANDBOOK. 2005.
3. Best practices for communicating with the public during an outbreak Communication. Available from: <http://www.who.int/csr>
4. COMMUNICATION FOR BEHAVIOURAL IMPACT (COMBI) A toolkit for behavioural and social communication in outbreak response.
5. Reynolds B, Seeger MW. Crisis and emergency risk communication as an integrative model. *J Health Commun* 2005 Jan;10(1):43–55. PMID:15764443
6. Eckert S, Sopory P, Day A, Wilkins L, Padgett D, Novak J, Noyes J, Allen T, Alexander N, Vanderford M, Gamhewage G. Health-Related Disaster Communication and Social Media: Mixed-Method Systematic Review. *Health Commun* Routledge; 2018 Dec 2;33(12):1389–1400. PMID:28825501
7. Winters M, Jalloh MF, Sengh P, Jalloh MB, Conteh L, Bunnell R, Li W, Zeebari Z, Nordenstedt H. Risk communication and Ebola-Specific knowledge and behavior during 2014-2015 outbreak, Sierra Leone. *Emerg Infect Dis* Centers for Disease Control and Prevention (CDC); 2018 Feb 1;24(2):336–344. PMID:29350151
8. Quinn P. Crisis Communication in Public Health Emergencies: The Limits of ‘Legal Control’ and the Risks for Harmful Outcomes in a Digital Age. *Life Sci Soc Policy* SpringerOpen; 2018 Dec 1;14(1). PMID:29404722
9. Takamura N, Orita M, Taira Y, Matsunaga H, Yamashita S. Experiences of crisis communication during radiation emergency and risk communication for recovery of the community in Fukushima. *J Radiat Res* Oxford University Press; 2021 Apr 1;62:I95–I100. PMID:33978182
10. Santos FO Dos. Myths and Misconceptions on Covid-19: “Congo Check” and “Talato” Verification Experiences. *Front Commun* (Lausanne) Frontiers Media S.A.; 2021;6. doi: 10.3389/fcomm.2021.627214
11. Rubinelli S, Häfliger C, Fiordelli M, Ort A, Diviani N. Institutional crisis communication during the COVID-19 pandemic in Switzerland. A qualitative study of the experiences of representatives of public health organizations. *Patient Educ Couns* Elsevier Ireland Ltd; 2023 Sep 1;114. PMID:37247524
12. Suntayakorn C. Policy and the politics of COVID-19 communication responses: a comparative case study of two border provinces in Thailand. *Asian Affairs*(UK) Taylor and Francis Ltd.; 2022;49(4):217–244. doi: 10.1080/00927678.2022.2126674

13. Harish V, Samson TG, Diemert L, Tuite A, Mamdani M, Khan K, McGahan A, Shaw JA, Das S, Rosella LC. Governing partnerships with technology companies as part of the COVID-19 response in Canada: A qualitative case study. *PLOS Digital Health Public Library of Science (PLoS)*; 2022 Dec 14;1(12):e0000164. doi: 10.1371/journal.pdig.0000164
14. Kajal F, Lall D, Chattu VK, Kumar S, Yadav A, Agarwal S, Garg RK. Covid-19 lockdown governance in Uttar Pradesh, India: a call for equity? *Cogent Soc Sci Cogent OA*; 2024;10(1). doi: 10.1080/23311886.2023.2299084
15. Atighechian G, Rezaei F, Tavakoli N, Abarghoian M. Information challenges of COVID-19: A qualitative research. *J Educ Health Promot Wolters Kluwer Medknow Publications*; 2021 Jan 1;10(1). doi: 10.4103/jehp.jehp_1271_20
16. The Lancet Infectious Diseases. The COVID-19 infodemic. *Lancet Infect Dis*. Lancet Publishing Group; 2020. p. 875. PMID:32687807
17. Choukou MA, Sanchez-Ramirez DC, Pol M, Uddin M, Monnin C, Syed-Abdul S. COVID-19 infodemic and digital health literacy in vulnerable populations: A scoping review. *Digit Health*. SAGE Publications Inc.; 2022. doi: 10.1177/20552076221076927
18. Biernacka-Ligieza I. The significance of digital media in local public space crisis management: The case of Poland, the United Kingdom and Italy. *Journal of Arab and Muslim Media Research Intellect Ltd.*; 2021 Apr 1;14(1):47–70. doi: 10.1386/jammr_00024_1
19. Briand SC, Cinelli M, Nguyen T, Lewis R, Prybylski D, Valensise CM, Colizza V, Tozzi AE, Perra N, Baronchelli A, Tizzoni M, Zollo F, Scala A, Purnat T, Czerniak C, Kucharski AJ, Tshangela A, Zhou L, Quattrocioni W. Infodemics: A new challenge for public health. *Cell Elsevier B.V.*; 2021 Dec 9;184(25):6010–6014. PMID:34890548
20. Suarez-Lledo V, Alvarez-Galvez J. Prevalence of health misinformation on social media: Systematic review. *J Med Internet Res*. JMIR Publications Inc.; 2021. PMID:33470931
21. Wang Y, McKee M, Torbica A, Stuckler D. Systematic Literature Review on the Spread of Health-related Misinformation on Social Media. *Soc Sci Med*. Elsevier Ltd; 2019. PMID:31561111
22. Prike T, Ecker UKH. Effective correction of misinformation. *Curr Opin Psychol*. Elsevier B.V.; 2023. PMID:37944323
23. van der Linden S. Misinformation: susceptibility, spread, and interventions to immunize the public. *Nat Med*. Nature Research; 2022. p. 460–467. PMID:35273402
24. Khan S, Mishra J, Ahmed N, Onyige CD, Lin KE, Siew R, Lim BH. Risk communication and community engagement during COVID-19. *International Journal of Disaster Risk Reduction Elsevier Ltd*; 2022 May 1;74. doi: 10.1016/j.ijdrr.2022.102903
25. Tangcharoensathien V, Calleja N, Nguyen T, Purnat T, D'Agostino M, Garcia-Saiso S, Landry M, Rashidian A, Hamilton C, AbdAllah A, Ghiga I, Hill A, Hougendobler D, van Andel J, Nunn M, Brooks I, Sacco PL, de Domenico M, Mai P, Gruzd A, Alaphilippe A, Briand S. Framework for managing the COVID-19 infodemic: Methods and results of an online, crowdsourced who technical consultation. *J Med Internet Res JMIR Publications Inc.*; 2020 Jun 1;22(6). PMID:32558655
26. Page MJ, McKenzie JE, Bossuyt PM, Boutron I, Hoffmann TC, Mulrow CD, Shamseer L, Tetzlaff JM, Akl EA, Brennan SE, Chou R, Glanville J, Grimshaw JM, Hróbjartsson A, Lalu MM, Li T, Loder EW, Mayo-Wilson E, McDonald S, McGuinness LA, Stewart LA, Thomas J, Tricco AC, Welch VA, Whiting P, Moher D. The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. *The BMJ*. BMJ Publishing Group; 2021. PMID:33782057
27. Cooke A, Smith D, Booth A. Beyond PICO: The SPIDER tool for qualitative evidence synthesis. *Qual Health Res* 2012 Oct;22(10):1435–1443. PMID:22829486
28. Whitehead HS, French CE, Caldwell DM, Letley L, Mounier-Jack S. A systematic review of communication interventions for countering vaccine misinformation. *Vaccine*. Elsevier Ltd; 2023. p. 1018–1034. PMID:36628653
29. Xia S, Nan X. Motivating COVID-19 Vaccination through Persuasive Communication: A Systematic Review of Randomized Controlled Trials. *Health Commun Routledge*; 2023; doi:

- 10.1080/10410236.2023.2218145
30. Panickar R, Aziz Z, Mohd Sani N, Kamarulzaman A. The use of technology in vaccine safety communication: A systematic review of randomised controlled trials. *Patient Educ Couns*. Elsevier Ireland Ltd; 2023. PMID:36989861
 31. Ouzzani M, Hammady H, Fedorowicz Z, Elmagarmid A. Rayyan-a web and mobile app for systematic reviews. *Syst Rev BioMed Central Ltd.*; 2016 Dec 5;5(1). PMID:27919275
 32. Lockwood C, Munn Z, Porritt K. Qualitative research synthesis: Methodological guidance for systematic reviewers utilizing meta-aggregation. *Int J Evid Based Healthc* Lippincott Williams and Wilkins; 2015 Sep 1;13(3):179–187. PMID:26262565
 33. Hannes K, Lockwood C, Pearson A. A comparative analysis of three online appraisal instruments' ability to assess validity in qualitative research. *Qual Health Res* 2010 Dec;20(12):1736–1743. PMID:20671302
 34. Thomas J, Harden A. Methods for the thematic synthesis of qualitative research in systematic reviews. *BMC Med Res Methodol* 2008;8. PMID:18616818
 35. Harden A, Thomas J. Thematic synthesis. 2022.
 36. Glasdam S, Stjernswärd S. Ideal types' strategies related to handling early stages of the COVID-19 pandemic: A thematic analysis of comments from an international survey. *Current Sociology* SAGE Publications Ltd; 2022 Jan 1; doi: 10.1177/00113921221090251
 37. Ahmadinia H, Eriksson-Backa K, Nikou S. Health information seeking behaviour during exceptional times: A case study of Persian-speaking minorities in Finland. *Libr Inf Sci Res* Elsevier Ltd; 2022 Apr 1;44(2). doi: 10.1016/j.lisr.2022.101156
 38. Tang L, Zou W. Health Information Consumption under COVID-19 Lockdown: An Interview Study of Residents of Hubei Province, China. *Health Commun* Routledge; 2021;36(1):74–80. PMID:33167736
 39. Al-Aghbari AA, Hassan OEH, Dar Iang M, Jahn A, Horstick O, Dureab F. Exploring the Role of Infodemics in People's Incompliance with Preventive Measures during the COVID-19 in Conflict Settings (Mixed Method Study). *Healthcare (Switzerland)* MDPI; 2023 Apr 1;11(7). doi: 10.3390/healthcare11070952
 40. Barnes L, Lefebvre A, Mercado K, Cuevas R, Malarkey S, Smith N, Baquerizo H, Acevedo S, Valera P. COVID-19 Public Messaging: Using Google Autocompletes in Spanish to Understand the Lived Experience of Latinos in the Early Days of the Pandemic. *J Lat Educ*. Routledge; 2023. doi: 10.1080/15348431.2023.2244070
 41. Koskan AM, Sivanandam S, Roschke K, Irby J, Helitzer DL, Doebbeling B. Sharing Reliable COVID-19 Information and Countering Misinformation: In-Depth Interviews With Information Advocates. *JMIR Infodemiology* JMIR Publications Inc.; 2023;3(1). doi: 10.2196/47677
 42. Kemei J, Alaazi DA, Olanlesi-Aliu A, Tunde-Byass M, Sekyi-Otu A, Mohamud H, Salami B. What contributes to COVID-19 online disinformation among Black Canadians: a qualitative study. *CMAJ Open CMA Impact Inc.*; 2023 May;11(3):E389–E396. PMID:37130607
 43. Schoultz M, Lamph G, Thygesen H, Leung J, Bonsaksen T, Ruffolo M, Price D, Watson P, Kabelenga I, Chiu V, Østertun Geirdal A. Perceptions of social media challenges and benefits during the Covid-19 pandemic: Qualitative findings from a cross sectional international survey. *PLOS Global Public Health* Public Library of Science (PLoS); 2023 Jan 10;3(1):e0001463. doi: 10.1371/journal.pgph.0001463
 44. Sandhu S, Wilson E, Chattopadhyay K. Perceptions and Experiences of Undergraduate Students Regarding Social Media as a Tool for Government COVID-19-Related Messages: A Qualitative Study in Nottingham, UK. *Int J Environ Res Public Health Multidisciplinary Digital Publishing Institute (MDPI)*; 2023 Oct 1;20(20). PMID:37887641
 45. Gabarron E, Oyeyemi SO, Wynn R. Covid-19-related misinformation on social media: A systematic review. *Bull World Health Organ*. World Health Organization; 2021. p. 455-463A. PMID:34108756
 46. Kemei J, Alaazi DA, Tulli M, Kennedy M, Tunde-Byass M, Bailey P, Sekyi-Otu A, Murdoch S,

Mohamud H, Lehman J, Salami B. A scoping review of COVID-19 online mis/disinformation in Black communities. J Glob Health University of Edinburgh; 2022;12. PMID:35866205



Supplementary Files

Text box 1.

URL: <http://asset.jmir.pub/assets/7ea6cac747ca5713d1000fbdcfd3a5b.docx>

CONSORT (or other) checklists

PRISMA checklist.

URL: <http://asset.jmir.pub/assets/794c81edadb3a9b7bcd70eb35c6d784d.pdf>