

# **RoboCare: Using a Robot to improve the wellbeing of Care home residents using video calls, to adress social isolation and loneliness. A feasibility study.**

Lise Birgitte Holteng Austbø, Ingelin Testad, Martha Therese Gjesten

Submitted to: JMIR Formative Research  
on: April 22, 2024

**Disclaimer:** © The authors. All rights reserved. This is a privileged document currently under peer-review/community review. Authors have provided JMIR Publications with an exclusive license to publish this preprint on it's website for review purposes only. While the final peer-reviewed paper may be licensed under a CC BY license on publication, at this stage authors and publisher expressly prohibit redistribution of this draft paper other than for review purposes.

*Table of Contents*

---

**Original Manuscript..... 5**  
**Supplementary Files..... 26**  
    CONSORT (or other) checklists..... 27  
    CONSORT (or other) checklist 0..... 27

Preprint  
JMIR Publications

# RoboCare: Using a Robot to improve the wellbeing of Care home residents using video calls, to adress social isolation and loneliness. A feasibility study.

Lise Birgitte Holteng Austbø<sup>1, 2</sup> MHS; Ingelin Testad<sup>3, 2</sup> MNS, PhD, Prof Dr; Martha Therese Gjesten<sup>1, 2</sup> BSN, MHS, PhD

<sup>1</sup>Department of Clinical Medicine University of Bergen Bergen NO

<sup>2</sup>Centre for Age-related Medicine Stavanger University Hospital Stavanger NO

<sup>3</sup>University of Exeter Medical School Exeter GB

## Corresponding Author:

Lise Birgitte Holteng Austbø MHS  
Centre for Age-related Medicine  
Stavanger University Hospital  
Jan Johnsenegate 12  
Stavanger  
NO

## Abstract

**Background:** There are about 40 000 peopling livin in Norwegian care homes, where a majority are living with a dementia diagnosis. Social isolation and loneliness are common issues affecting care home residents quality of life. As a result of visitation restrictions during the pandmic, residents and family members started using digital solutions to keep in contact. There is no framework or guidelines to inform the uptake and use of technologies in the care home context and this often results in non-adoption and a lack of use after the introduction phase. Hence, there is a great need for research on the feasibility of a robot that can fasilitate video communication between residents and family members.

**Objective:** The aim of the study was 1) to introduce video communication thourgh a robot to adress social isolation and loneliness in a care home during a period of six weeks, and 2) and identify elements central to the feasibility in terms of testing and evaluating the use of the robot.

**Methods:** Three focus group interviews were undertaken; one with family members (n=4) and two with care staff (n=2 and n=2). The informants were purposely selected to ensure that they had the proper amount of experience with the robot in order to have the ability to inform the study's objectives. The focus group interviews were tape-recorded and transcribed ad verbatim then subsequently analysed using systematic text condensation.

**Results:** The data analysis of focus group interviews and individual interviews resulted in three categories: (i) Organizing the facilitation of video calls (ii) using a robot in dementia care (iii) user experience with the robot.

**Conclusions:** Video communication in care homes is a feasible alternative to face-to-face interactions, but depends on organizational factors like information flow, resources, and scheduling. In dementia care, the user-friendly robot supports person-centered care through tailored social interaction. Both family members and staff express enthusiasm for video calls as an option and saw its potential for future use. Clinical Trial: In accordance with ICMJE recommendations, RCTs must have been registered in a WHO accredited trial registry.

(JMIR Preprints 22/04/2024:59764)

DOI: <https://doi.org/10.2196/preprints.59764>

## Preprint Settings

1) Would you like to publish your submitted manuscript as preprint?

Please make my preprint PDF available to anyone at any time (recommended).

✓ Please make my preprint PDF available only to logged-in users; I understand that my title and abstract will remain visible to all u

Only make the preprint title and abstract visible.

No, I do not wish to publish my submitted manuscript as a preprint.

2) If accepted for publication in a JMIR journal, would you like the PDF to be visible to the public?

✓ **Yes, please make my accepted manuscript PDF available to anyone at any time (Recommended).**

Yes, but please make my accepted manuscript PDF available only to logged-in users; I understand that the title and abstract will remain visible to the public.

Yes, but only make the title and abstract visible (see Important note, above). I understand that if I later pay to participate in <http://www.jmir.org/>, I will be able to make my manuscript PDF available to the public.



## Original Manuscript

## Original paper:

**Title: RoboCare: Using a Robot to improve the wellbeing of Care home residents using video calls, to adress social isolation and loneliness. A feasibility study.**

Corresponding author:

Lise Birgitte Holteng Austbø, MSc. c/o SESAM, Post box 8100, 4068 Stavanger, Norway.

Lise.birgitte.holteng.austbo @sus.no

Tel: +47 40063238

Centre for Age-related Medicine, Stavanger University Hospital, Stavanger, Norway;

Department of Clinical Medicine, University of Bergen, Norway

Co-authors:

Ingelin Testad, RN PhD, Centre for Age-related Medicine, Stavanger University Hospital, Stavanger, Norway; University of Exeter Medical School, Exeter, Devon, UK

Martha Therese Gjestsen, RN PhD, Centre for Age-related Medicine, Stavanger University Hospital, Stavanger, Norway; Department of Clinical Medicine, University of Bergen, Norway

## Abstract

**Background:** There are about 40 000 peopling livin in Norwegian care homes, where a majority are living with a dementia diagnosis. Social isolation and loneliness are common issues affecting care

home residents quality of life. As a result of visitation restrictions during the pandemic, residents and family members started using digital solutions to keep in contact. There is no framework or guidelines to inform the uptake and use of technologies in the care home context and this often results in non-adoption and a lack of use after the introduction phase. Hence, there is a great need for research on the feasibility of a robot that can facilitate video communication between residents and family members.

**Objective:** The aim of the study was 1) to introduce video communication through a robot to address social isolation and loneliness in a care home during a period of six weeks, and 2) and identify elements central to the feasibility in terms of testing and evaluating the use of the robot.

**Methods:** Three focus group interviews were undertaken; one with family members (n=4) and two with care staff (n=2 and n=2). The informants were purposely selected to ensure that they had the proper amount of experience with the robot in order to have the ability to inform the study's objectives. The focus group interviews were tape-recorded and transcribed verbatim then subsequently analysed using systematic text condensation.

**Results:** The data analysis of focus group interviews and individual interviews resulted in three categories: (i) Organizing the facilitation of video calls (ii) using a robot in dementia care (iii) user experience with the robot.

**Conclusions:** Video communication in care homes is a feasible alternative to face-to-face interactions, but depends on organizational factors like information flow, resources, and scheduling. In dementia care, the user-friendly robot supports person-centered care through tailored social interaction. Both family members and staff express enthusiasm for video calls as an option and saw its potential for future use.

**Trial Registration:** In accordance with ICMJE recommendations, **RCTs must have been registered in a WHO accredited trial registry**. Please mention the ClinicalTrials.gov registration identifier

## Keywords

Aged care; older adults; dementia; social isolation; loneliness; feasibility; focus groups; robot; video calls

## Introduction

## Background

There are about 40 000 people living in Norwegian care homes (CHs) [1]; about 84% of them are living with dementia [2]. Most residents also have concurrent physical health problems and have thus

highly complex care needs resulting from a combination of cognitive, functional, and communication impairments, neuropsychiatric symptoms, and medical comorbidity [3]. Social isolation and loneliness are also described as common problems [4-6], and these aspects were exacerbated because of the infection control measures (e.g., visitor restrictions) undertaken in response to the COVID-19 pandemic [7, 8]. As a consequence of the social distancing measures, families started using digital solutions as a way of keeping in touch with their loved ones residing in CHs [9-11]. In the present literature, there is a large number of small-scale studies that explore the use of technologies for CH residents, their families and staff. For example, virtual communication solutions (e.g., tablets with video and sound; telepresence robot) for interactions between patients and family [12, 13]. There is a general notion that the ‘digital revolution’ in health care also includes long-term care, but there is no framework or guidelines to inform the uptake and use of technologies in the CH context [14-16]. Hence there is a need for systematic research on the feasibility of such solutions in term of factors affecting the uptake and use, and also with the aim to inform future research in this field [17].

## **Informing a digital intervention in care homes**

Despite the rhetoric associated with the benefits of adopting digital solutions in health care, the uptake and use of such technologies has not developed at the pace and scale anticipated [18]. Limited fidelity of technology recommendation to a person’s needs may be one reason, but it is increasingly recognized in the research literature that the health care personnel’s acceptance of the technological application itself remains a key challenge in adopting an intervention [19, 20]: This underlines the vital importance that the involved stakeholders (eg, researchers, policy makers, health care personnel, patients, and carers) are able to judge the value of technologies in their own right. Conversely, until we develop solutions that are considered to be useful and fit for purpose by the actual users, we will repeat what has been observed, analyzed and conceptualized by Greenhalgh and colleagues, in their NASSS (non adoption, abandonment, difficulties in scaling up, spread and sustainability) framework: Problems in technology projects usually occur because they are too complex - and because the complexity is sub-optimally handled [21].

Independently from the COVID 19 pandemic, but capitalizing on the experience accumulated, the application of digital solutions in a care home context has the potential to improve quality of care as well as quality of life for each individual resident. A recent review by Knapp and colleagues [22], provides an overview of digital solutions that appear most ready for use in the next 5 years: virtual care for tailored strategies for carers; mobile technologies for supporting self-care and daily activities; touchscreen and multimedia interventions and activities to improve mood, engagement and



behaviors; and ICT-based technologies for social connection.

During the periods of COVID-19 lockdown in care homes in Norway, care home staff described the need for a solution for CH residents and family and friends to keep in contact while access to the care homes was restricted. Through a collaboration with a cluster of technology vendors (Norwegian Smart Care Cluster), we identified a secure digital solution that could be tested for this purpose.

The digital solution entails using a robot to address social isolation and loneliness. The robot is developed in collaboration with care home staff and residents, and family members. The robot serves as a communication tool where residents can communicate with the family and friends, who can maneuver the robot from a mobile device. The technology is integrated and developed on a secure health platform developed and provided by PatientSky to ensure patient privacy.

The study applies the New Medical Research Council (MRC) guidance for developing and evaluating complex interventions [23] in the process of developing an intervention entailing the use of a robot in care homes. The MRC's framework is recommended for the development of interventions containing several interacting components, which aligns well with the multitude of stakeholders and number of components involved when a digital solution is tested in primary care. The study reported in this paper pertains to the first steps in the framework, which is Development and Piloting. Development phases and feasibility/pilot studies are recommended before conducting larger evaluation studies of complex interventions, to explore the procedures and applicability as well as participants' experiences with the intervention, to facilitate improvements and informing the design of potential further confirmatory studies [24, 25].

## Study aims

The aim of the study was 1) to introduce video communication through a robot to address social isolation and loneliness in a care home during a period of six weeks, and 2) and identify elements central to the feasibility in terms of testing and evaluating the use i.e., how recruitment and inclusion can be optimized, which outcome measures related to the intervention are feasible, and how care staff and family members experienced using the robot as a video communication tool.

Experiences and findings related to the first two elements (i.e., how recruitment and inclusion can be optimized, which outcome measures related to the intervention are feasible) are applied when we are currently planning an RCT using the same intervention. This paper reports on the care staff and family member perspective and experience with using the robot in video communication. The

findings can help inform other researchers who potentially face similar challenges when developing digital interventions in a similar setting.

## Methods

### Context

This study is a result of the collaboration between researchers / authors and members in a care home research network called FOKUS, geographically located in Western Norway. The FOKUS network supports research activity within care homes, with the overall aim of improving the lives of people in care homes, with particular focus on individuals with dementia. Designed to be mutually beneficial, the FOKUS network aims to enhance the quantity and quality of practice-adjacent research within care home settings increase the accessibility of research to primary care, but also vice versa: primary care stakeholders are vital to researchers in terms of developing knowledge that is relevant in their day-to-day practice. FOKUS currently consists of 20 care homes in the southern part of the Western Norway Regional Health Authority. As part of this collaborative network, this feasibility study was conducted in two units in one of the FOKUS care homes; one dementia care unit and a short-term unit.

### The intervention

The robot was introduced to the care staff and patients, and was used for six weeks. Care staff and family members were introduced to the robot and received training before starting the project. Patients and family members communicated through the robot regularly, but the robot did not replace actual visits. It is estimated that the robot was used 1-2 times a week per patient, and the conversations lasted for approximately 15-30 minutes and was facilitated by care staff to ensure no technological difficulties. The entire staff at the two units were encouraged to interact with the robot as much as possible to gain experience.

## Study design

This is a 6-week feasibility study to test and describe the use of a robot for videocalls in a care home setting. This study will help inform how recruitment and inclusion can be optimized, and to assess the feasibility and practicality of measuring the outcomes of the intervention in this context. We used trusted, validated questionnaires from the residents for this purpose, however this article will focus on the care staff and family member perspective and experience with using the robot in video communication. Data were collected using focus group interviews [26].

### Recruitment

As this is a feasibility study, no formal sample size calculation was required. We purposely recruited two care home units, one dementia unit and one short term unit in a care home from the FOKUS network. Care staff was recruited from the network members, who further identified residents and family members from their respective units and determined their eligibility to use the robot. Recruitment was conducted in May and June of 2020. Inclusion and exclusion criteria was designed to be as inclusive as possible, and only to exclude individuals who would not be able to use the intervention: i) All individuals residing in participating care homes who don't have severe dementia corresponding to the score of '3' or greater on the CDR; ii) Not able to undertake activities in daily living; iii) Any resident from whom consent or the advice of a consultee could not be obtained. A total of five care home residents used the robot for video communication with their respective family members. Four staff members were designated users and facilitators of the communication.

### Data collection

Three focus group interviews were undertaken; one with family members (n=4) and two with care staff (n=2 and n=2) respectively. The informants were purposely selected by the head of the care home units, to ensure that they had the proper amount of experience with the robot in order to have the ability to inform the study's objectives. The interviews were conducted by a moderator LB who holds a Master of Health Science and co-moderator MTG, PhD and nurse with a Master of Health Science. Administrative coordinator of the FOKUS network participated in one of the staff interviews. All interviews were based on a semi structured interview guide focusing on the staff and family members direct experience with the robot, as well their take on promoting and hindering factors to implementation and use of such a measure in a care home setting. The interview with family members and one staff interview were conducted through Zoom and the interviews with staff were conducted in the care home, both were audio recorded. All interviews lasted for about 60-70

minutes.

## Analysis

The focus group interviews were transcribed verbatim immediately after (by LB) and analyzed by all authors according to systematic text condensation as described by Malterud (2012) [26]. This method includes four steps to convey the participants' experience with a phenomenon. Firstly, all authors read the transcripts to form an overall impression and identify main themes. Secondly, meaning units were derived from the transcripts and coded into subgroups based on the themes from the first step. Thirdly, the meaning units were written into artificial quotes called condensates. As the last step of the analysis, the condensates were written into analytical text and represented as results. The analytical process is demonstrated in Table 1. Table 1. Analytical process.

Sub theme	Meaning Unit	Artificial quote - condensate	Analytical text
Resources impacted the use of the robot.	<i>«It takes time from other tasks, and in the unit where we worked, things can be calm for a second, and suddenly there are 5 people who need help.»</i>	I noticed that it took time away from other tasks I had in the care home unit. This was particularly true in the dementia unit where situations changed quickly, and many people need help simultaneously	According to staff, using the robot was time-consuming and at times very challenging, especially in the dementia care unit where the situation can change rapidly from calm to chaotic. Many residents need assistance simultaneously, and these situations appear quickly and unpredictably.

## Data saturation

Data saturation was discussed during analysis and was considered obtained when no more information could be attained and further coding of the material was not feasible.

## Ethics

This study obtained ethical approval from the Regional Ethcis Committee south east D, reference #15405. Informants have provided a written consent, with information that they could redraw from the study at any point and without reason. Qualitative data from the interviews were transcribed verbatim and anonymized by exchanging informants' names with a number. All data were collected and stored in accordance with data protection regulations; stored electronically on computers, which

were access-controlled via passwords. Hard copies of transcripts were securely stored in locked filing cabinets in offices that were accessible only to research staff. Data are deleted at the end of the study.

## Results

### Cohort characteristics

All care staff and family members who had experience using the robot were invited to focus group interviews, and 8 participants consented to participate. Care staff and family members were interviewed separately; four care staff from a dementia and a short-term unit participated in one focus group interview, and four family members participated in a second focus group interview. Both interviews were conducted in the fall of 2020. There were no exclusions or losses of participants after consent to participate in the interviews.

The data analysis of focus group interviews and individual interviews resulted in three categories: (i) Organizing the facilitation of video calls (ii) using a robot in dementia care (iii) user experience with the robot. Content from step (4) in the analysis (recontextualization) is presented as analytical text with category heading, respectively, and assembled with quotes that are representative of the category.

### Organizing the facilitation of video calls

Findings from the group interviews showed that organizational factors affected the use of the robot for video calls. Adequate information was paramount to involve staff, resource barriers impacted the use of the robot and structuring the video calls to accommodate routines were essential to the facilitation. Subthemes within this theme are related to information, resources and scheduling.

#### *Care staff information-need and super users*

Care staff highlighted the need for extensive information and orientation before implementing the robot in their daily routine and care. Findings demonstrate that a well-planned introduction focusing on organizational leadership and motivated staff is crucial to successful use.

*“It is very important that everyone who will be involved and use the robot is involved from the very beginning and receives information.”*

[Staff from the dementia unit, focus group 1]

At first, all staff was motivated and engaged with the project. However, after the introduction phase, two-three staff members were responsible for using the robot and facilitating video communication, which resulted in a lack of enthusiasm from the rest of the staff. Care home leaders must lead the implementation and use of digital solutions to ensure optimal uptake.

### ***Resources impacted the use of the robot***

According to staff, using the robot was time-consuming and at times very challenging, especially in the dementia care unit where the situation can change rapidly from calm to chaotic. Many residents need assistance simultaneously, and these situations appear quickly and unpredictably.

*“If you do not have the time or resources (...), it highly depends on your work shift. During the daytime, I never have the time.”*

[Staff from the dementia unit, focus group 1]

Staff explained that assisting residents using the robot took time away from other responsibilities, but at the same time, emphasized that the robot would be a great relief if residents could use it independently. They also highlighted that clarifying the care home unit's capacity concerning time and technology knowledge is key before implementing such a solution.

### ***Scheduled use of the robot***

Staff concurred during the interviews that facilitating video communication with residents' family members without a scheduled time was time-consuming. Establishing regular communication with family members was emphasized as key to using the robot beneficially.

*“Many people have one-to-one care, and staff members always have to be present, so it is more about making everything work with the daily tasks.”*

[Staff from the dementia unit, focus group 1]

Making video call appointments allowed staff to plan and prioritize resources to have enough capacity to support the resident during the calls.

*“Communication with family members and scheduling calls. It was time consuming when the participants could not use the robot by themselves.”*

This was also a great help in ensuring the robot was used regularly. Both family members and staff expressed that they, as care partners, need to be involved in planning to ensure that using a robot is not seen as a burden.

## **Using a robot in dementia care**

Staff perspective proved that introducing a robot intending to support person centered care and social interaction to people with dementia requires thorough evaluation and assessment. This to reveal benefits and consequences in able to fully utilized the solution, even though it was described as user-friendly. In this main theme, the subthemes are people living with dementia using the robot and a user friendly robot in dementia care.

### ***People living with dementia using the robot***

Informants reveal that using the robot for people with a dementia diagnosis pinpoints new opportunities and challenges. Care staff observed that their residents enjoyed seeing their family members through video and that the experience brought instant pleasure and joy.

*“I could see that the resident was smiling, the instant joy was most definitely present, and he did not become agitated afterwards.”.*

[Staff from the dementia unit, focus group 1]

In addition to enjoying the actual video conversation with their family members, the robot seemed appealing to residents with a previous interest in computers. Despite having advanced dementia and a reduced understanding of the concept of conversation, some residents were still fascinated with the technology.

Even though care staff observed clear benefits for their residents, they also emphasized the need for a thorough evaluation and screening of cognitive and functional status before implementing the robot for residents with dementia. This was to identify residents who may benefit from using it. Some residents became agitated and uneasy after using the robot, thus requiring follow-up from the staff, who expressed the importance of a well-planned routine when ending a video conversation with a family member.

### ***A user friendly robot in dementia care***

Care staff found the robot easy to use and very user-friendly. They expressed that being a part of a

project using a digital solution was a good experience and said that the robot was a great tool in dementia care. However, implementing technology brought some scepticism, especially regarding technology replacing human contact and in-person visits.

*“You do not want to replace visits with a screen because it is not the same. However, I did not feel that that changed.”*

[Staff from short-term unit, focus group 1]

In the first weeks of the study, the care homes used the robot on a stand with wheels. However, they experienced some challenges using this in a dementia unit and switched to using the robot in a stand for table tops. There were minor issues with internet reception while trying to connect to family members, yet this did not affect the usage.

## **User experiences with the robot**

Family members were enthusiastic about using the robot and saw it as a good solution for communication during the pandemic. Staff expressed a positive attitude after using the robot for six weeks and highlighted aspects which need to be in place for practical implementation and use. The subthemes under this main theme are family member experience and care staff experience.

### ***Family member experience with video calls***

Despite visitation restrictions, there was a general agreement that the family members were grateful for the possibility of seeing their loved one. Hearing their voices and seeing their facial expressions gave family members a safe feeling and made it easier for them to get a sense of the resident's state of health.

*“Because phone calls are just a conversation, but when you can see them as well, you feel more of a connection.”*

[Family member, focus group 2].

*“For my mom, I think this went well, and I thought it was great to see her, and she could see us. Other family members came into the video, saw her and waved at her. We found much joy in it.”*

[Family member, focus group 2].



They also pinpointed the robot's usefulness in communicating with distant relatives allowing the whole family to gather.

#### Care staff experience with facilitating video calls

Introducing the robot to care home staff created both scepticism and enthusiasm. Staff were motivated and excited to try new technology and saw it as a possible solution for relief on a busy day. However, some staff experienced a mixed reception and acceptance amongst their colleagues. As some residents became agitated and uneasy after using the robot, staff lacked the motivation to use it and saw it as a burden. On the contrary, some did not see it as a burden, but it could be demanding to familiarize themselves with the robot and incorporate it into their daily tasks:

*"Using a solution like this is something that can not be forced. There has to be a need for it."*

[Staff from short-term unit, focus group 1]

A well-planned introduction and adequate information during start-up are key. Sufficient information in the beginning and frequent follow-up during the six weeks is crucial to staff feeling motivated to use the robot and own the solution. The robot will only be used to its full potential if they do.

*"Information and follow up of the care staff is very important when using the robot (...) if not, it is easy to think "Well, this does not entail me. I have enough to deal with, with my own tasks and patients."*

[Staff from the dementia unit, focus group 1]

During the pandemic, the informants pointed out that they saw a clear need for a solution like the robot in this study. Due to visitation restrictions, care home staff had to assume a role as a link between residents and family members. They had to care for residents unable to receive visits from their families and simultaneously take care of family members who did not have the opportunity to follow up with their loved ones.

*"We had to take on the role of a family member and caregiver simultaneously, as well make sure to update the residents family (...) It became very busy for us (...) it would be great to have this opportunity, and great if everyone had one (a robot) in their room."*

[Staff from short-term unit, focus group 1]

There was a general agreement that technology acceptance might be influenced by generation. Some are worried about using digital solutions to deliver care and the distance between caregiver and resident that might arise:

*“They are anxious to lose the well-established human contact in care.”*

[Staff from short-term unit, focus group 1]

They suggested that future care home staff may have different perspectives on the integration of technology into their work.

## Discussion

### Principal findings

Using a robot for video communication between care home residents and family members is feasible and provided an alternative to face-to-face communication during visitation restrictions, in this study. However, the feasibility is substantially influenced by organizational factors such as information flow, available resources and scheduling video calls with family members. Using a robot in dementia care can support person centered care by facilitating social interactions, as long as the use is adapted to individual needs. The robot was user friendly, and both family members and staff expressed enthusiasm to have video calls as an option. This paper provides new insight into using a robot in a care home context, based on the user perspective. The present study bridges an existing gap in the literature and has the potential to inform future research aiming to measure effectiveness of technology on quality of life and loneliness among care home residents.

In the care home context, introduction of the robot elicited information-related needs from the care staff to maintain encouraged and motivated to use the robot. Novel technology in health care services is often associated with a lack of use after the introduction phase [27, 28]. This became evident in this study as facilitation tasks were predominantly obtained by a few individuals in each care home unit after the start-up. Ko et al. States that designated super users appear to be in a better position to support technology implementation, compared to the rest of the staff [14]. However, little is known about the selection of these super users in order to optimize uptake. In our study the designated staff were pre-selected and received training in facilitating video calls through the robot in order to involve the care home unit. They, however seemed to carry out the task mostly by themselves. An

issue that might be solved with a continuing flow of information to keep remaining staff motivated.

Even though a positive attitude towards the robot was evident, available resources and capacity to fully engage and incorporate the solution into every day care emerged as an obstacle. Despite the understanding that lack of use is often due to unmet expectation, or lack of clear value to the user [18], promoting and hindering factors in the external system could be contributing reasons. This was evident in our study as the staff clearly stated that the capacity to implement a robot needs to be evaluated at the organizational meso level to ensure optimal use.

Facilitating video communication in daily life unveiled both opportunities and challenges, especially finding opportunities for a conversation with family members alongside daily routines. To accommodate challenges related to resources and time-consuming facilitation of video-communication, staff started to engage family members and schedule calls to create a structured use of the robot. The agreement between family members and staff about involvement in setting up calls enforced collaboration and was in our study seen as a benefit. Revealing the engagement on both sides, we can argue that the robot brought forward an enthusiasm, regardless of scepticism and attitudes toward new technology. Despite our findings, previous research report that scheduling calls was a major source of frustration as this made the opportunity for communication more rigid [9]. This further emphasized the need for family involvement to ensure that using a robot is not seen as a burden.

The introduction of a robot for care home residents with dementia displayed both benefits and disadvantaged for the residents. It necessitates a comprehensive evaluation that takes into account the unique needs of each individual resident in order to complement person centred care. Aligned with other research, staff reported that some residents had adverse reactions after the video call, and became uneasy and confused [11]. This makes it evident that new technology has to be fit for purpose [21, 29].

The robot's user friendliness resulted in positive experiences when facilitating video calls. Yet, some were still sceptical and concerned that technology will replace human care. These are aspects that are highly important to take forward when planning implementation and use of technology in health care systems, as these are features highlighted as attributes affecting adopting and future use of new technology [29].

Having video calls as an alternative during visitation restrictions revealed a notable level of enthusiasm among family members and a positive attitude among care staff regarding the robot's role

in facilitating communication during the pandemic. These findings underscore the importance of investigating both user perspectives to comprehensively assess the feasibility and effectiveness of such technology in healthcare settings.

While dealing with the reality not being able to visit residents in care homes, family members expresses a gratitude toward the given opportunity to maintain social interactions through the robot. Restrictions and lack of social interaction was a major issue in care home during the pandemic, and video calling was care home residents main source of social enrichment during the pandemic [9]. The ability to hear their voices and observe their facial expressions through the use of technology engendered a profound sense of safety among family members. Kelly et al. found that adding a visual aspect to the communication made a substantial difference to their experience [9]. Moreover, this gave family members a better understanding of the resident's overall state of health.

Various emotions and reactions arose from the staff; some were enthusiastic and some expressed scepticism towards the robot. The enthusiasm was grounded in excitement about integrating technology into their existing routine, and saw it as an addition to high quality care. This is consistent with findings from a review by Ko et al.; care homes are using technology as supplements and not replacements for “human care” [14].

New technology needs to have clear value for staff, but most important evident value for the residents [27, 28]. As a consequence of some residents becoming agitated after a video call, certain staff members were discouraged from using the robot, and perceiving it as a potential burden. This observation underscores the importance of individualizing solutions in the field of care to prevent any adverse effects on the user, and for staff to observe the value of the robot in its own right [18].

Care home staff found themselves assuming a dual role of caregivers for residents who couldn't receive visits from their families and facilitators of communication between residents and their loved ones. The majority of residents in Norwegian care homes have a dementia diagnosis, which is already associated with burnout and depression in care home staff, as caregiving for this group is demanding [30]. This added workload intensified the demand for such technological tools. It is important to note that the informants in this study were interviewed while the Norwegian government still had imposed guidelines and restrictions on in terms of social distancing to individuals with increased risk. This is important in consideration of this paper and the generalizability of the results.

## Strengths and limitations

This study contributes with novel information about the feasibility of a robot in a care home setting through the exploration of the user perspective. The results will emphasize an unmet knowledge need in the field of technology in dementia care, as well as inform future researcher and guide the implementation of similar digital solutions. Although the total number of informants was small (n=9), the group of participants were varied with a wide range of working experience and experience from being a family member to a person residing in a care home. Making the group representable for stakeholders of a care home.

The studies reliability was maintained through an accurate and well-described performance of interviews and the analysis. All researchers sought to approach the data with an open mind to investigate the phenomenon purely from the perspective of the participants. Our methodological approach was suited for the aim of the study, to explore the feasibility of the robot based on the user perspective, ensuring validity of our results. Interviews with care staff and family members were based on similar interview guides, only to differ in wording to fit their role towards the patients, and performed by the same researchers to ensure internal validity. Preliminary results were distributed and presented to the informants for discussion and validation.

## Implications

This study provides novel information and insight about the use of a robot for video communication in a care home context, as described by care staff and family members. Evidence-base on technology implementation in healthcare mostly concerns non adoption, abandonment and poor uptake, making our results paramount in future research and implementation planning. One of the main challenges with existing implementation processes is the “top-down” perspective. Implementation strategies are commonly described by policymakers and researcher, but rarely in collaboration with the users. Stakeholders are key partners in technology implementation, and their acceptance and perceptions are of outmost importance to successful use.

Our results suggest that using video communication in a care home context has the potential to impact loneliness, social isolation by providing a communication alternative when face-to-face visits are not an option. According to previous research, being able to maintain social interaction with family increases quality of life [31]. By studying and describing the feasibility of using a robot for video communication we can ensure innovative and more efficient pathways for planning and

implementing technology in a care home context without disturbing well-established routines, ultimately benefiting patient care and staff satisfaction.

This paper emphasizes the importance of further research, both investigating the effect of using a robot in a care home context focusing in reduction of social isolation and loneliness and further describe factors promoting and hindering implementation.

This paper highlights the complexity of introducing a robot in care home context. It underscores the critical roles of leadership, resource assessment, structured scheduling, and person-centered evaluation in ensuring a successful and meaningful integration. As the landscape of care continues to evolve, understanding what factors influence the feasibility of implementation and use of a robot in care homes will be pivotal in enhancing the quality of care provided to individuals living with dementia. Further research and ongoing adaptation will be necessary to address the evolving needs and expectations of care home residents and their families.

## Conclusion

This study suggests that using a robot for video communication in care homes is a feasible alternative to face-to-face interactions during visitation restrictions. Feasibility depends on organizational factors like information flow, resources, and scheduling. In dementia care, the user-friendly robot supports person-centered care through tailored social interaction. Both family members and staff express enthusiasm for video calls as an option.

## Acknowledgements

The study was funded by the Centre for Age-Related Medicine, Stavanger University Hospital and Foundation Dam, through their Extra program related to the corona pandemic. The authors would like to thank the care homes that are members in the FOKUS network, and all the informants for their invaluable contribution to the study. The authors would also like to thank Hege Eiklid, Innocom, Marit Hagland and Karoline Mogleiv, Norwegian Smart Care Cluster for a productive collaboration. LB contributed to the study design, contributed to the development of data collection tools, data analysis, and drafted this manuscript. MTG contributed to the study design, was responsible for the development of data collection tools, contributed to data analysis and drafting of the manuscript. IT planned the study design, contributed to data analysis and drafting of the manuscript. All authors have read and approved the final version of the manuscript.

## Conflicts of Interest

None declared.

## Abbreviations

CDR: Clinical Dementia Rating scale

CHs: care homes

MRC: New Medical Research Council

NASSS: Non-adoption, Abandonment, and challenges to the Scale-up, Spread, and Sustainability

RCT: Randomized controlled trial

## References

1. Statistics Norway (2023, 29.06.23). Figures for 2022 on users of care services, Retrieved from <https://www.ssb.no/en/pleie/>
2. Helvik A-S, Engedal K, Benth JŠ, Selbæk G. Prevalence and severity of dementia in nursing home residents. *Dementia and geriatric cognitive disorders*; 2015(40) 3-4:166-77. PMID: 26138271
3. Røen I, Selbæk G, Kirkevold Ø, Engedal K, Testad I, Bergh S. Resource Use and Disease Cause in dementia - Nursing Home (REDIC-NH), a longitudinal cohort study; design and patient characteristics at admission to Norwegian nursing homes. *BMC health services research*; 2017(17)1:1-15. PMID: 28532443
4. Neves BB, Sanders A, Kokanović R. "It's the worst bloody feeling in the world": Experiences of loneliness and social isolation among older people living in care homes. *Journal of aging studies*; 2019(49):74-84. PMID: 31229221
5. Slettebø Å. Safe, but lonely: Living in a nursing home. *Vård i Norden*; 2008(28)1:22-5. Doi:10.1177/010740830802800106
6. Brownie S, Horstmannshof L. The management of loneliness in aged care residents: an important therapeutic target for gerontological nursing. *Geriatric Nursing*; 2011(32)5:318-25. PMID: 21831481
7. Ho KH, Mak AK, Chung RW, Leung DY, Chiang VC, Cheung DS. Implications of COVID-19 on the loneliness of older adults in residential care homes. *Qualitative health research*; 2022(32)2:279-90. PMID: 34855529
8. Huber A, Seifert A. Retrospective feelings of loneliness during the COVID-19 pandemic among residents of long-term care facilities. *Aging and Health Research*; 2022(2)1:100053. PMID: 35018357
9. Kelly RM, Xing Y, Baker S, Waycott J. Video Calls as a Replacement for Family Visits During Lockdowns in Aged Care: Interview Study With Family Members. *JMIR aging*; 2023(6):e40953. PMID: 37191951
10. Lemaire C, Humbert C, Sueur C, Racin C. Use of Digital Technologies to Maintain Older Adults' Social Ties During Visitation Restrictions in Long-Term Care Facilities: Scoping Review. *JMIR aging*; 2023(6)1:e38593. PMID: 36599164
11. Zamir S, Hennessy CH, Taylor AH, Jones RB. Video-calls to reduce loneliness and social isolation within care environments for older people: an implementation study using

- collaborative action research. *BMC geriatrics*; 2018(18)1:62. PMID: 29499659
12. Tsai H-H, Tsai Y-F. Changes in depressive symptoms, social support, and loneliness over 1 year after a minimum 3-month videoconference program for older nursing home residents. *Journal of medical Internet research*; 2011(13)4:e93. PMID: 22086660
  13. Bemelmans R, Gelderblom GJ, Jonker P, De Witte L. Socially assistive robots in elderly care: A systematic review into effects and effectiveness. *Journal of the American Medical Directors Association*; 2012(13)2:114-20. e1. PMID: 21450215
  14. Ko M, Wagner L, Spetz J. Nursing home implementation of health information technology: Review of the literature finds inadequate investment in preparation, infrastructure, and training. *INQUIRY: The Journal of Health Care Organization, Provision, and Financing*; 2018(55):0046958018778902. PMID: 29888677
  15. Koumakis L, Chatzaki C, Kazantzaki E, Maniadi E, Tsiknakis M. Dementia care frameworks and assistive technologies for their implementation: a review. *IEEE reviews in biomedical engineering*; 2019(12):4-18. PMID: 30640629
  16. Krick T, Huter K, Domhoff D, Schmidt A, Rothgang H, Wolf-Ostermann K. Digital technology and nursing care: a scoping review on acceptance, effectiveness and efficiency studies of informal and formal care technologies. *BMC health services research*; 2019(19):1-15. PMID: 31221133
  17. Trainum K, Tunis R, Xie B, Hauser E. Robots in Assisted Living Facilities: Scoping Review. *JMIR aging*; 2023(6)1:e42652. PMID: 36877560
  18. Van Velthoven MH, Cordon C. Sustainable adoption of digital health innovations: perspectives from a stakeholder workshop. *Journal of medical Internet research*; 2019(21)3:e11922. PMID: 30907734
  19. Gjesten MT, Wiig S, Testad I. Health care personnel's perspective on potential electronic health interventions to prevent hospitalizations for older persons receiving community care: Qualitative study. *Journal of Medical Internet Research*; 2020(22)1:e12797. PMID: 31895045
  20. Harst L, Wollschlaeger B, Birnstein J, Fuchs T, Timpel P. Evaluation is key: providing appropriate evaluation measures for participatory and user-centred design processes of healthcare IT. *International Journal of Integrated Care*; 2021(21)2:24. PMID: 34220388
  21. Greenhalgh T, Abimbola S. The NASSS framework-a synthesis of multiple theories of technology implementation. *Stud Health Technol Inform*; 2019(263):193-204. PMID: 31411163
  22. Knapp M, Shehaj X, Wong G. Digital interventions for people with dementia and carers: effective, cost-effective and equitable? *Neurodegenerative Disease Management*; 2022(12)5:215-9. PMID: 35833456
  23. Skivington K, Matthews L, Simpson SA, Craig P, Baird J, Blazeby JM, et al. A new framework for developing and evaluating complex interventions: update of Medical Research Council guidance. *Bmj*; 2021(374): n2061. PMID: 34593508
  24. Craig P, Dieppe P, Macintyre S, Michie S, Nazareth I, Petticrew M. Developing and evaluating complex interventions: the new Medical Research Council guidance. *Bmj*; 2008(337):a1655. PMID: 18824488
  25. Campbell M, Fitzpatrick R, Haines A, Kinmonth AL, Sandercock P, Spiegelhalter D, Tyrer P. Framework for design and evaluation of complex interventions to improve health. *BMJ (Clinical research ed)*; 2000(321)7262:694-6. PMID: 10987780
  26. Malterud K. Systematic text condensation: A strategy for qualitative analysis. *Scandinavian Journal of Public Health*; 2012(40)8:795-805. PMID: 23221918
  27. Gjesten MT, Wiig S, Testad I. What are the key contextual factors when preparing for successful implementation of assistive living technology in primary elderly care? A case study from Norway. *BMJ open*; 2017(7)9:e015455. PMID: 28882908



28. Catwell L, Sheikh A. Evaluating eHealth interventions: the need for continuous systemic evaluation. *PLoS medicine*; 2009(6)8. PMID: 19688038
29. Greenhalgh T, Wherton J, Papoutsi C, Lynch J, Hughes G, Hinder S, et al. Beyond adoption: a new framework for theorizing and evaluating nonadoption, abandonment, and challenges to the scale-up, spread, and sustainability of health and care technologies. *Journal of medical Internet research*; 2017(19)11:e367. PMID: 29092808
30. Duffy B, Oyeboode JR, Allen J. Burnout among care staff for older adults with dementia: The role of reciprocity, self-efficacy and organizational factors. *Dementia*; 2009(8)4:515-541. Doi:10.1177/1471301209350285
31. Ballard C, Orrell M, Sun Y, Moniz-Cook E, Stafford J, Whitaker R, et al. Impact of antipsychotic review and non-pharmacological intervention on health-related quality of life in people with dementia living in care homes: WHELD—a factorial cluster randomised controlled trial. *International journal of geriatric psychiatry*; 2017(32)10:1094-103. PMID: 27640872

## Supplementary Files

## CONSORT (or other) checklists

CONSORT-extension-Pilot-and-Feasibility-Trials-Checklist.

URL: <http://asset.jmir.pub/assets/4f26e48522019052892f6a4b57e5b727.pdf>