

A Web-Based Education Program for Care Partners of People Living with Dementia (iGeriCare): Protocol for a Pilot Randomized Controlled Trial

Anthony J. Levinson, Stephanie Ayers, Sandra Clark, Rebekah Woodburn,
Maureen Markle-Reid, Brian McKenna, Doug Oliver, Alexandra Papaioannou,
Henry Siu, Richard Sztramko

Submitted to: JMIR Research Protocols
on: October 01, 2024

Disclaimer: © The authors. All rights reserved. This is a privileged document currently under peer-review/community review. Authors have provided JMIR Publications with an exclusive license to publish this preprint on its website for review purposes only. While the final peer-reviewed paper may be licensed under a CC BY license on publication, at this stage authors and publisher expressly prohibit redistribution of this draft paper other than for review purposes.

Table of Contents

Original Manuscript.....	5
Supplementary Files.....	26
Figures	27
Figure 1.....	28
Figure 2.....	29
Figure 3.....	30
Multimedia Appendixes	31
Multimedia Appendix 1.....	32
Multimedia Appendix 2.....	32
CONSORT (or other) checklists.....	33
CONSORT (or other) checklist 0.....	33
CONSORT (or other) checklist 0.....	33
TOC/Feature image for homepages	34
TOC/Feature image for homepage 0.....	35

A Web-Based Education Program for Care Partners of People Living with Dementia (iGeriCare): Protocol for a Pilot Randomized Controlled Trial

Anthony J. Levinson^{1, 2, 3*} BA, MA, MSc, MD; Stephanie Ayers^{1, 3*} BA, BEd; Sandra Clark^{1, 3*} BSc, MSc; Rebekah Woodburn^{1, 3*} BA; Maureen Markle-Reid¹ PhD; Brian McKenna^{1, 4} MSc, MD; Doug Oliver^{1, 2, 5} BSc, MSc, MD; Alexandra Papaioannou^{1, 2} BSc, MSc, MD; Henry Siu¹ MSc, MD; Richard Sztramko¹ BSc, MD

¹ McMaster University Hamilton CA

² Geras Centre for Aging Research Hamilton CA

³ Division of e-Learning Innovation Hamilton CA

⁴ Hamilton Family Health Team Hamilton CA

⁵ McMaster Family Practice Hamilton CA

*these authors contributed equally

Corresponding Author:

Anthony J. Levinson BA, MA, MSc, MD

McMaster University
1280 Main Street West
Hamilton
CA

Abstract

Background: The prevalence of dementia is increasing in Canada and in many countries internationally. People living with dementia are highly dependent on family and friend care partners, who may have little knowledge of the disorder. Web-based interventions in dementia have been shown to improve care partner mental health and reduce burden, but few have been widely implemented or rigorously studied. We developed a web- and email-based dementia education platform for care partners, iGeriCare, which includes 12 asynchronous multimedia e-learning lessons and email-based content to reinforce the learning.

Objective: The primary objective of this pilot study is to evaluate the feasibility and care partner acceptance of the intervention, including study methods. Secondary objectives will examine the effectiveness of the educational resources on family care partners' knowledge, self-efficacy, and sense of burden.

Methods: This study is a two-arm pilot feasibility randomized controlled trial (RCT). 125 dementia family or friend care partners living in Canada aged 16+ who are comfortable using internet and email will be recruited using co-investigator networks and Facebook digital marketing advertisements. Participants will be randomized to either the intervention group (receiving the dementia web- and email-based educational intervention) or the control group (receiving an alternate topic e-learning lesson and emails) and will have 8 weeks to complete baseline surveys and the assigned e-learning. After 8 weeks, participants will have 2 weeks to complete post-study surveys. This protocol will be repeated with a second cohort of 100 care partners recruited from a paid panel service based on learnings from initial feasibility results.

Results: Initial recruitment began on September 6, 2022 and concluded on October 2, 2022. A total of 125 participants were randomized to the intervention (n=61) or control (n=64) groups. Data collection concluded in January 2023. Preliminary feasibility results showed a substantial number of participants who did not engage with the protocol as intended. A decision was made to recruit a second cohort of participants to address these protocol deviations. Secondary recruitment began on June 12, 2023 and concluded on June 27, 2023. A total of 100 participants were randomized to the intervention (n=53) or control (n=48). Data collection concluded in September 2023. Further results will be published in peer-reviewed journals and presented at conferences.

Conclusions: This study is investigating the feasibility, acceptability, and effectiveness of a web- and email-based dementia care partner educational intervention. The results of this study will contribute to the planning of a larger RCT in the future, as well as the evaluation of innovative, cost-effective, and efficient dementia care partner resources that can complement traditional approaches. Clinical Trial: This study has been registered on clinicaltrials.gov NCT05114187;

<https://clinicaltrials.gov/study/NCT05114187>

(JMIR Preprints 01/10/2024:67048)

DOI: <https://doi.org/10.2196/preprints.67048>

Preprint Settings

1) Would you like to publish your submitted manuscript as preprint?

✓ **Please make my preprint PDF available to anyone at any time (recommended).**

Please make my preprint PDF available only to logged-in users; I understand that my title and abstract will remain visible to all users.

Only make the preprint title and abstract visible.

No, I do not wish to publish my submitted manuscript as a preprint.

2) If accepted for publication in a JMIR journal, would you like the PDF to be visible to the public?

✓ **Yes, please make my accepted manuscript PDF available to anyone at any time (Recommended).**

Yes, but please make my accepted manuscript PDF available only to logged-in users; I understand that the title and abstract will remain visible to all users.

Yes, but only make the title and abstract visible (see Important note, above). I understand that if I later pay to participate in a JMIR journal, my accepted manuscript PDF will be visible to all users.

No. Please do not make my accepted manuscript PDF available to anyone.

Original Manuscript

A Web-Based Education Program for Care Partners of People Living with Dementia (iGeriCare): Protocol for a Pilot Randomized Controlled Trial

Abstract

Background:

The prevalence of dementia is increasing in Canada and in many countries internationally. People living with dementia are highly dependent on family and friend care partners, who may have little knowledge of the disorder. Web-based interventions in dementia have been shown to improve care partner mental health and reduce burden, but few have been widely implemented or rigorously studied. We developed a web- and email-based dementia education platform for care partners, iGeriCare, which includes 12 asynchronous multimedia e-learning lessons and email-based content to reinforce the learning.

Objective:

The primary objective of this pilot study is to evaluate the feasibility and care partner acceptance of the intervention, including study methods. Secondary objectives will examine the effectiveness of the educational resources on family care partners' knowledge, self-efficacy, and sense of burden.

Methods:

This study is a two-arm pilot feasibility randomized controlled trial (RCT). 125 dementia family or friend care partners living in Canada aged 16+ who are comfortable using internet and email will be recruited using co-investigator networks and Facebook digital marketing advertisements. Participants will be randomized to either the intervention group (receiving the dementia web- and email-based educational intervention) or the control group (receiving an alternate topic e-learning lesson and emails) and will have 8 weeks to complete baseline surveys and the assigned e-learning. After 8 weeks, participants will have 2 weeks to complete post-study surveys. This protocol will be repeated with a second cohort of 100 care partners recruited from a paid panel service based on learnings from initial feasibility results.

Results:

Initial recruitment began on September 6, 2022 and concluded on October 2, 2022. A total of 125 participants were randomized to the intervention (n=61) or control (n=64) groups. Data collection concluded in January 2023. Preliminary feasibility results showed a substantial number of participants who did not engage with the protocol as intended. A decision was made to recruit a second cohort of participants to address these protocol deviations. Secondary recruitment began on June 12, 2023 and concluded on June 27, 2023. A total of 100 participants were randomized to the intervention (n=53) or control (n=47). Data collection concluded in September 2023. Further results will be published in peer-reviewed journals and presented at conferences.

Conclusions:

This study is investigating the feasibility, acceptability, and effectiveness of a web- and email-based dementia care partner educational intervention. The results of this study will contribute to the planning of a larger RCT in the future, as well as the evaluation of innovative, cost-effective, and efficient dementia care partner resources that can complement traditional approaches.

Trial Registration:

This study has been registered on clinicaltrials.gov NCT05114187; <https://clinicaltrials.gov/study/NCT05114187>

Keywords:

Web-based intervention, Internet, E-health, Dementia, Caregiver, Alzheimer disease, Education and Training, Clinical Trial, Knowledge Translation, Randomized Controlled Trial

Introduction

Dementia Care Partners

People living with dementia rely on family care partners to provide support, most often without any formal dementia education. In Canada, at least 486,000

people identify as caring for an individual with dementia [1]; many more constitute informal family or friend care partners. By 2025, Canada will have greater than 1 million care partners for people living with dementia who will provide an estimated 1.4 billion hours of care annually [1-5].

Numerous quality standards highlight the importance of education that helps care partners develop knowledge and skills to support themselves and a person with dementia in living well [1,6-8]. Providing evidence-based education to help care partners better understand dementia, its progression, treatment options, and available supports can be challenging to do in the clinical setting; time and resource constraints can impede a provider's ability to provide education. Although several education programs currently exist, they vary in availability and often lack flexibility to accommodate the realities of caregiving.

Web-based Strategies

Care partner focused web-based interventions have been shown to be both feasible and effective with respect to a range of outcomes. Recent systematic reviews found evidence for the positive effects of web-based interventions on self-efficacy, self-esteem, and strain of care partners of adults living with a chronic condition[9-13]. There is also evidence for the benefit of internet-based interventions on mental health for care partners of adults living with a chronic condition, particularly for the outcomes of care partner depression, stress and distress, and anxiety [14].

However, there remains a shortage of freely available asynchronous web-based programs that incorporate principles of multimedia learning design. Care partners of people diagnosed with dementia have identified the need for high quality, accessible, and trusted internet resources [15]. There are several frequently unmet needs in dementia care partner education including flexible delivery methods as well as rigorous evaluation of program effectiveness [16-18]. Existing programs often rely on real-time components such as synchronous/live webinars, which can be inconvenient for care partners and challenging to scale and spread. A recent scoping review highlighted the importance of several components of internet interventions, including: evidence-based instructional design, co-designing online education with care partners and experts in dementia care, and using RCTs to more rigorously evaluate their effectiveness [19]. Comparable web-based educational programs in other chronic disease contexts provide valuable insights. The RHAPSODY program for young-onset dementia caregivers showed significant improvements in care partner confidence but required scheduled participation[20]. The STAR portal for dementia care partners demonstrated knowledge gains but faced challenges with user engagement and retention[21]. These experiences highlight the importance of flexible, asynchronous delivery and robust instructional design.

iGeriCare: A Web-Based Educational Program for Dementia Caregivers

iGeriCare (igericare.ca) is a free, evidence-based, web- and email-based educational program for family and friend care partners of people living with

dementia. It was developed by experts in dementia, e-learning, mental health, and lived experience caregiving to help meet the needs of care partners by improving their knowledge, and to raise awareness of strategies and services to improve their self-efficacy and quality of life.

[22-24]

iGeriCare is unique when compared to other care partner educational resources because it is one of the few web-based dementia care partner interventions to incorporate best practices in multimedia e-learning instructional design, asynchronous lessons and email-based microlearning, while remaining open access (free of cost) and without requiring users to create an account or log-in. Key components of the instructional design include: use of the principles of multimedia learning and audio narration; personalization, including the use of a virtual 'coach'/embodied instructional agent; segmenting the content into manageable topics to reduce cognitive load; authentic scenarios and worked examples; interactive review questions; and learner control over navigation [22]. An iterative, participatory instructional design and development methodology - the Successive Approximation Method [23] - was used, with extensive involvement and review from a range of experts in dementia care, including lived-experience dementia care partners.

The asynchronous and fully online elements of the intervention have proven even more valuable during the Covid-19 pandemic, when many face-to-face approaches have been unavailable [24]. It is easy to implement for clinicians and is an efficient and cost-effective way to address dementia care quality standards. This study, which is the first clinical trial studying the feasibility and effectiveness of the iGeriCare platform in a clinical trial, will be an important contribution to the literature on care partner web-based interventions. These innovations are an important complement to traditional approaches to care partner education, a key component of quality dementia care.

Research Aim

The overall aim of this study is to explore the feasibility, acceptability, and effectiveness of iGeriCare, a web- and email-based dementia care partner educational intervention.

Specific Objectives

The specific objectives of this study are (1) to evaluate the feasibility and care partner acceptance of the intervention and other study methods, and (2) to examine the effectiveness of the educational resources on family care partners' knowledge, self-efficacy, and sense of burden.

Research Questions

This study aims to answer the following research questions: (1) Is the intervention feasible for participants? (2) Are participants engaged and satisfied

with iGeriCare? (3) Does iGeriCare increase knowledge of dementia? (4) Does iGeriCare increase self-efficacy? And (5) Does iGeriCare decrease burden?

Methods

Study Design

This study is a two-arm pilot feasibility randomized controlled trial with an intervention and control group. Participants will receive assessments at baseline (T1) and at 8 weeks (T2).

Research Platform, Learning Management System and Email Campaign

Developers in the Division of e-Learning Innovation at McMaster University created an online research platform capable of hosting participant eligibility screening, informed consent, and block randomization. Microlearning email campaigns were set up in the MailChimp email marketing and automation platform, with a campaign to schedule two emails per week to each participant to reinforce the learnings from either the intervention or control e-learning. Two courses (intervention and control) were set up in the Litmos learning management system (LMS) to host the pre-study surveys, e-learning lessons, and post-study surveys for each group.

Participants

Inclusion & Exclusion Criteria
Individuals who meet the following self-reported inclusion criteria will be invited to participate in the study: 1) family and/or friend care partner of a person living with dementia, 2) reside in Canada, 3) 16 years of age and over, 4) able to read/listen to English, 5) access to email and internet, and 6) comfortable using email and internet. Participants who answer 'yes' to all 6 questions using the research platform will be invited to read the study information and provide informed consent prior to creating a participant account.

Sample Size

125 participants will be recruited in anticipation of a dropout rate of up to 30%, based on retention rates from previous trials on web-based interventions for our target population [10,25-27]. We expect a final sample size of $n=80$ ($n=40$ per group), which will be sufficient to assess feasibility and acceptability of the intervention.

Recruitment

Facebook digital marketing advertisements will be used to recruit potential participants on a rolling basis until 125 eligible participants provide informed consent. Facebook has been found to be an increasingly effective and low-cost

tool to drive online recruitment of research study participants [28]. Using targeted audience demographic selection, only persons who have been predetermined by Facebook to have 'interest' in relevant topics (i.e., Alzheimer's, dementia, caregiving) will receive study advertisements.

Randomization and Intervention Assignment

Following account creation, the research platform will automatically randomize participants either to the intervention group or the control group using stratified permuted block randomization with variable block sizes of 4, 6, and 8 (randomly arranged) in a ratio of 1:1, based on care partner type (care partner to a spouse, care partner to a parent, care partner to someone other than a spouse or parent), and level of education (high school equivalent or less, some college/university, college/university or graduate degree).

Once a participant is randomized to either the intervention or control group, an Application Programming Interface (API) will be used to assign each participant to the matching microlearning email campaign and course in the LMS. Participants will receive an account verification email, and once verified can begin to access their assigned surveys and online course (pre-study surveys, e-learning lesson(s), and post-study surveys).

Participant Support

Participants will be invited to email the research team at any time throughout the study period. A member of the research team will respond to all inquiries within one business day.

Intervention and Control Groups

Baseline Assessments (Pre-Study Surveys)

Both the intervention and control groups will receive access to the same pre-study surveys at T1 (baseline). The pre-study surveys will be used for the baseline assessments of participant demographics, knowledge, perceived self-efficacy, and perceived burden. Pre-study surveys will be identical for both the intervention and control groups.

e-Learning Content

After completion of the pre-study surveys, the intervention group will receive access to 10 selected e-learning lessons from iGeriCare. The control group will receive access to a single e-learning lesson on 'Promoting Brain Health'. Each group will be provided access to the other group's e-learning content at the conclusion of the study. Specific lesson titles and outlines for the intervention and control groups are displayed in Table 1.

MENU NARRATION

Dementia - An Overview

HELP

What is Dementia?

Cognition is our ability to interact with the world around us.

- Learning and memory
- Language
- Visual and spatial perception
- Executive function
- Social function

Healthy brain vs brain with toxic proteins

Figure 1: Intervention group e-learning.

Title of Lesson	Duration	Lesson Content	Group Assignment
What is Dementia?	10-15 mins	• Understand what cognition is and how it is impacted by dementia. • Learn about the most common causes of dementia and other possible causes of dementia-like symptoms.	Intervention
The Different Types of Dementia	20-25 mins	• Learn about the similarities and differences between Alzheimer disease, vascular, Lewy Body, frontotemporal (FTD) and Parkinson disease dementias.	Intervention
Stages of Dementia	20-25 mins	• Explore the three stages of dementia. • Understand how the disease progresses and know what to expect.	Intervention
How is Dementia Treated?	15-20 mins	• Look into the difference between managing the symptoms of dementia	Intervention

		and modifying the disease itself. Investigate what prescription drugs and other therapies are available.	
Safety in Dementia	15-20 mins	- Become aware of the risks of wandering, driving, fire, improper use of medications and managing personal finances. - Discover strategies to reduce the possibility of harm.	Intervention
Caring for the Person with Dementia at Home	20-25 mins	Learn about the types of services available in your home and your community from both publicly funded sources and private companies.	Intervention
Apathy, Depression and Anxiety in Dementia	25-30 mins	- Learn how these psychiatric issues may affect people with dementia. - Understand how to cope and discover what treatments may be available.	Intervention
Behavioural, Emotional and Psychiatric Symptoms in Dementia	35-40 mins	- Identify the behavioural, emotional, and psychiatric signs and symptoms associated with dementia. - Discover strategies and resources to help to manage responsive behaviours.	Intervention
Caregiver Wellness	10-15 mins	- Understand why caregiver wellness is so important. - Learn what you can do to help yourself and find support.	Intervention

Dementia: An Overview	10-12 mins	Get a quick overview of dementia in this summary that covers the highlights of all our lessons.	Intervention
Promoting Brain Health	25-30 mins	Explore how diet, exercise, blood vessel health, lifestyle choices, brain and social activity, and other health conditions affect brain health.	Control

Table 1: Study lesson titles, description, and group assignment.

Microlearning Email Campaign

Once randomized, participants will receive their designated microlearning campaign. The microlearning campaign is intended to reinforce learnings from the primary e-learning content and is customized to each group. Emails will be automated to send twice weekly.

Post-Study Surveys

Post-study surveys will be released to each participant at T2 (8 weeks) and remain open for 2 weeks. Post-study surveys will not be released to participants who did not complete the pre-study surveys. Participants in the intervention group will be invited to participate in a follow-up qualitative interview with the research team.

Outcome Measures

Our primary outcome is to evaluate the feasibility of implementation, including study methods, of the iGeriCare e-learning content within a clinical trial context. The secondary outcome is to determine the effectiveness of the intervention on knowledge, self-efficacy, and care partner burden.

Feasibility of Implementation of the Intervention

We will examine intervention adherence as measured by lesson completion data and email open rates, level of technical and participant support required from the research team including tracking and sending reminders, participant satisfaction survey ratings, and exit interview data from a sample of participants from the intervention group.

Feasibility of the Study Methods

Study methods will also be evaluated. We will examine recruitment rate as measured by participants per day, participant acceptability of the intervention and surveys as measured by completion and attrition rates, time to complete

the intervention and surveys, level of engagement/exposure to the intervention (including potential 'fast trackers' moving through the intervention at a high speed), survey data, and exit interview data.

Clinical Effectiveness Outcomes

Knowledge

Knowledge will be measured through the Dementia Knowledge Assessment Scale (DKAS) (reliability $\alpha = .85$; $\omega_h = .87$; overall scale) [29]. The DKAS consists of 25 items on different aspects of dementia that could be answered with 'True,' 'Probably True,' 'False,' 'Probably False,' or 'I don't know.'

Self-Efficacy

Self-efficacy will be measured through the Revised Scale for Caregiving Self-Efficacy (RSCSE) (reliability $\alpha = >.80$) [30]. The RSCSE contains 15 items within 3 subscales (self-efficacy for obtaining respite, responding to disruptive patient behaviours, and controlling upsetting thoughts about caregiving).

Burden

Burden will be measured through the Zarit Burden Interview (ZBI) (reliability $\alpha = .92$) [31]. The ZBI contains 22 items. Each item on the interview is a statement which the caregiver is asked to endorse using a 5-point Likert scale. Response options range from 0 (Never) to 4 (Nearly Always).

Qualitative Interviews

A sample of 10 consenting participants from the intervention arm will also be invited to participate in a 10-minute semi-structured telephone interview looking for their impressions about their experience, user acceptance, barriers and facilitators related to the educational tools and the intervention. This will allow the participants to have the freedom to express their experience, as opposed to having closed-ended questions. While we anticipate interviewing approximately 10 participants from the intervention group, we will also look for saturation of themes/feedback to determine when to terminate interviews. Interview items will be based on a participatory knowledge translation framework and mixed methods informed by the Consolidated Framework for Implementation Research (CFIR) to evaluate factors that could influence implementation effectiveness. The qualitative interview guide can be viewed in Multimedia Appendix 1.

Data Analysis

Blinded data analysis will be performed upon data collection for both cohorts. The CONSORT extension for randomized pilot and feasibility trials as well as CONSORT-EHEALTH will be used for final reporting [32–34].

Participant Characteristics

Differences in participant demographics between groups will be assessed using

unpaired two-tailed t-tests. Both stratification factors – care partner type (care partner to a spouse, care partner to a parent, care partner to someone other than a spouse or parent) and level of education (high school equivalent or less, some college/university, college/university or graduate degree) – will be included in all models. In addition, age, sex, education, stage of dementia, and length of time as a care partner will be looked at as possible effect modifiers of the relationship between group and the outcomes, and timepoint and the outcomes.

Feasibility of Implementation & Study Methods

Quantitative feasibility-related outcomes (e.g., email open rates and participant satisfaction survey ratings) will be compared between groups using unpaired two-tailed t-tests. Qualitative feedback from post-course surveys and semi-structured interviews will be coded, themed, and analyzed using a generic qualitative approach [35]. Qualitative content analysis will focus on the identification of barriers and facilitators to the adoption of iGeriCare e-learning, participant perceptions of the intervention, whether they felt it met their needs, and other experiences with the intervention, outcome measures, and study protocol.

Knowledge, Self-Efficacy, & Burden

Linear mixed models will be used to assess the relationship between group assignment and score for each of the outcomes: the DKAS and its subdomains (1. causes and characteristics, 2. communication and behaviour, 3. care considerations, and 4. risks and health promotion), the RSCSE and its subdomains (1. obtaining respite, 2. managing disruptive behaviours, and 3. controlling upsetting thoughts), and the ZBI. All models will include the two stratification factors – education level (high school equivalent or less, some college/university, college/university or graduate degree) and care partner type (care partner to a spouse, care partner to a parent, care partner to someone other than a spouse or parent). Group assignment will be included as the primary independent variable of interest with an interaction from time to determine how the relationship between outcome score and group assignment will change from baseline to follow-up. Potential effect modifiers including: age (categorized as <44 years, 45-64, and ≥65 years), gender, education level, stage of dementia (mild / early-stage dementia, moderate / middle-stage dementia, severe / late-stage dementia, or I don't know), and length of time as a care partner (less than 3 months, more than 3 months but less than 1 year, more than 1 year but less than 2 years, more than 2 years but less than 5 years, or more than 5 years) will be explored in relation to group assignment. These variable will be retained in the model if the likelihood ratio test indicates a significant difference between the nested model and the full model (p-value <0.05). If they are not significant modifiers of the group-outcome relationship, then they will be investigated as effect modifiers with respect to time. An ITT analysis will also be performed and include all individuals as per group assignment. A per protocol analysis will also be performed. Correlations between the number of lessons in the intervention completed and DKAS score will be analyzed.

We will also look for inverse correlations between DKAS and ZBI scores, as well as RSCSE and ZBI scores. Analyses will be performed using an alpha level of .05 and two-sided tests. All analyses will be conducted using RStudio software.

Qualitative Interviews

A conventional inductive content analysis approach will be used [36]. Data will be systematically examined. Codes and themes will be generated based on the content, with no reliance on preconceived theories. Weekly meetings will be held with the research team and analyst to examine themes, validate the coding process, and maintain consistency and depth in data interpretation.

Ethical Considerations

This study gained Hamilton Integrated Research Ethics Board approval on November 21, 2022 (project #14096) and was registered on clinicaltrials.gov (identifier NCT05114187). Participants were required to provide informed consent and were informed of the length of time of the e-learning, surveys, and email campaign as well as informed about the details surrounding data collection, storage, and investigator identities. Participants' identities and confidentiality were maintained throughout the research study. All participant data were deidentified, and all findings will be nonidentifiable. There is no known risk or harm to participating in this study or publicizing its results or findings. Participants in run 1 were provided with a \$40 Amazon gift card, participants in run 2 were provided with AskingCanadians points that can be redeemed for various gift cards as compensation for participation in the study.

Results

Initial Cohort Participants

Recruitment began on September 6, 2022, and finished on October 2, 2022. A total of 125 participants were randomized to the intervention (n=61) or control groups (n=64) and data collection concluded in January 2023.



Figure 2: Run 1 study flow diagram.

Preliminary results showed a substantial number of participants who did not engage with the protocol as initially intended. A number of participants were identified as not having completed the protocol as intended as demonstrated by 'fast-tracking' through the e-learning (i.e., clicking next without allowing time for reading and/or listening to content), or by repeatedly clicking 'I don't know' on pre and/or post-surveys.

Following this, a decision was made to recruit an additional cohort of participants (n=100) using learnings gained from the initial recruitment cohort concerns. A paid panel service, AskingCanadians, was engaged to assist with

recruitment. AskingCanadians is a reputable paid panel service that was able to specifically target family and friend care partners of people living with dementia.

Second Cohort Participants

Recruitment for the second cohort began on June 12, 2023 and concluded on June 27, 2023. 100 participants were randomized to either the intervention (n=53) or control group (n=47); data collection concluded in September 2023.




Figure 3: Run 2 study flow diagram.

Future Results

Results from run 2 of the RCT will be analyzed in spring/summer 2024, published in peer-reviewed journals in the field of aging and geriatrics, and presented at relevant conferences in early 2025. Results will report on overall feasibility of implementation of iGeriCare e-learning components in a clinical trial context, care partner acceptance of the intervention (including study methods and participant process), as well as any changes in knowledge, self-efficacy, and burden.

Discussion

Overview

The primary objective of this pilot study is to evaluate the feasibility of implementing the iGeriCare e-learning content within a clinical trial context; the secondary objectives include evaluating the feasibility of the study methods and effectiveness of the intervention. The results of this pilot feasibility study will contribute to the planning of a larger RCT in the future. The iGeriCare RCT has several strengths. First, because the study intervention is freely available online, it would be easy to implement, scale, and spread as part of a broader knowledge translation strategy. Second, the intervention is also available in both English and French, important for broader dissemination nationally within Canada. Third, while web-based dementia care partner interventions have been previously shown to be effective, those that incorporate evidence-based principles of multimedia instructional design are likely to prove even more effective.

Limitations

There are some limitations to this work. First, while Meta advertising proved to be an extremely effective and timely recruitment strategy, we did not anticipate the volume of non-compliant ('fast tracker') and 'fraudster' participants that would be recruited during the initial recruitment phase [37]. It is possible that the participation incentive caused some users to declare that they are a dementia care partner in the eligibility screener in order to register for the study. To remedy this, a second cohort of participants was recruited through use of a reputable paid panel service, Asking Canadians. Future studies will look at re-designing a social media recruitment campaign to discourage non-compliance or fraudulent participants. Secondly, this trial does not look at the long-term impact of web-based education and potential changes to knowledge, self-efficacy, and burden. Future work could consider incorporating additional time points to assess longer-term impacts. Finally, though AskingCanadians was enabled for recruitment of the second cohort of participants, there is still the potential for selection bias and exclusion of those who are lower income or do not have regular access technological resources. Future studies may explore the barriers to access and look at providing other avenues to web-based resources for disadvantaged populations.

Conclusions and Next Steps

The expected outcomes related to feasibility are participant acceptance and engagement with the intervention and the study protocol. We anticipate a trend toward an increase in knowledge and self-efficacy, and a reduction in burden in the intervention group; though the study was not powered to fully assess effectiveness. We expect that the study will have implications for future e-learning research with care partners of people living with dementia.

The results of this study will contribute to the planning of a larger RCT in the future, as well as the evaluation of innovative, cost-effective, and efficient dementia care partner resources that can complement traditional approaches. A final manuscript will be prepared to share all results in summer/fall 2025.

Acknowledgments

This work was supported by the team at the Division of e-Learning Innovation at McMaster University. Funding was provided by the PSI Foundation. AJL receives support through the John R. Evans Chair in Health Sciences Educational Research and Instructional Development, Faculty of Health Sciences, McMaster University. The authors wish to thank the care partners for participating in this important study. The authors would also like to thank Drs. Sharon Marr, Sarah Payne, Demetrios Sahlas, and David Streiner for their time and participation in this project.

Data Availability

The data sets analyzed during the current study will be available from the corresponding author on reasonable request once data collection is complete.

Authors' Contributions

AJL and SA drafted the original study protocol. AJL, SC, and RW led the intervention. SA drafted the protocol manuscript. All authors have reviewed the manuscript and approved the final version.

Conflicts of Interest

AJL and RS are co-owners of the iGeriCare intervention with McMaster University.

Abbreviations

API: Application Programming Interface
DKAS: Dementia Knowledge Assessment Scale
ITT: Intention to Treat
LMS: Learning Management System
NPS: Net Promoter Score
RCT: Randomized Controlled Trial
RSCSE: Revised Scale for Caregiving Self-Efficacy

ZBI: Zarit Burden Interview

Multimedia Appendix

Multimedia Appendix 1: qualitative interview guide based on the CFIR framework

References

1. Public Health Agency of Canada. A Dementia Strategy for Canada. 2019. Available from: <https://www.canada.ca/en/public-health/services/publications/diseases-conditions/dementia-strategy.html#endnotes> [accessed Mar 26, 2024]
2. Stall NM, Kim SJ, Hardacre KA, Shah PS, Straus SE, Bronskill SE, Lix LM, Bell CM, Rochon PA. Association of Informal Caregiver Distress with Health Outcomes of Community-Dwelling Dementia Care Recipients: A Systematic Review. *J Am Geriatr Soc* 2019;67(3):609–617. doi: <https://doi.org/10.1111/jgs.15690>
3. Statistics Canada. A portrait of Canada's growing population aged 85 and older from the 2021 Census. 2022.
4. Alzheimer Society of Canada. The Landmark Study: Navigating the Path Forward for Dementia in Canada. 2022. Available from: https://alzheimer.ca/sites/default/files/documents/Landmark-Study-Report-1-Path_Alzheimer-Society-Canada_0.pdf [accessed Apr 1, 2024]
5. Livingston G, Huntley J, Liu KY, Costafreda SG, Selbæk G, Alladi S, Ames D, Banerjee S, Burns A, Brayne C, Fox NC, Ferri CP, Gitlin LN, Howard R, Kales HC, Kivimäki M, Larson EB, Nakasujja N, Rockwood K, Samus Q, Shirai K, Singh-Manoux A, Schneider LS, Walsh S, Yao Y, Sommerlad A, Mukadam N. Dementia prevention, intervention, and care: 2024 report of the Lancet standing Commission. *The Lancet* 2024 Jul; doi: 10.1016/S0140-6736(24)01296-0
6. Health Quality Ontario. Recommendations for Adoption: Dementia Care in the Community. 2018. Available from: <https://hqontario.ca/Portals/0/documents/evidence/quality-standards/qs-dementia-recommendations-for-adoption-en.pdf> [accessed Mar 26, 2024]
7. Canadian Academy of Health Sciences. Improving the Quality of Life and Care of Persons Living with Dementia and Their Caregivers. 2019. Available from: <https://www.cahs-acss.ca/wp-content/uploads/2019/04/REPORT.pdf> [accessed Mar 26, 2024]
8. Ontario Ministry of Health and Long Term Care. Developing Ontario's Dementia Strategy: A Discussion Paper. 2016. Available from: https://files.ontario.ca/developing_ontarios_dementia_strategy_-_a_discussion_paper_2016-09-21.pdf [accessed Mar 26, 2024]
9. Deeken F, Rezo A, Hinz M, Discher R, Rapp MA. Evaluation of Technology-Based Interventions for Informal Caregivers of Patients With Dementia—A Meta-Analysis of Randomized Controlled Trials. *The American Journal of Geriatric Psychiatry Elsevier*; 2019 Apr 1;27(4):426–445. PMID:30642650

10. Zhao Y, Feng H, Hu M, Hu H, Li H, Ning H, Chen H, Liao L, Peng L. Web-Based Interventions to Improve Mental Health in Home Caregivers of People With Dementia: Meta-Analysis. doi: 10.2196/13415
11. Ploeg J, Markle-Reid M, Valaitis R, McAiney C, Duggleby W, Bartholomew A, Sherifali D. Web-based interventions to improve mental health, general caregiving outcomes, and general health for informal caregivers of adults with chronic conditions living in the community: Rapid evidence review. *J Med Internet Res JMIR Publications Inc.*; 2017;19(7). PMID:28754652
12. Ploeg J, Ali MU, Markle-Reid M, Valaitis R, Bartholomew A, Fitzpatrick-Lewis D, McAiney C, Sherifali D. Caregiver-Focused, Web-Based Interventions: Systematic Review and Meta-Analysis (Part 2). *J Med Internet Res* 2018;20(10):e11247 <https://www.jmir.org/2018/10/e11247> *Journal of Medical Internet Research*; 2018 Oct 26;20(10):e11247. PMID:30368439
13. Ploeg J, McAiney C, Duggleby W, Chambers T, Lam A, Peacock S, Fisher K, Forbes DA, Ghosh S, Markle-Reid M, Triscott J, Williams A. A Web-Based Intervention to Help Caregivers of Older Adults With Dementia and Multiple Chronic Conditions: Qualitative Study. *JMIR Aging* 2018;1(1):e2 <https://aging.jmir.org/2018/1/e2> *JMIR Aging*; 2018 Apr 23;1(1):e8475. doi: 10.2196/AGING.8475
14. Sherifali D, Usman Ali M, Ploeg J, Markle-Reid M, Valaitis R, Bartholomew A, Fitzpatrick-Lewis D, McAiney C. Impact of internet-based interventions on caregiver mental health: Systematic review and meta-analysis. *J Med Internet Res JMIR Publications Inc.*; 2018 Jul 1;20(7). PMID:29970358
15. Ringer TJ, Wong-Pack M, Miller P, Patterson C, Marr S, Misiaszek B, Woo T, Sztramko R, Vastis PG, Papaioannou A. Understanding the educational and support needs of informal care-givers of people with dementia attending an outpatient geriatric assessment clinic. *Ageing Soc* 2020;40:205–228. doi: 10.1017/S0144686X18000971
16. Wasilewski MB, Webster F, Stinson JN, Cameron JI. Adult children caregivers' experiences with online and in-person peer support. *Comput Human Behav Pergamon*; 2016 Dec 1;65:14–22. doi: 10.1016/J.CHB.2016.08.001
17. Dam AEH, Van Boxtel MPJ, Rozendaal N, Verhey FRJ, De Vugt ME. Development and feasibility of Inlife: A pilot study of an online social support intervention for informal caregivers of people with dementia. *PLoS One Public Library of Science*; 2017 Sep 1;12(9):e0183386. PMID:28886056
18. Leng M, Zhao Y, Xiao H, Li C, Wang Z. Internet-Based Supportive Interventions for Family Caregivers of People With Dementia: Systematic Review and Meta-Analysis. *J Med Internet Res* 2020;22(9):e19468 <https://www.jmir.org/2020/9/e19468> *Journal of Medical Internet Research*; 2020 Sep 9;22(9):e19468. PMID:32902388
19. Sztramko R, Levinson AJ, Wurster AE, Jezrawi R, Sivapathasundaram B, Papaioannou A, Cowan D, Onge JS, Marr S, Patterson C, Woo T, Mosca L, Lokker C. Online Educational Tools for Caregivers of People with Dementia: A Scoping Literature Review. *Canadian Geriatrics Journal Canadian Geriatrics Society*; 2021;24(4):351. PMID:34912490
20. Perin S, Lai R, Diehl-Schmid J, You E, Kurz A, Tensil M, Wenz M, Foertsch B, Lautenschlager NT. Online counselling for family carers of people with young onset dementia: The RHAPSODY-Plus pilot study. *Digit Health SAGE Publications Inc.*; 2023 Jan 1;9:20552076231161960. PMID:36908377

21. Hattink B, Meiland F, Van Der Roest H, Kevern P, Abiuso F, Bengtsson J, Giuliano A, Duca A, Sanders J, Basnett F, Nugent C, Kingston P, Dröes RM. Web-based STAR E-learning course increases empathy and understanding in dementia caregivers: Results from a randomized controlled trial in the netherlands and the United Kingdom. *J Med Internet Res JMIR Publications Inc.*; 2015 Oct 1;17(10). PMID:26519106
22. Clark R, Mayer R. *E-Learning and the Science of Instruction*. 5th ed. Wiley; 2023.
23. Allen MW, Sites R. *Leaving ADDIE for SAM: An Agile Model for Developing the Best Learning Experiences*. American Society for Training and Development; 2012.
24. Scott AF, Ayers S, Pluye P, Grad R, Sztramko R, Marr S, Papaioannou A, Clark S, Gerantonis P, Levinson AJ. Impact and Perceived Value of iGeriCare e-Learning Among Dementia Care Partners and Others: Pilot Evaluation Using the IAM4all Questionnaire. doi: 10.2196/40357
25. Boots LMM, De Vugt ME, Van Knippenberg RJM, Kempen GJMJ, Verhey FRJ. A systematic review of Internet-based supportive interventions for caregivers of patients with dementia. *Int J Geriatr Psychiatry John Wiley and Sons Ltd*; 2014;29(4):331–344. PMID:23963684
26. Duggleby W, Ploeg J, McAiney C, Peacock S, Fisher K, Ghosh S, Markle-Reid M, Swindle J, Williams A, Triscott JAC, Forbes D, Ruiz KJ. Web-Based Intervention for Family Carers of Persons with Dementia and Multiple Chronic Conditions (My Tools 4 Care): Pragmatic Randomized Controlled Trial. *J Med Internet Res J Med Internet Res*; 2018 Jun 1;20(6). PMID:29959111
27. Kajiyama B, Thompson LW, Eto-Iwase T, Yamashita M, Di Mario J, Marian Tzuang Y, Gallagher-Thompson D. Exploring the effectiveness of an internet-based program for reducing caregiver distress using the iCare Stress Management e-Training Program. *Aging Ment Health Aging Ment Health*; 2013;17(5):544–554. PMID:23461355
28. Whitaker C, Stevelink S, Fear N. The Use of Facebook in Recruiting Participants for Health Research Purposes: A Systematic Review. *JMIR Medical Internet Research* 2017; doi: 10.2196/jmir.7071
29. Annear MJ, Toyne C, Elliott KEJ, McInerney F, Eccleston C, Robinson A. Dementia knowledge assessment scale (DKAS): Confirmatory factor analysis and comparative subscale scores among an international cohort. *BMC Geriatr BioMed Central Ltd.*; 2017 Jul 31;17(1):1–11. PMID:28760154
30. Steffen AM, McKibbin C, Zeiss AM, Gallagher-Thompson D, Bandura A. The revised scale for caregiving self-efficacy: reliability and validity studies. *J Gerontol B Psychol Sci Soc Sci J Gerontol B Psychol Sci Soc Sci*; 2002;57(1). PMID:11773226
31. Zarit S, Reever K, Bach-Peterson J. Relatives of the impaired elderly: correlates of feelings of burden. *Gerontologist* 1980;20(6):649–655. doi: <https://doi.org/10.1093/geront/20.6.649>
32. Eldridge SM, Chan CL, Campbell MJ, Bond CM, Hopewell S, Thabane L, Lancaster GA, Altman D, Bretz F, Campbell M, Cobo E, Craig P, Davidson P, Groves T, Gumedze F, Hewison J, Hirst A, Hoddinott P, Lamb SE, Lang T, McColl E, O’Cathain A, Shanahan DR, Sutton C, Tugwell P. CONSORT 2010 statement: extension to randomised pilot and feasibility trials. *BMJ BMJ*; 2016;355. PMID:27777223
33. Thabane L, Hopewell S, Lancaster GA, Bond CM, Coleman CL, Campbell MJ,

- Eldridge SM. Methods and processes for development of a CONSORT extension for reporting pilot randomized controlled trials. *Pilot Feasibility Stud BMC*; 2016 Sep 23;2(1). PMID:27965844
34. Eysenbach G, Stoner S, Drozd F, Blankers M, Crutzen R, Tait R, Mohr D, Evans D, Kok R, Chumnanvej S, Kooprasertying P, Anthony S, Kivuti LW, Hambly K, Aarts JWM, Prins J, de la Torre I, Cook R, Jung BC, Burkhard R, Ruiz-Baques A, Gabarron E, Ahmadvand A, Gentles S, Kauer S, Kristjánsdóttir ÓB, Choubisa R, Achampong EK, Arvidsson D, Gagnon MP, Gurgan M, Daviss S, Mathieu E, Labrecque M, Anders HG, Lehto T, Kaldoudi E, Klovning A, Chih MY, Antypas K, Eide H, Lewin T, Leung FLE, Ancker J, Fernando J, Archambault PM, Dias R, Lau A, Beck P, Mayo-Wilson E, Bewick B. CONSORT-EHEALTH: improving and standardizing evaluation reports of Web-based and mobile health interventions. *J Med Internet Res J Med Internet Res*; 2011 Oct 1;13(4). PMID:22209829
35. Merriam SB, Tisdell EJ. *Qualitative Research: A Guide to Design and Implementation*. Wiley; 2015.
36. Vears DF, Gillam L, Vears D. *Inductive content analysis: A guide for beginning qualitative researchers*. 2022.
37. Teitcher JEF, Bockting WO, Bauermeister JA, Hoefer CJ, Miner MH, Klitzman RL. Detecting, Preventing, and Responding to “Fraudsters” in Internet Research: Ethics and Tradeoffs. *J Law Med Ethics NIH Public Access*; 2015 Mar 1;43(1):116. PMID:25846043

Supplementary Files

Figures

MENU

NARRATION

Dementia - An Overview

HELP

Dementia - An Overview

Overview of Dementia and Mild Cognitive Impairment

What is Dementia?

What is Mild Cognitive Impairment?

Types of Dementia

Stages of Dementia

Dementia Treatment

Behavioural, Emotional, and Psychiatric Symptoms

Apathy, Depression, and Anxiety

Responsive Behaviours

Home Supports and Safety

Safety and Dementia

Caring for the Person with Dementia at Home

Promoting Brain Health and Caregiver Wellness

How to Promote Brain Health

What is Dementia?


Cognition is our ability to interact with the world around us.

- Learning and memory
- Language
- Visual and spatial perception
- Executive function
- Social function


The diagram shows two brains side-by-side. The left brain is labeled 'Healthy brain' and has four distinct colored regions: red (front), orange (side), green (back), and blue (bottom). The right brain is labeled 'brain with toxic proteins' and has the same color scheme but includes several black irregular shapes representing protein deposits, particularly in the red and orange areas. A grey arrow points from the healthy brain to the affected brain.

Healthy brain vs brain with toxic proteins

Run 1 study flow diagram.



Run 2 study flow diagram.



Multimedia Appendixes

Qualitative interview guide.

URL: <http://asset.jmir.pub/assets/5a71113c15d90123f8969e6101219b2a.docx>

Summary of peer-reviewed comments.

URL: <http://asset.jmir.pub/assets/001cf064184c49ad3ff2c918c39424bf.pdf>



CONSORT (or other) checklists

CONSORT-EHEALTH V1.6.

URL: <http://asset.jmir.pub/assets/2ebfa6b1acbf8a12ae3bcd6ec677be1.pdf>

SPIRIT Checklist.

URL: <http://asset.jmir.pub/assets/e6d2dc7e21138c6d01f57af6e82f4017.pdf>

TOC/Feature image for homepages

TOC Image.

