
1999


LOCAL CLIMATOLOGICAL DATA ANNUAL SUMMARY WITH COMPARATIVE DATA




HAVRE, MONTANA (HVR)

ISSN 0198-3008







I CERTIFY THAT THIS IS AN OFFICIAL PUBLICATION OF THE NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION, AND IS COMPILED FROM RECORDS ON FILE AT THE NATIONAL CLIMATIC DATA CENTER.

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

NATIONAL ENVIRONMENTAL SATELLITE, DATA, AND INFORMATION SERVICE

NATIONAL CLIMATIC DATA CENTER ASHEVILLE, NORTH CAROLINA

DIRECTOR

NATIONAL CLIMATIC DATA CENTER

METEOROLOGICAL DATA FOR 1999

HAVRE, MT (HVR)

LATITUDE: LONGITUDE: ELEVATION (FT): TIME ZONE: WBAN: 94012 48° 33′ 34″ N 109° 46′ 48″ W GRND: 2582 BARO: 2582 MOUNTAIN (UTC + 7)

	8° 33′ 34″ N 109° 46′	48″ W	GRN	D: 25	82	BARO:	2582	!	MOUNTA	IN (U	JTC +	7)		
	ELEMENT	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	YEAR
TEMPERATURE ° F	MEAN DAILY MAXIMUM HIGHEST DAILY MAXIMUM DATE OF OCCURRENCE MEAN DAILY MINIMUM LOWEST DAILY MINIMUM DATE OF OCCURRENCE AVERAGE DRY BULB MEAN WET BULB MEAN DEW POINT NUMBER OF DAYS WITH:			50.4 77 25 25.0 10 05 37.7 31.7 24.2	56.2 76 17 29.2 16 16 42.7 36.7 27.1	65.3 89 25 39.6 25 06 52.5 44.9 36.4	73.1 87 18 47.1 36 10 60.1 52.7 45.9	82.7 102 29+ 48.3 39 26 65.5 53.9 43.8	85.6 100 30 54.0 44 31+ 69.8	68.4 89 23 39.6 29 28 54.0 45.4 36.7	60.8 77 20 30.8 13 03 45.8 38.5 29.8		43.9 56 24 20.8 9 20 32.4 28.1 20.6	
TEMI	MAXIMUM ≥ 90° MAXIMUM ≤ 32° MINIMUM ≤ 32° MINIMUM ≤ 0°			0 3 29 0	0 1 19 0	0 0 4 0	0 0 0	11 0 0 0	14 0 0 0	0 0 4 0	0 0 18 0	0 4 27 0	0 1 30 0	
H/C	HEATING DEGREE DAYS COOLING DEGREE DAYS			841 0	660 0	389 9	153 12	85 108	17 175	333 10	586 0	799 0	1002	
RH	MEAN (PERCENT) HOUR 05 LST HOUR 11 LST HOUR 17 LST HOUR 23 LST			65 82 58 45 72	58 76 48 42 67	59 78 48 44 67	62 82 49 44 74	51 78 37 31 64	52 77 41 31 61	58 79 48 35 68	59 76 48 43 66	68 78 60 60 71	63 71 56 59 67	
ß	PERCENT POSSIBLE SUNSHINE													
M/0	NUMBER OF DAYS WITH: HEAVY FOG(VISBY ≤ 1/4 MI) THUNDERSTORMS			5 1	0 2	0 2	0 12	0 7	2 6	0 1	1 0	4 0	0 0	
CLOUDINESS	SUNRISE-SUNSET: (OKTAS) CEILOMETER (≤ 12,000 FT.) SATELLITE (> 12,000 FT.) MIDNIGHT-MIDNIGHT: (OKTAS) CEILOMETER (≤ 12,000 FT.) SATELLITE (> 12,000 FT.) NUMBER OF DAYS WITH: CLEAR PARTLY CLOUDY CLOUDY													
PR	MEAN STATION PRESS. (IN.) MEAN SEA-LEVEL PRESS. (IN.)			27.18			27.18 29.86		27.26	27.32	27.32 30.07		27.29 30.06	
	RESULTANT SPEED (MPH) RES. DIR. (TENS OF DEGS.) MEAN SPEED (MPH) PREVAIL.DIR.(TENS OF DEGS.) MAXIMUM 2-MINUTE WIND:			1.0 13 10.6 08	3.4 27 10.0 23	4.4 27 10.5 23	2.5 23 10.6 22	3.4 27 10.7 22	0.9 23 10.2 07	2.4 28 9.1 23	5.9 25 10.8 23	9.0 23	9.4 24 12.4 23	
WINDS	SPEED (MPH) DIR. (TENS OF DEGS.) DATE OF OCCURRENCE MAXIMUM 5-SECOND WIND:			38 27 26	37 31 14	38 28 07	38 28 25+	46 29 08	39 25 21	38 33 10	60 27 31	39 23 12	36 32 18	
	SPEED (MPH) DIR. (TENS OF DEGS.) DATE OF OCCURRENCE			46 27 26	41 26 06	45 28 07	47 27 25	55 28 22	46 25 21	45 33 10	69 26 31	46 24 12	44 32 18+	
PRECIPITATION	WATER EQUIVALENT: TOTAL (IN.) GREATEST 24-HOUR (IN.) DATE OF OCCURRENCE NUMBER OF DAYS WITH: PRECIPITATION \geq 0.01 PRECIPITATION \geq 0.10 PRECIPITATION \geq 1.00			0.19 0.11 31 4 1	1.39 0.63 28-29 7 3	1.80 0.72 29 11 4	3.27 1.51 03 10 6	0.39 0.09 04		1.21 0.79 02-03 7 4	0.87 0.58 26-27 9			
SNOWFALL	SNOW, ICE PELLETS, HAIL: TOTAL (IN.) GREATEST 24-HOUR (IN.) DATE OF OCCURRENCE MAXIMUM SNOW DEPTH (IN.) DATE OF OCCURRENCE NUMBER OF DAYS WITH: SNOWFALL \geq 1.0			Ū	Ū	2	1	0.0	0.0	0.0	T T 26+ 0	0		

NORMALS, MEANS, AND EXTREMES

TIME ZONE:

WBAN: 94012

HAVRE, MT (HVR)

ELEVATION (FT):

48° 33′ 34″ N 109° 46′ 48″ W GRND: 2582 2582 MOUNTAIN (UTC + 7) BARO: SEP POR FEB MAR APR MAY JUN JUL OCT NOV DEC ELEMENT JAN AUG YEAR 30 24.7 32.0 42.6 56.7 67.9 77.8 85.4 84.1 71.2 60.0 41.6 28.2 NORMAL DAILY MAXIMUM 56.0 82.7 MEAN DAILY MAXIMUM 68.4 50.4 56.2 65.3 73.1 85.6 60.8 50.6 HIGHEST DAILY MAXIMUM 76 89 87 102 100 89 56 1999 YEAR OF OCCURRENCE 1999 1999 1999 1999 1999 1999 MEAN OF EXTREME MAXS. 77.0 76.0 89.0 87.0 102.0 100.0 89.0 77.0 78.0 56.0 49.5 47.1 36 NORMAL DAILY MINIMUM 30 14.3 10.2 19.7 30.8 41.5 53.8 52.5 41.9 31.5 17.6 6.6 30.8 39.6 25.7 MEAN DAILY MINIMUM 25.0 29.2 39.6 48.3 54.0 30.8 20.8 LOWEST DAILY MINIMUM 16 25 39 29 10 13 YEAR OF OCCURRENCE 1999 1999 1999 1999 1999 1999 1999 1999 1999 1999 29.0 13.0 MEAN OF EXTREME MINS. 10.0 16.0 25.0 36.0 39.0 44.0 9.0 13.0 54.7 52.5 63.7 69.7 NORMAL DRY BULB 30 3.8 21.1 43.8 68.3 56.5 45.8 29.6 17.4 42.1 31.1 60.1 52.7 37.7 54.0 MEAN DRY BULB 42.7 65.5 69.8 45.8 32.4 38.2 MEAN WET BULB 44.9 53.9 45.4 38.5 28.1 31.7 36.7 36.7 MEAN DEW POINT 24.2 27.1 36.4 45.9 43.8 29.8 20.6 NORMAL NO. DAYS WITH: MAXIMUM ≥ 90° MAXIMUM ≤ 32° MINIMUM ≤ 32° MINIMUM ≤ 0° NORMAL HEATING DEG. DAYS 1572 1229 1051 636 325 117 18 70 296 595 1062 1476 8447 NORMAL COOLING DEG. DAYS 164 172 0 0 0 n 6 78 461 0 881 NORMAL (PERCENT) HOUR 05 LST HOUR 11 LST HOUR 23 LST PERCENT POSSIBLE SUNSHINE MEAN NO. DAYS WITH: HEAVY FOG(VISBY≤1/4 MI) 5.0 0.0 0.0 0.0 0.0 2.0 0.0 1.0 4.0 0.0 7.0 THINDERSTORMS 1.0 2.0 2.0 12.0 6.0 1.0 0.0 0.0 0.0 MEAN: CLOUDINESS SUNRISE-SUNSET (OKTAS) MIDNIGHT-MIDNIGHT (OKTAS) MEAN NO. DAYS WITH: CLEAR PARTLY CLOUDY CLOUDY 27.18 | 27.26 | 27.18 | 27.18 | 27.25 | 27.26 | 27.32 | 27.32 MEAN STATION PRESSURE(IN) 27.29

MEAN SEA-LEVEL PRES. (IN)

PREVAIL.DIR(TENS OF DEGS)

DIR. (TENS OF DEGS)

YEAR OF OCCURRENCE

DIR. (TENS OF DEGS)

YEAR OF OCCURRENCE

MAXIMUM MONTHLY (IN)

MINIMUM MONTHLY (IN)

YEAR OF OCCURRENCE

YEAR OF OCCURRENCE

YEAR OF OCCURRENCE

NORMAL NO. DAYS WITH:

PRECIPITATION ≥ 0.01

PRECIPITATION > 1.00

MAXIMUM MONTHLY (IN)
YEAR OF OCCURRENCE

MAXIMUM IN 24 HOURS (IN)

YEAR OF OCCURRENCE

MAXIMUM SNOW DEPTH (IN)
YEAR OF OCCURRENCE
NORMAL NO. DAYS WITH:
SNOWFALL ≥ 1.0

MAXIMUM IN 24 HOURS (IN)

MEAN SPEED (MPH)

MAXIMUM 2-MINUTE: SPEED (MPH)

MAXIMUM 5-SECOND: SPEED (MPH)

NORMAL (IN)

NORMAL (IN)

LATITUDE:

LONGITUDE:

30.01 29.89 29.86 29.93

2.8

28

1999

1999

1.66

1.80

1999

0.72

1999

10.7

46

29

28

1999

1999

1.40

0.39

1999

0.09

1999

28

27

1999

1999

1.76

3.27

1999

1.51

1999

10.2

39

2.5

1999

1999

1.23

1.01

1999

0.46

1999

10.6 10.0 10.5 10.6

31

41

1999

1999

0.94

1.39

1999

0.63

1999

38

2.7

1999

1999

0.66

0.19

1999

0.11

30

0.53

0.36

30.07

60

27

69

1999

1999

0.87

1999

0.58

1999

1999

1999

Т

9.1 10.8

38

33

45

1999

1999

1.18

1.21

1999

0.79

1999

30.06

12.4

32

1999

1999

0.02

1999

0.02

1999

11.16

3.27

JUN 1999

0.00

1.51

JUN 1999

DEC

9.0

23

1999

1999

0.18

1999

0.08

1999

PRECIPITATION (inches) 1999 HAVRE, MT (HVR)

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1999			0.19	1.39	1.80	3.27	0.39	1.01	1.21	0.87	0.18	0.02	
POR= 1 YRS	0.00	0.00	0.19	1.39	1.80	3.27	0.39	1.01	1.21	0.87	0.18	0.02	10.33
												MBVM .	04010

WBAN: 94012 AVERAGE TEMPERATURE (°F) 1999 HAVRE, MT (HVR)

AVERAG	TE TEIME	EKAIUI	(F)	1999		TAVKE,	MI (H	. V IX)					
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1999			37.7	42.7	52.5	60.1	65.5	69.8	54.0	45.8	38.2	32.4	
POR= 1 YRS	.0	.0	37.7	42.7	52.5	60.1	65.5	69.8	54.0	45.8	38.2	32.4	41.6

HEATING DEGREE DAYS (base $65^{\circ}F$) 1999 HAVRE, MT (HVR)

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
												4.50	
1998-99 1999-	85	17	333	586	799	1002			841	660	389	153	

COOLING DEGREE DAYS (base 65°F) 1999 HAVRE, MT (HVR)

COOPIN	AG DEGI	REE DA	YS (bas	se 65 E	·) 1999	HAVE	EE, MI	(HVR)					
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1999			0	0	9	12	108	175	10	0	0	0	

WBAN : 94012

YEAR	JUL	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	TOTAL
POR=													

WBAN : 94012

REFERENCE NOTES:

PAGE 1:

THE TEMPERATURE GRAPH SHOWS NORMAL MAXIMUM AND NORMAL MINIMUM DAILY TEMPERATURES (SOLID CURVES) AND THE ACTUAL DAILY HIGH AND LOW TEMPERATURES (VERTICAL BARS).

PAGE 2 AND 3:

H/C INDICATES HEATING AND COOLING DEGREE DAYS.

RH INDICATES RELATIVE HUMIDITY

W/O INDICATES WEATHER AND OBSTRUCTIONS

S INDICATES SUNSHINE.

PR INDICATES PRESSURE.

CLOUDINESS ON PAGE 3 IS THE SUM OF THE CEILOMETER AND SATELLITE DATA NOT TO EXCEED EIGHT EIGHTHS(OKTAS).

GENERAL:

T INDICATES TRACE PRECIPITATION, AN AMOUNT GREATER THAN ZERO BUT LESS THAN THE LOWEST REPORTABLE VALUE. + INDICATES THE VALUE ALSO OCCURS ON EARLIER DATES. BLANK ENTRIES DENOTE MISSING OR UNREPORTED DATA. NORMALS ARE 30-YEAR AVERAGES (1961 - 1990). ASOS INDICATES AUTOMATED SURFACE OBSERVING SYSTEM. PM INDICATES THE LAST DAY OF THE PREVIOUS MONTH. POR (PERIOD OF RECORD) BEGINS WITH THE JANUARY DATA MONTH AND IS THE NUMBER OF YEARS USED TO COMPUTE

THE MEAN. INDIVIDUAL MONTHS WITHIN THE POR MAY BE MISSING.
WHEN THE POR FOR A NORMAL IS LESS THAN 30 YEARS,
THE NORMAL IS PROVISIONAL AND IS BASED ON THE NUMBER

OF YEARS INDICATED.

0.* OR * INDICATES THE VALUE OR MEAN-DAYS-WITH IS BETWEEN 0.00 AND 0.05.

CLOUDINESS FOR ASOS STATIONS DIFFERS FROM THE NON-ASOS OBSERVATION TAKEN BY A HUMAN OBSERVER. ASOS STATION CLOUDINESS IS BASED ON TIME-AVERAGED CEILOMETER DATA FOR CLOUDS AT OR BELOW 12,000 FEET AND ON SATELLITE DATA FOR CLOUDS ABOVE 12,000 FEET.

THE NUMBER OF DAYS WITH CLEAR, PARTLY CLOUDY, AND CLOUDY CONDITIONS FOR ASOS STATIONS IS THE SUM OF THE CEILOMETER AND SATELLITE DATA FOR THE SUNRISE TO SUNSET PERIOD.

GENERAL CONTINUED:

CLEAR INDICATES 0 - 2 OKTAS, PARTLY CLOUDY INDICATES 3 - 6 OKTAS, AND CLOUDY INDICATES 7 OR 8 OKTAS. WHEN AT LEAST ONE OF THE ELEMENTS (CEILOMETER OR SATELLITE) IS MISSING, THE DAILY CLOUDINESS IS NOT COMPUTED.

WIND DIRECTION IS RECORDED IN TENS OF DEGREES (2 DIGITS) CLOCKWISE FROM TRUE NORTH. "00" INDICATES CALM. "36" INDICATES TRUE NORTH.

RESULTANT WIND IS THE VECTOR AVERAGE OF THE SPEED AND DIRECTION.

AVERAGE TEMPERATURE IS THE SUM OF THE MEAN DAILY MAXIMUM AND MINIMUM TEMPERATURE DIVIDED BY 2.

SNOWFALL DATA COMPRISE ALL FORMS OF FROZEN PRECIPITATION, INCLUDING HAIL.

A HEATING (COOLING) DEGREE DAY IS THE DIFFERENCE BETWEEN THE AVERAGE DAILY TEMPERATURE AND $65\,^{\circ}\,\text{F}\,.$

DRY BULB IS THE TEMPERATURE OF THE AMBIENT AIR.

DEW POINT IS THE TEMPERATURE TO WHICH THE AIR MUST BE COOLED TO ACHIEVE 100 PERCENT RELATIVE HUMIDITY. WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE

WET BULB IS THE TEMPERATURE THE AIR WOULD HAVE IF THE MOISTURE CONTENT WAS INCREASED TO 100 PERCENT RELATIVE HUMIDITY.

ON JULY 1, 1996, THE NATIONAL WEATHER SERVICE BEGAN USING THE "METAR" OBSERVATION CODE THAT WAS ALREADY EMPLOYED BY MOST OTHER NATIONS OF THE WORLD. THE MOST NOTICEABLE DIFFERENCE IN THIS ANNUAL PUBLICATION WILL BE THE CHANGE IN UNITS FROM TENTHS TO EIGHTS(OKTAS) FOR REPORTING THE AMOUNT OF SKY COVER.

1999 HAVRE, MONTANA (HVR)

Havre, Montana, is located in a level valley formed by the Milk River, which courses through the city from west to east. Most of the city lies on the south side of the river. On the north side, hills rise abruptly to about 200 feet above the valley floor. The land mass north to the Canadian border is gently rolling and increases slightly in elevation. During winter months, frequent invasions of cold polar continental air move down across these rolling plains, bringing snow and sub-zero temperatures.

The Bearpaw Mountains extend from 15 to 30 miles south of Havre. Most of the peaks are from 4,000 to 5,000 feet above sea level, and several are above 6,000 feet. The highest is Old Baldy, 6,916 feet above sea level.

Winters are cold in the Havre area, but snow cover is seldom more than a few inches, and usually some ground is bare. Spells of mild weather do occur at least a few times each winter, arriving with sometimes fresh to strong southwest to west foehn winds. During winter months, rain rarely falls. Winter precipitation is almost always in the form of snow. The transition from winter to spring conditions is fairly rapid in the usual year, but cold snaps and snow can occur as late as early May or as early as September.

Summers are characterized by warm weather, seldom exceeding 95 degrees. Daytime warmest readings usually run from the 80s to the mid-90s during most of July and August, but summer relative humidities are seldom as high as 50 percent during afternoon hours. Summertime night temperatures are rarely oppressively warm. Most spring and summer precipitation falls as showers, but occasionally steady rains lasting several hours are observed in May and June, and again in September. Fall seasons are characterized by much clear weather, although cold snaps of a day or two, with some snow, can occur as early as mid-September.

· · · · · · · · · · · · · · · · · · ·																HAVRE, MONTANA
				L	L			ELEV	/ATI	ON A	BOVE				A U	* <u>Type</u>
				Î	Й	SEA LEVEL			(GROU	ND				ĬĬ	M = AMOS
LOCATION	OCCUPIED FROM	OCCUPIED TO	AIRLINE DISTANCES AND DIRECTIONS FROM PREVIOUS LOCATION	LA TI TU DD E	LO NG ITUDE WEST	GROUND TEMPERATURE	жндо ндогардедно	ихвыныкокивны вквинка	PSYCHROMETER	SUNSHINE SWHTCH	RAIN GAGE TIPPING BUCKET	WEIGHING RAIN GAGE	8 INCH RAIN GAGE	НУСКОТНЕКМОМЕТЕК	FOMATHC OBSERVING	M = AMOS T = AJTOB S = ASOS W = AWOS REMARKS
City-County Airport	04/01/94	Present	NA	48°34'	109°47'	2582									s	ASOS Commissioned 04/01/94.
SUBSCRIPTION: Price and ordering info	rmation a	vailable	through: Nat	ional C	limatic I	Data Cal	enter L:	(8 <u>7</u> 828)	dera 271	l Buck	ildir	ag, i	Ashev	ille	, No:	rth Carolina 28801.

National Climatic Data Center 151 Patton Avenue, Rm 120 Asheville NC 28801-5001

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE \$300 FORWARD AND ADDRESS CORRECTION FIRST CLASS
POSTAGE & FEES PAID
United States Department of Commerce
NOAA Permit No. G - 19